


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX. Gain	-0.58dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	42 Ohm					
Antenna Length	36.20mm					
Manufacture	Yongkang Tangsheng Industry Co.,Ltd.					
Address	No. 383, Huaxia Road, Yongkang Economic Development Zone, Jinhua City, Zhejiang Province					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.26174	-26.08241	-4.05716
2450	-0.765802	-29.12614	-5.02323
2480	-0.585582	-18.35241	-5.19127

Vertical: 2400 MHz 2450 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -20 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.3547	-15.3641	-11.235
2450	-2.4652	-17.4683	-7.3614
2480	-1.7152	-19.7581	-9.0257

ANT Test Labs: Attestation of Global Compliance Co., Ltd.