



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:56:56

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2437MHz

Note :

Polarization: Horizontal

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino
Temperature:21.9 °C
Humidity:52.5 %

File :3

Data :#9

Date: 2025/1/9
Time: 下午 11:59:33

90.0 dBuV/m



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22501-24046
M/N:
Test Mode : TX 2437MHz
Note :

Polarization: Vertical
Power : 3.6 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:57:06

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2437MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #10


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:59:43

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2437MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:26:17

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:29:05

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:27:00

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4912.000	42.08	peak	5.08	47.16	74.00	150	20	-26.84	
*	7370.000	37.65	peak	12.09	49.74	74.00	150	248	-24.26	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:29:49

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4910.000	46.26	peak	5.07	51.33	74.00	150	119	-22.67	
*	7368.000	39.66	peak	12.10	51.76	74.00	150	236	-22.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:27:51

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9824.000	32.19	peak	13.49	45.68	74.00	150	260	-28.32	
*	12280.000	32.64	peak	16.36	49.00	74.00	150	267	-25.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:30:31

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9824.000	32.15	peak	13.49	45.64	74.00	150	337	-28.36	
*	12280.000	32.91	peak	16.36	49.27	74.00	150	263	-24.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:28:08

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino
Temperature:21.9 °C
Humidity:52.5 %

File :3

Data :#9

Date: 2025/1/9
Time: 下午 11:30:48

90.0 dBuV/m



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22501-24046
M/N:
Test Mode : TX 2456 MHz
Note :

Polarization: Vertical
Power : 3.6 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino
Temperature:21.9 °C
Humidity:52.5 %

File :3

Data :#5

Date: 2025/1/9
Time: 下午 11:28:19

90.0 dBuV/m



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22501-24046
M/N:
Test Mode : TX 2456 MHz
Note :

Polarization: **Horizontal**
Power : 3.6 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #10


Date: 2025/1/9

Temperature: 21.9 °C

90.0 dBuV/m

Time: 下午 11:30:59

Humidity: 52.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : Bandedge

Data : #1


Date: 2025/1/17

Temperature: 20.5 °C

110.0 dBuV/m

Time: 下午 06:42:25

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	45.96	peak	-4.30	41.66	74.00	150	219	-32.34	
*	2483.500	34.59	AVG	-4.30	30.29	54.00	150	219	-23.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : Bandedge

Data : #2


Date: 2025/1/17

Temperature: 20.5 °C

110.0 dBuV/m

Time: 下午 06:49:05

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22501-24046

M/N:

Test Mode : TX 2456MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	46.02	peak	-4.30	41.72	74.00	150	219	-32.28	
*	2483.500	34.17	AVG	-4.30	29.87	54.00	150	219	-24.13	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1_ANT+_TX 902


Data :#1

Date: 2025/1/17

Temperature:20.5 °C

Time: 下午 06:13:15

Humidity:52.7 %



Site : 966A Chamber

Condition : FCC Restriction Band 30-300

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: Horizontal

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	50.6550	36.35	peak	-12.61	23.74	74.00	100	315	-50.26	
	75.2250	37.81	peak	-16.41	21.40	74.00	100	146	-52.60	
	77.7900	40.54	peak	-17.03	23.51	74.00	100	123	-50.49	
	81.8400	40.33	peak	-17.76	22.57	74.00	100	285	-51.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1_ANT+_TX 902

Data : #3


Date: 2025/1/17

Temperature: 20.5 °C

80.0 dBuV/m

Time: 下午 06:14:44

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC Restriction Band 300-1000

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	432.6500	33.95	peak	-8.85	25.10	74.00	100	274	-48.90	
	590.1500	33.66	peak	-5.52	28.14	74.00	100	52	-45.86	
	764.1000	33.71	peak	-2.14	31.57	74.00	100	116	-42.43	
*	968.8500	33.80	peak	-0.35	33.45	54.00	100	283	-20.55	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File : 1_ANT+_TX 902

Data : #2

Date: 2025/1/17

Temperature: 20.5 °C

80.0 dBuV/m

Time: 下午 06:13:59

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC Restriction Band 30-300

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	52.9500	47.01	peak	-12.68	34.33	74.00	100	254	-39.67	
	71.8500	48.08	peak	-15.59	32.49	74.00	100	198	-41.51	
*	80.0850	53.14	peak	-17.58	35.56	74.00	100	56	-38.44	
	99.1200	41.60	peak	-17.33	24.27	74.00	100	321	-49.73	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1_ANT+_TX 902

Data : #4


Date: 2025/1/17

Temperature: 20.5 °C

80.0 dBuV/m

Time: 下午 06:15:30

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC Restriction Band 300-1000

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: **Vertical**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	449.8000	33.46	peak	-8.30	25.16	74.00	100	118	-48.84	
	595.4000	33.47	peak	-5.47	28.00	74.00	100	259	-46.00	
	739.9500	33.35	peak	-2.48	30.87	74.00	100	103	-43.13	
*	984.2500	33.97	peak	-0.32	33.65	54.00	100	43	-20.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:48:26

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1804.600	41.27	peak	-7.04	34.23	74.00	150	211	-39.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:51:18

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22501-24046

Power : 3.6 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 902.3 MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1804.600	42.81	peak	-7.04	35.77	74.00	150	46	-38.23	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Gino
Temperature:20.5 °C
Humidity:52.7 %

File :3

Data :#2

Date: 2025/1/17
Time: 下午 04:49:08


90.0 dBuV/m



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22501-24046
M/N:
Test Mode : TX 902.3 MHz
Note :

Polarization: **Horizontal**
Power : 3.6 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2707.000	49.03	peak	-3.23	45.80	74.00	150	315	-28.20	
	3609.200	41.87	peak	-0.39	41.48	74.00	150	298	-32.52	



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22501-24046
M/N:
Test Mode : TX 902.3 MHz
Note :

Polarization: Vertical
Power : 3.6 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2707.000	50.07	peak	-3.23	46.84	74.00	150	188	-27.16	
	3610.000	44.14	peak	-0.39	43.75	74.00	150	248	-30.25	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:49:50

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4511.500	32.46	peak	3.22	35.68	74.00	150	200	-38.32	
	5413.800	32.92	peak	4.99	37.91	74.00	150	194	-36.09	
	6316.100	33.02	peak	8.99	42.01	74.00	150	12	-31.99	
*	7218.400	32.61	peak	11.14	43.75	74.00	150	241	-30.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:52:44

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4511.500	33.50	peak	3.22	36.72	74.00	150	293	-37.28	
	5413.800	32.34	peak	4.99	37.33	74.00	150	53	-36.67	
	6316.100	32.45	peak	8.99	41.44	74.00	150	111	-32.56	
*	7218.400	33.19	peak	11.14	44.33	74.00	150	208	-29.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4

Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:50:32

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8120.700	31.82	peak	12.58	44.40	74.00	150	131	-29.60	
*	9023.000	32.99	peak	13.39	46.38	74.00	150	224	-27.62	

*:Maximum data x:Over limit !:over margin