



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 04:53:27

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 902.3 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8120.700	32.02	peak	12.58	44.60	74.00	150	244	-29.40	
*	9023.000	34.16	peak	13.39	47.55	74.00	150	258	-26.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:01:38

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1815.400	43.35	peak	-6.96	36.39	74.00	150	121	-37.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:04:30

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Vertical**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1815.400	41.55	peak	-6.96	34.59	74.00	150	39	-39.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:02:20

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2723.000	49.97	peak	-3.18	46.79	74.00	150	249	-27.21	
	3631.000	42.96	peak	-0.31	42.65	74.00	150	100	-31.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:05:13

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2723.000	49.75	peak	-3.18	46.57	74.00	150	251	-27.43	
	3630.800	41.35	peak	-0.31	41.04	74.00	150	207	-32.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:03:02

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4538.500	32.82	peak	3.38	36.20	74.00	150	146	-37.80	
	5446.200	32.27	peak	5.20	37.47	74.00	150	305	-36.53	
	6353.900	32.59	peak	9.31	41.90	74.00	150	288	-32.10	
*	7261.600	33.99	peak	11.28	45.27	74.00	150	76	-28.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:05:57

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4538.500	33.35	peak	3.38	36.73	74.00	150	300	-37.27	
	5446.200	32.82	peak	5.20	38.02	74.00	150	80	-35.98	
	6353.900	32.20	peak	9.31	41.51	74.00	150	201	-32.49	
*	7261.600	34.26	peak	11.28	45.54	74.00	150	113	-28.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4

Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:03:45

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8169.300	32.12	peak	12.54	44.66	74.00	150	355	-29.34	
*	9077.000	32.75	peak	13.28	46.03	74.00	150	191	-27.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:06:39

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 907.7 MHz

Note :

Polarization: **Vertical**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8169.300	32.16	peak	12.54	44.70	74.00	150	165	-29.30	
*	9077.000	33.26	peak	13.28	46.54	74.00	150	355	-27.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:14:03

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1825.800	42.49	peak	-6.89	35.60	74.00	150	335	-38.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:16:54

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1825.800	42.23	peak	-6.89	35.34	74.00	150	144	-38.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:14:45

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2739.000	49.15	peak	-3.13	46.02	74.00	150	118	-27.98	
	3651.600	42.49	peak	-0.22	42.27	74.00	150	209	-31.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:17:37

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2739.000	49.62	peak	-3.13	46.49	74.00	150	147	-27.51	
	3651.600	42.59	peak	-0.22	42.37	74.00	150	289	-31.63	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:15:27

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4564.500	32.79	peak	3.53	36.32	74.00	150	204	-37.68	
	5477.400	32.58	peak	5.40	37.98	74.00	150	183	-36.02	
	6390.300	32.69	peak	9.63	42.32	74.00	150	14	-31.68	
*	7303.200	34.07	peak	11.42	45.49	74.00	150	222	-28.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:18:20

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4564.500	33.11	peak	3.53	36.64	74.00	150	108	-37.36	
	5477.400	33.15	peak	5.40	38.55	74.00	150	243	-35.45	
	6390.300	32.85	peak	9.63	42.48	74.00	150	291	-31.52	
*	7303.200	34.39	peak	11.42	45.81	74.00	150	100	-28.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:16:09

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: **Horizontal**

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8216.100	32.00	peak	12.53	44.53	74.00	150	131	-29.47	
*	9129.000	32.17	peak	13.16	45.33	74.00	150	250	-28.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2025/1/17

Temperature: 20.5 °C

90.0 dBuV/m

Time: 下午 05:19:02

Humidity: 52.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22501-24046

M/N:

Test Mode : TX 912.9 MHz

Note :

Polarization: Vertical

Power : 3.6 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8216.100	32.19	peak	12.53	44.72	74.00	150	33	-29.28	
*	9129.000	32.58	peak	13.16	45.74	74.00	150	112	-28.26	

*:Maximum data x:Over limit !:over margin