



[Test mode: TX High channel]; [Polarity: Horizontal]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2483.500	50.35	-2.91	47.44	74.00	-26.56	peak
2		2500.000	42.45	-3.00	39.45	74.00	-34.55	peak

Test Result: Pass

[Test mode:TX High channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2483.500	49.17	-2.91	46.26	74.00	-27.74	peak
2		2500.000	42.56	-3.00	39.56	74.00	-34.44	peak


Test Result: Pass

7 Appendix A


7.1 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	2.4G	2402	Ant1	-2.819	30	Pass
NVNT	2.4G	2442	Ant1	-2.237	30	Pass
NVNT	2.4G	2480	Ant1	-2.533	30	Pass


Power NVNT 2.4G 2402MHz Ant1



Power NVNT 2.4G 2442MHz Ant1




Power NVNT 2.4G 2480MHz Ant1




7.2 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	2.4G	2402	Ant1	0.686	0.5	Pass
NVNT	2.4G	2442	Ant1	0.681	0.5	Pass
NVNT	2.4G	2480	Ant1	0.684	0.5	Pass


-6dB Bandwidth NVNT 2.4G 2402MHz Ant1



-6dB Bandwidth NVNT 2.4G 2442MHz Ant1




-6dB Bandwidth NVNT 2.4G 2480MHz Ant1




7.3 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	2.4G	2402	Ant1	1.0486
NVNT	2.4G	2442	Ant1	1.0431
NVNT	2.4G	2480	Ant1	1.0557


OBW NVNT 2.4G 2402MHz Ant1



OBW NVNT 2.4G 2442MHz Ant1




OBW NVNT 2.4G 2480MHz Ant1




7.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	2.4G	2402	Ant1	-18.335	8	Pass
NVNT	2.4G	2442	Ant1	-17.864	8	Pass
NVNT	2.4G	2480	Ant1	-17.996	8	Pass


PSD NVNT 2.4G 2402MHz Ant1



PSD NVNT 2.4G 2442MHz Ant1



PSD NVNT 2.4G 2480MHz Ant1




7.5 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	2.4G	2402	Ant1	-48.51	-20	Pass
NVNT	2.4G	2480	Ant1	-53.13	-20	Pass

Band Edge NVNT 2.4G 2402MHz Ant1 Ref




Band Edge NVNT 2.4G 2402MHz Ant1 Emission



Band Edge NVNT 2.4G 2480MHz Ant1 Ref




Band Edge NVNT 2.4G 2480MHz Ant1 Emission




7.6 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	2.4G	2402	Ant1	-39.11	-20	Pass
NVNT	2.4G	2442	Ant1	-43.29	-20	Pass
NVNT	2.4G	2480	Ant1	-39.51	-20	Pass


Tx. Spurious NVNT 2.4G 2402MHz Ant1 Ref




Tx. Spurious NVNT 2.4G 2402MHz Ant1 Emission



Tx. Spurious NVNT 2.4G 2442MHz Ant1 Ref




Tx. Spurious NVNT 2.4G 2442MHz Ant1 Emission



Tx. Spurious NVNT 2.4G 2480MHz Ant1 Ref




Tx. Spurious NVNT 2.4G 2480MHz Ant1 Emission



Appendix B: photographs of test setup

Radiated Emissions (30MHz-1GHz)




Radiated Emissions (above 1GHz)



Conducted Emissions at Mains Terminals (150 kHz-30MHz)



Appendix C: photographs of EUT



View of Product-1



View of Product-2



View of Product-3



View of Product-4




View of Product-5




View of Product-6




View of Product-7




View of Product-8



View of Product-9



View of Product-10



View of Product-11

----END OF REPORT----

The test report is effective only with both signature and specialized stamp, the result(s) shown in this report refer only to the sample(s) tested. Without written approval of BlueAsia, this report can't be reproduced except in full.