


To attach band, slide in until you hear a click.
To remove, press button and slide out.

若要连接表带,请滑入表带直到听见咔哒声。
若要卸下表带,请按下按钮将其滑出。




Insert the magnetic snap buckle into the appropriate position based on the size of your wrist.

根据您手腕的大小,将磁吸卡扣卡入合适的位置。



Adjust the band to fit your wrist and ensure the magnetic clasp clicks into place.

调整表带以贴合手腕,让磁吸卡扣入到位。



Turn the band to align the wireless charger, plug in a USB-C power source (like a phone charger or power bank) to charge.

旋转表带以对齐无线充电器,插入USB-C供电设备(手机充电器或移动电源)即可充电



Before using the product, please read the instructions carefully and keep them safe

Product Safety Information

1. Store this product in a cool, dry place.
2. Do not store this product in high-temperature or humid environments.
3. Use of power supply or chargers not recommended or sold by the manufacturer may result in fire or risk of injury to persons.
4. Operating temperature should be between 32 and 95°F (0 and 35°C).
5. Do not disassemble the product. If the product needs service or repair, please contact qualified service persons. Incorrect reassembly may cause a fire or risk of injury to persons.
6. When charging a device, the product may feel warm. This is a normal condition and should not be a cause for concern.
7. Do not dispose of the product in heat or fire.
8. Do not clean this product with harmful chemicals or detergents.
9. Misuse, dropping, or excessive force may cause damage to the product.
10. The product supports IP68 dustproof and waterproof, but the interface needs to be kept dry during charging.

Product Performance Failure

Product Type	Performance failure
Wireless Charger	01. Cracks in the shell caused by structural or material factors
Watch Band	02. Unable to charge Apple watch

Exclusions from Warranty

1. Unauthorized repairs, misuse, collision, negligence, abuse, liquid ingress, accidents, modifications, and incorrect use of accessories.
2. The warranty period has expired.
3. Damages caused by force majeure factors.
4. Cases that do not meet the performance faults listed in the "Product Performance Failure" list.
5. Performance failure listed in the "Product Performance Failure" caused by human factors.

Customer Service

The following services are available for you to enjoy free of charge according to this policy: returns, exchanges, and repairs. Repairs, exchanges, and returns must be processed with a receipt.

1. Within 7 days of receipt, you may return the product with out reasons, but you must bear the shipping costs.
2. 12-month warranty in the event that the product experiences any performance failure as specified in the "Product Performance Failure" list and is duly confirmed upon inspection.

Declaration of Toxic and Hazardous Substances in Electronic Products

PART NAME	TOXIC AND HAZARDOUS SUBSTANCE AND ELEMENTS					
	Pb	Hg	Cd	Cr6+	PBB	PBDE
PCB	x	o	o	o	o	o
PLASTICS	o	o	o	o	o	o
METALST	x	o	o	o	o	o
COMPONENT	o	o	o	o	o	o

This table is prepared in accordance with the provisions of SJ/T 11364.

O: Indicates that the content of the toxic and hazardous substance in all homogeneous materials of the component is below the limit specified by GB/T 26572.

X: Indicates that the content of the toxic and hazardous substance exceeds the limit specified by GB/T 26572 in at least one homogeneous material of the component.

The information in this table is provided to suppliers in the form of data and testing results that comply with RoHS environmental requirements.

使用产品前请仔细阅读本说明书,并请妥善保管。

售后服务

售后服务严格按照《中华人民共和国消费者权益保护法》、《中华人民共和国产品质量法》实行售后三包服务。服务

内容如下:在三包有效期内,您可以依照本规定免费享受退货、换货、维修的服务。维修、换货、退货应当凭发票办理。

01.7天无理由退货,由用户承担物流费用。

02.本产品出现「产品性能故障表」所列性能故障的情况,经检测确定后,可免费享受如下服务。

类别	性能故障
退货	自签收次日起7天内产品质量原因退货换货。
换货	自签收次日起15天内产品质量原因换货维修
维修	自签收次日起一年内产品质量原因维修

非保修条例

01.未经授权的维修、误用、碰撞、疏忽、滥用、进液、事故、改动、不正确地使用配件。

02.已超过三包有效期。

03.因不可抗力因素造成的损坏。

04.不符合「产品性能故障表」所列性能故障的情况。

05.因为人为原因导致本产品产生「产品性能故障表」所列性能故障。

产品性能故障表

类别	性能故障
无线充电表带	01. 因结构或材料因素造成的外壳裂损。 02. 无法为手表充电。

产品安全信息

01.将本产品存放在阴凉干燥处。

02.请勿将本产品存放在高温或潮湿的环境中。

03.使用非本产品制造商推荐或出售的电源或充电器会导致火灾或人员受伤风险。

04.工作温度应介于 32 至 95°F (0 至 35°C)。

05.充电时,本产品可能会发热。这是正常现象,无需担心。

06.禁止拆解、撞击、挤压或投入火中。

07.请勿使用有害化学品或清洁剂清洁本产品。

08.使用不当、摔落或过度用力可能会导致本产品损坏。

09.产品支持IP68防水,产品侵入水中后再充电时需保证接口干燥。

电子信息产品有毒有害物质申明

部件名称	有毒有害物质或元素					
	铅 Pb	汞 Hg	镉 Cd	六价铬 Cr6+	多溴联苯 PBB	多溴二苯醚 PBDE
PCB	x	o	o	o	o	o
塑胶	o	o	o	o	o	o
金属	x	o	o	o	o	o
附件	o	o	o	o	o	o

电子信息产品有毒有害物质申明。本表格依据 SJ/T 11364 的规定编制。

O:表示该有毒有害物质在该部件所有均质材料中的含量均在GB/T 26572 标准规定的限量要求以下。

X:表示该有毒有害物质至少在该部件某一均质材料中的含量超出 GB/T 26572 标准规定的限量要求。

本表格信息是基于供应商提供的数据及符合 RoHS 环保要求的检测结果。



www.nexxpercent.com

FOLLOW US



ROHS CE FC FCC

正面

背面

硫酸纸
字符烫银



www.nexxtpercent.com

FCC warning statements:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.