




Test Data

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	BLE	2402	Ant1	60.09	2.21
NVNT	BLE	2442	Ant1	60.24	2.2
NVNT	BLE	2480	Ant1	59.5	2.25















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.702	30	Pass
NVNT	BLE	2442	Ant1	1.615	30	Pass
NVNT	BLE	2480	Ant1	0.808	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit(MHz)	Verdic
NVNT	BLE	2402	Ant1	0.658	0.5	Pass
NVNT	BLE	2442	Ant1	0.658	0.5	Pass
NVNT	BLE	2480	Ant1	0.665	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	0.998
NVNT	BLE	2442	Ant1	0.997
NVNT	BLE	2480	Ant1	0.998









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/3KHz)	Limit (dBm/3KHz)	Verdict
NVNT	BLE	2402	Ant1	-6.395	8	Pass
NVNT	BLE	2442	Ant1	-5.255	8	Pass
NVNT	BLE	2480	Ant1	-6.161	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-58.02	-20	Pass
NVNT	BLE	2480	Ant1	-57.58	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.86	-20	Pass
NVNT	BLE	2442	Ant1	-48.35	-20	Pass
NVNT	BLE	2480	Ant1	-48.61	-20	Pass







