




























Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD(dBm/MHz)	Limit(dBm/MHz)	Result
NVNT	MIMO TX	802.11n(HT20)	5180.00	1.44	11	Pass
NVNT	MIMO TX	802.11n(HT20)	5200.00	2.02	11	Pass
NVNT	MIMO TX	802.11n(HT20)	5240.00	1.41	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5180.00	1.02	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5200.00	1.74	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5240.00	1.09	11	Pass
NVNT	MIMO TX	802.11n(HT40)	5190.00	-2.98	11	Pass
NVNT	MIMO TX	802.11n(HT40)	5230.00	-3.21	11	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5190.00	-2.58	11	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5230.00	-3.21	11	Pass
NVNT	MIMO TX	802.11ac(VHT80)	5210.00	-23.76	11	Pass






NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5200













NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5180












5. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5055.40	-41.50	-27	Pass
NVNT	ANT2	802.11a	5180.00	5080.00	-40.14	-27	Pass
NVNT	ANT1	802.11a	5240.00	5367.40	-41.57	-27	Pass
NVNT	ANT2	802.11a	5240.00	5396.20	-42.52	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5060.60	-41.36	-27	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	5131.40	-40.82	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5361.60	-42.71	-27	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	5351.60	-42.48	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5148.80	-40.54	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	5144.80	-40.37	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5382.00	-41.92	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	5396.60	-41.93	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5144.06	-40.48	-27	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	5149.31	-39.35	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5383.46	-42.23	-27	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	5401.52	-41.81	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5141.75	-40.32	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	5149.94	-40.43	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5357.42	-42.33	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	5351.54	-42.16	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5138.18	-40.99	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5352.38	-43.29	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	5145.74	-39.64	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	5385.56	-42.72	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5180




Bandedge_NVNT_ANT2_802_11a_5180









Bandedge_NVNT_ANT1_802_11a_5240







Bandedge_NVNT_ANT2_802_11a_5240








































6. Spurious Emission



Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	26155.89	-32.16	-27	Pass
NVNT	ANT2	802.11a	5180.00	26261.77	-31.25	-27	Pass
NVNT	ANT1	802.11a	5200.00	26261.77	-32.33	-27	Pass
NVNT	ANT2	802.11a	5200.00	26208.83	-32.76	-27	Pass
NVNT	ANT1	802.11a	5240.00	24991.21	-32.57	-27	Pass
NVNT	ANT2	802.11a	5240.00	25785.31	-32.27	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	26261.77	-31.54	-27	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	24752.98	-32.29	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	26261.77	-32.68	-27	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	26500.00	-32.28	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	26261.77	-32.26	-27	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	26235.30	-32.21	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	26235.30	-32.78	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	24805.92	-31.90	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24752.98	-32.41	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	24885.33	-31.76	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	26182.36	-31.89	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	26208.83	-32.15	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25758.84	-32.28	-27	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	26182.36	-31.84	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	26182.36	-31.23	-27	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	26288.24	-31.67	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	26129.42	-32.62	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	26208.83	-31.75	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24938.27	-32.20	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	26182.36	-32.24	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	26235.30	-31.82	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	26182.36	-32.01	-27	Pass


















































7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.000	5171.420	5188.580	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.004	5171.680	5188.328	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.006	5171.848	5188.164	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.022	5171.956	5188.088	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.012	5172.032	5187.992	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.028	5172.104	5187.952	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.030	5172.184	5187.876	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.014	5172.244	5187.784	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.004	5172.308	5187.700	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.026	5172.384	5187.668	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5180.032	5172.452	5187.612	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11a	5180.00	5180.002	5171.548	5188.456	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11a	5180.00	5180.028	5171.796	5188.260	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11a	5180.00	5180.026	5171.900	5188.152	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5180.00	5180.034	5171.992	5188.076	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11a	5180.00	5180.042	5172.064	5188.020	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11a	5180.00	5180.042	5172.132	5187.952	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11a	5180.00	5180.060	5172.220	5187.900	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11a	5180.00	5180.068	5172.304	5187.832	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5180.00	5180.046	5172.372	5187.720	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5180.00	5180.064	5172.440	5187.688	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11a	5180.00	5180.078	5172.516	5187.640	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5199.984	5191.400	5208.568	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5199.960	5191.664	5208.256	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5199.996	5191.836	5208.156	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.996	5191.928	5208.064	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.006	5192.016	5207.996	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.980	5192.088	5207.872	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.980	5192.148	5207.812	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.990	5192.216	5207.764	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.984	5192.272	5207.696	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.984	5192.336	5207.632	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.982	5192.400	5207.564	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11a	5200.00	5200.002	5191.540	5208.464	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11a	5200.00	5200.024	5191.796	5208.252	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11a	5200.00	5200.022	5191.892	5208.152	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5200.00	5200.026	5191.964	5208.088	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11a	5200.00	5200.036	5192.040	5208.032	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11a	5200.00	5200.008	5192.112	5207.904	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11a	5200.00	5200.030	5192.172	5207.888	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11a	5200.00	5200.016	5192.240	5207.792	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5200.00	5199.992	5192.308	5207.676	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5200.00	5200.018	5192.384	5207.652	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11a	5200.00	5200.024	5192.464	5207.584	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5239.990	5231.384	5248.596	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5239.996	5231.672	5248.320	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5239.992	5231.832	5248.152	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.002	5231.928	5248.076	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.002	5232.024	5247.980	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.012	5232.104	5247.920	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.008	5232.168	5247.848	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.012	5232.252	5247.772	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.032	5232.332	5247.732	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.034	5232.396	5247.672	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5240.018	5232.464	5247.572	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11a	5240.00	5239.978	5231.496	5248.460	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11a	5240.00	5240.014	5231.776	5248.252	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11a	5240.00	5240.006	5231.876	5248.136	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5240.00	5240.026	5231.964	5248.088	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11a	5240.00	5240.008	5232.036	5247.980	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11a	5240.00	5240.032	5232.096	5247.968	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11a	5240.00	5240.038	5232.164	5247.912	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11a	5240.00	5240.034	5232.228	5247.840	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11a	5240.00	5240.004	5232.304	5247.704	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11a	5240.00	5240.026	5232.364	5247.688	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11a	5240.00	5240.010	5232.436	5247.584	5150~5250	Pass

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&A6, Building B1&B2, No.45 Gangtou Road, Bogang Community, Shajing Street

Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200

E-mail : Service@btek-lab.com

Web : www.btek-lab.com



55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.032	5171.000	5189.064	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.040	5171.224	5188.856	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.038	5171.336	5188.740	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.428	5188.660	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.504	5188.556	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.028	5171.584	5188.472	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.038	5171.652	5188.424	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.040	5171.704	5188.376	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.050	5171.764	5188.336	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.050	5171.844	5188.256	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.028	5171.916	5188.140	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.044	5171.092	5188.996	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.030	5171.252	5188.808	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.042	5171.376	5188.708	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.060	5171.472	5188.648	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.046	5171.564	5188.528	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.042	5171.660	5188.424	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.048	5171.724	5188.372	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.046	5171.808	5188.284	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5180.00	5180.042	5171.856	5188.228	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5180.00	5180.042	5171.928	5188.156	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5180.00	5180.028	5171.988	5188.068	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.012	5191.000	5209.024	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.212	5208.844	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.018	5191.324	5208.712	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.030	5191.416	5208.644	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.022	5191.496	5208.548	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.032	5191.580	5208.484	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.014	5191.648	5208.380	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.724	5208.332	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.012	5191.784	5208.240	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.008	5191.852	5208.164	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.020	5191.924	5208.116	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.014	5191.044	5208.984	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.022	5191.240	5208.804	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.026	5191.336	5208.716	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.020	5191.428	5208.612	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.028	5191.520	5208.536	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.038	5191.616	5208.460	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.030	5191.704	5208.356	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.014	5191.768	5208.260	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5200.00	5200.016	5191.820	5208.212	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5200.00	5200.020	5191.896	5208.144	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5200.00	5200.000	5191.964	5208.036	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.010	5230.972	5249.048	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.032	5231.196	5248.868	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.304	5248.736	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.388	5248.628	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.464	5248.556	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.014	5231.536	5248.492	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.600	5248.404	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.006	5231.668	5248.344	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.732	5248.272	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.990	5231.796	5248.184	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.980	5231.868	5248.092	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.008	5231.048	5248.968	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.012	5231.232	5248.792	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.012	5231.332	5248.692	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.018	5231.412	5248.624	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.016	5231.496	5248.536	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.006	5231.584	5248.428	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5240.002	5231.668	5248.336	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.998	5231.740	5248.256	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5240.00	5239.980	5231.792	5248.168	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5240.00	5239.976	5231.856	5248.096	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5240.00	5239.978	5231.928	5248.028	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5170.976	5189.088	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.020	5171.192	5188.848	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.022	5171.316	5188.728	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.032	5171.404	5188.660	5150~5250	Pass



15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.500	5188.568	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.030	5171.584	5188.476	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.046	5171.656	5188.436	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.054	5171.744	5188.364	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.062	5171.812	5188.312	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.070	5171.900	5188.240	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.052	5171.972	5188.132	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.000	5171.036	5188.964	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.024	5171.232	5188.816	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.024	5171.332	5188.716	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.040	5171.456	5188.624	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.056	5171.556	5188.556	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.068	5171.656	5188.480	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.060	5171.744	5188.376	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.048	5171.820	5188.276	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5180.00	5180.042	5171.884	5188.200	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5180.00	5180.038	5171.952	5188.124	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5180.00	5180.046	5172.016	5188.076	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.000	5190.968	5209.032	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.000	5191.180	5208.820	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.006	5191.304	5208.708	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.006	5191.388	5208.624	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.000	5191.472	5208.528	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.552	5208.476	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.012	5191.616	5208.408	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.002	5191.692	5208.312	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5199.992	5191.756	5208.228	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.986	5191.828	5208.144	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5199.954	5191.912	5207.996	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.030	5191.064	5208.996	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.020	5191.244	5208.796	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.026	5191.344	5208.708	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.016	5191.428	5208.604	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.032	5191.524	5208.540	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.016	5191.616	5208.416	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.020	5191.712	5208.328	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.024	5191.792	5208.256	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5200.00	5200.002	5191.864	5208.140	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5200.00	5200.024	5191.912	5208.136	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5200.00	5200.018	5191.988	5208.048	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.022	5230.972	5249.072	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.026	5231.196	5248.856	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.030	5231.312	5248.748	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.024	5231.412	5248.636	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.018	5231.496	5248.540	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.020	5231.556	5248.484	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.016	5231.632	5248.400	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.024	5231.692	5248.356	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.752	5248.256	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.022	5231.852	5248.192	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.932	5248.088	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.000	5231.036	5248.964	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.004	5231.224	5248.784	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.014	5231.328	5248.700	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.014	5231.404	5248.624	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.010	5231.512	5248.508	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.010	5231.616	5248.404	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5239.996	5231.704	5248.288	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.002	5231.756	5248.248	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5240.00	5239.982	5231.824	5248.140	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5240.00	5240.016	5231.896	5248.136	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5240.00	5239.974	5231.960	5247.988	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.076	5171.920	5208.232	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.060	5172.120	5208.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.080	5172.328	5207.832	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.088	5172.512	5207.664	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.108	5172.632	5207.584	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.104	5172.784	5207.424	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5172.952	5207.152	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.020	5173.096	5206.944	5150~5250	Pass



C&&3.80V								
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.056	5173.232	5206.880	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.032	5173.384	5206.680	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.060	5173.536	5206.584	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.084	5171.920	5208.248	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.092	5172.112	5208.072	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.108	5172.264	5207.952	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.112	5172.464	5207.760	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.112	5172.608	5207.616	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.148	5172.800	5207.496	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.096	5173.000	5207.192	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.152	5173.136	5207.168	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5190.00	5190.172	5173.280	5207.064	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5190.00	5190.196	5173.456	5206.936	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5190.00	5190.220	5173.624	5206.816	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5211.856	5248.240	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.056	5248.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.036	5212.240	5247.832	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.384	5247.664	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.528	5247.520	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.004	5212.640	5247.368	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.976	5212.760	5247.192	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.916	5212.856	5246.976	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5229.916	5212.968	5246.864	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.904	5213.104	5246.704	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5229.912	5213.240	5246.584	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.052	5211.872	5248.232	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.060	5212.032	5248.088	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.040	5212.184	5247.896	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.008	5212.320	5247.696	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.964	5212.488	5247.440	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.976	5212.608	5247.344	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.024	5212.784	5247.264	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5229.984	5212.952	5247.016	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5230.00	5229.980	5213.056	5246.904	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5230.00	5230.004	5213.160	5246.848	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5230.00	5229.984	5213.248	5246.720	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.036	5171.856	5208.216	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.060	5172.096	5208.024	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.060	5172.304	5207.816	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.100	5172.488	5207.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.064	5172.624	5207.504	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.056	5172.760	5207.352	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.040	5172.920	5207.160	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.036	5173.072	5207.000	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.032	5173.208	5206.856	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.080	5173.376	5206.784	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.020	5173.512	5206.528	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.072	5171.896	5208.248	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.084	5172.088	5208.080	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.092	5172.240	5207.944	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.124	5172.456	5207.792	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.076	5172.600	5207.552	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.128	5172.792	5207.464	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.104	5172.976	5207.232	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.180	5173.136	5207.224	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5190.00	5190.120	5173.248	5206.992	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5190.00	5190.156	5173.400	5206.912	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5190.00	5190.188	5173.552	5206.824	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.036	5211.840	5248.232	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.048	5248.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.224	5247.824	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.032	5212.392	5247.672	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.536	5247.464	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.016	5212.640	5247.392	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.792	5247.208	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.928	5247.072	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5229.932	5213.056	5246.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.944	5213.176	5246.712	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5229.932	5213.312	5246.552	5150~5250	Pass



55degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.068	5211.880	5248.256	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.052	5212.056	5248.048	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.004	5212.184	5247.824	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.000	5212.368	5247.632	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.032	5212.528	5247.536	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.008	5212.640	5247.376	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.972	5212.768	5247.176	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5229.988	5212.944	5247.032	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5230.00	5229.980	5213.072	5246.888	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5230.00	5230.012	5213.184	5246.840	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5230.00	5229.920	5213.288	5246.552	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.120	5172.044	5248.196	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.132	5172.320	5247.944	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.150	5172.572	5247.728	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.090	5172.740	5247.440	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.078	5173.004	5247.152	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.090	5173.220	5246.960	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.964	5173.448	5246.480	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.006	5173.724	5246.288	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5210.030	5173.916	5246.144	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.060	5174.156	5245.964	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5210.060	5174.444	5245.676	5150~5250	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.072	5172.020	5248.124	5150~5250	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.060	5172.236	5247.884	5150~5250	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.114	5172.524	5247.704	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.126	5172.704	5247.548	5150~5250	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.180	5172.944	5247.416	5150~5250	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.174	5173.280	5247.068	5150~5250	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.168	5173.544	5246.792	5150~5250	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.252	5173.796	5246.708	5150~5250	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT80)	5210.00	5210.216	5174.024	5246.408	5150~5250	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5210.00	5210.240	5174.300	5246.180	5150~5250	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT80)	5210.00	5210.174	5174.552	5245.796	5150~5250	Pass

