


1. Antenna Description:

Antenna type	PCB antenna
Model	LAMP
Frequency range	2400-2500MHz
Manufacturer	Guangzhou youzao Electronics Co. , Ltd.
Adress	Room 301, No. 140 Yusha Tan Yuxi Road, Tianhe District, Guangzhou
ANT Peak Gain	2.50 dBi

2. Antenna Photo:



L1	3.94 mm
L2	2.70 mm
L3	5.00 mm
L4	2.64 mm
L5	2.00 mm
L6	4.90 mm
W1	0.90 mm
W2	0.50 mm
D1	0.50 mm
D2	0.30 mm
D3	0.30 mm
D4	0.50 mm
D5	1.40mm
D6	1.70 mm

3. Test Equipment & Conditions

3.1 Test instrument

VSWR is tested using Agilent E5071B connected to a hand mechanism, and the status is free space.

3.2 Test environment and methods


Dark room specifications: ETS-743

TD-SCDMA test equipment: StarPoint SP6010/Agilent 8960


LTE-TDD/FDD-SCDMA test equipment: StarPoint SP8011/CMW500

WCDMA/GSM/CDMA test equipment: Agilent 8960


Passive efficiency testing equipment: Agilent Technologies E5071B




4 . Antenna Radiation Pattern



2400MHz



2450MHz



2500MHz

