

承 認 書

SPECIFICATION FOR APPROVAL

客 戶:

CUSTOMER:

客 戶 料 號:

CUST P/N:

松 島 料 號:

FINE P/N:

A511-6.5UH 单线圈 0.08*105P*10TS

產 品 型 號:

DESC:

Φ 50MMX12MMX1.0MM

日 期:

DATE:

2019/07/20

版 本:

Version:

A.0

擬制 PREPARED BY	審核 CHECKED BY	批准 APPROVED BY	客戶承認 CUSTOMER APPROVE
黃燕銘	寧元安	黃錦華	

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Ningbo LGDD Electrical Fittings Co., Ltd


No.188 Changxing Road, Jiangbei District, Ningbo, China

Version Change History

SPECIFICATION

產品型號: DESC	50X1-6.5uH-0.08x105-50mm-50C	版本 Rev: A.0	客戶 CUST: 客戶料号 CUST P/N:	XXX
---------------	------------------------------	----------------	----------------------------	-----

一、尺寸 DIMENSION:(mm)



A	50±0.5
B	42.5±0.5
C	12±0.5
D	40±2
E	4±2

二、原理图 SCHEMATIC DIAGRAM:



注:

- 交叉出线;
- 线圈贴圆形硬磁片带槽, 磁片尺寸 50±1mm, 内孔 12mm, 厚度为 1.0±0.2mm。

三、绕线参数 Winding Specification:

序号 NO.	端子 TERMINAL	线径 WIRE	圈数 Turns	绕线方向 Winding Direction
1	S F	丝包线 0.08*105P	10Ts	CCW

四、电气特性 ELECTRICAL CHARACTERISTICS:

温度 TEMPERATURE:25±10℃, 湿度 RELATIVE HUMIDITY:65±20%

序号 NO.	项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
1	IND.	S-F	3.8uH ±20%单独线圈	100KHz/1.0V	LCZ METER 1062B
2	IND.	S-F	6.5uH ±10%加磁片	100KHz/1.0V	LCZ METER 1062B
3	DCR	S-F	≤50mΩ		LCZ METER 502B

擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE
黃燕銘 2019/07/20	黃錦華 2019/07/20