Antenna OTA Test Report

For

ESP-ANT-A

Customer		Demo	ESP-C05
Band	2.4G	Color	black
PRS PN		Version	V1.0
Issued by	Jason	Checked by	Mem
Confirmed by	Zhang	Date	2022.03.18


—. TEST INSTRUMENTATION

CHAMBER	SATIMO Chamber
Wireless Networking Test Set	Agilent E5071C
NETWORK ANALYZER	Agilent 8753D
TEMPERATURE	20±3℃
HUMIDITY	50±20%rh
GROUND RESISTANCE	<0.5R

Address: Unit 1, Building 6, Zhonghang Yangguan Xinyuan, Meiji Street, Baoan District, Shenzhen, Guangdong








Antenna Dimension for ESP32-C3-C05
















PRS


Percsson Communication Equipment Co., Ltd



Coordinate system – Cylindrical geometry



Coordinate system - Spherical geometry






二. Test Results

2.1 Gain and Efficiency

Test Item	Freq (MHz)	Efficiency (%)	Gain (dBi)	Note
	2400	71. 32	2. 72	
	2412	70. 68	3. 21	
	2417	76. 51	2.88	
Gain	2422	77. 78	2. 67	
	2427	80. 76	2.89	
	2432	80. 11	2.80	
	2437	75. 32	2. 64	V 1
	2442	75. 23	2. 93	
	2447	72. 99	2. 78	Vertical 30°
	2452	70. 01	3. 12	30
	2457	72. 34	3. 13	
	2462	71. 32	3. 28	
	2467	72. 33	3. 24	
	2472	75. 67	3. 33	
	2477	72. 12	3. 42	
	2482	80. 23	3. 57	
	2500	79. 65	3. 22	


2.2 VSWR (Voltage Standing Wave Ration)





Frequency(MHz)	2412	2437	2463	2484
VSWR	1.31	1.17	1.16	1.29


2.3 Antenna S11




Frequency(MHz)	2412	2437	2463	2484
S11 (dB)	-17.01	-21.65	-22.52	-18.51




三. 2-D pattern Plots




























Vertical Y-Z