



Aux. Antenna:


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE



802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-40 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.152	57.44	9.83	65.89	8.45	Peak	L	Pass
1**	0.152	34.24	9.83	55.89	21.65	AV	L	Pass
2	0.566	42.75	9.75	56.00	13.25	Peak	L	Pass
2**	0.566	33.74	9.75	46.00	12.26	AV	L	Pass
3	1.434	31.50	9.73	56.00	24.50	Peak	L	Pass
3**	1.434	20.43	9.73	46.00	25.57	AV	L	Pass
4	3.166	32.97	9.63	56.00	23.03	Peak	L	Pass
4**	3.166	20.39	9.63	46.00	25.61	AV	L	Pass
5	8.948	31.45	9.23	60.00	28.55	Peak	L	Pass
5**	8.948	19.00	9.23	50.00	31.00	AV	L	Pass
6	14.212	33.75	8.96	60.00	26.25	Peak	L	Pass
6**	14.212	21.28	8.96	50.00	28.72	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBUV)	Factor (dB)	Limit (dBUV)	Margin(dB)	Detector	Line	Verdict
1	0.156	53.39	9.73	65.67	12.28	Peak	N	Pass
1**	0.156	32.21	9.73	55.67	23.46	AV	N	Pass
2	0.566	43.75	9.74	56.00	12.25	Peak	N	Pass
2**	0.566	32.40	9.74	46.00	13.60	AV	N	Pass
3	1.232	32.09	9.74	56.00	23.91	Peak	N	Pass
3**	1.232	20.59	9.74	46.00	25.41	AV	N	Pass
4	2.866	32.37	9.72	56.00	23.63	Peak	N	Pass
4**	2.866	19.58	9.72	46.00	26.42	AV	N	Pass
5	7.764	29.75	9.38	60.00	30.25	Peak	N	Pass
5**	7.764	18.55	9.38	50.00	31.45	AV	N	Pass
6	14.230	36.91	9.01	60.00	23.09	Peak	N	Pass
6**	14.230	25.56	9.01	50.00	24.44	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	70.303	26.39	-29.10	40.0	13.61	Peak	100.00	100	Horizontal	Pass
2	125.011	31.44	-28.74	43.5	12.06	Peak	149.00	100	Horizontal	Pass
3	190.778	32.29	-26.27	43.5	11.21	Peak	306.00	100	Horizontal	Pass
4	287.923	28.38	-23.23	46.0	17.62	Peak	40.00	100	Horizontal	Pass
5	500.014	28.84	-18.07	46.0	17.16	Peak	197.00	100	Horizontal	Pass
6	677.863	29.39	-14.14	46.0	16.61	Peak	107.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.333	32.59	-24.51	40.0	7.41	Peak	210.00	100	Vertical	Pass
2	69.721	33.62	-28.87	40.0	6.38	Peak	1.00	100	Vertical	Pass
3	102.847	24.42	-26.13	43.5	19.08	Peak	155.00	100	Vertical	Pass
4	133.645	26.07	-29.24	43.5	17.43	Peak	186.00	200	Vertical	Pass
5	286.419	27.86	-23.27	46.0	18.14	Peak	360.00	100	Vertical	Pass
6	923.079	30.94	-9.09	46.0	15.06	Peak	339.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.


Note 3: All antenna were pre tested, but only the worst case has been reported in this report.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

Main Antenna:

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.250	41.19	-16.17	74.0	32.81	Peak	143.00	150	Horizontal	Pass
1**	1496.250	30.68	-16.17	54.0	23.32	AV	143.00	150	Horizontal	Pass
2	2438.250	105.01	-12.38	74.0	-31.01	Peak	179.00	150	Horizontal	N/A
2**	2438.250	101.83	-12.38	54.0	-47.83	AV	179.00	150	Horizontal	N/A
3	2994.750	46.38	-8.91	74.0	27.62	Peak	335.00	150	Horizontal	Pass
3**	2994.750	35.43	-8.91	54.0	18.57	AV	335.00	150	Horizontal	Pass
4	6465.500	53.22	-0.16	74.0	20.78	Peak	101.00	150	Horizontal	Pass
4**	6465.500	41.82	-0.16	54.0	12.18	AV	101.00	150	Horizontal	Pass
5	8537.500	47.20	-5.24	74.0	26.80	Peak	63.00	150	Horizontal	Pass
5**	8537.500	35.50	-5.24	54.0	18.50	AV	63.00	150	Horizontal	Pass
6	15267.000	50.10	-1.02	74.0	23.90	Peak	33.00	150	Horizontal	Pass
6**	15267.000	39.32	-1.02	54.0	14.68	AV	33.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1139.500	40.92	-15.55	74.0	33.08	Peak	360.00	150	Vertical	Pass
1**	1139.500	28.88	-15.55	54.0	25.12	AV	360.00	150	Vertical	Pass
2	2438.500	105.28	-12.37	74.0	-31.28	Peak	169.00	150	Vertical	N/A
2**	2438.500	102.18	-12.37	54.0	-48.18	AV	169.00	150	Vertical	N/A
3	3119.000	46.03	-7.71	74.0	27.97	Peak	294.00	150	Vertical	Pass
3**	3119.000	34.66	-7.71	54.0	19.34	AV	294.00	150	Vertical	Pass
4	4998.000	50.41	-2.22	74.0	23.59	Peak	78.00	150	Vertical	Pass
4**	4998.000	39.28	-2.22	54.0	14.72	AV	78.00	150	Vertical	Pass
5	9646.000	47.69	-3.33	74.0	26.31	Peak	119.00	150	Vertical	Pass
5**	9646.000	35.92	-3.33	54.0	18.08	AV	119.00	150	Vertical	Pass
6	17344.500	49.85	0.33	74.0	24.15	Peak	150.00	150	Vertical	Pass
6**	17344.500	39.43	0.33	54.0	14.57	AV	150.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.250	39.44	-16.01	74.0	34.56	Peak	360.00	150	Horizontal	Pass
1**	1348.250	28.25	-16.01	54.0	25.75	AV	360.00	150	Horizontal	Pass
2	2434.750	107.05	-12.31	74.0	-33.05	Peak	180.00	150	Horizontal	N/A
2**	2434.750	98.62	-12.31	54.0	-44.62	AV	180.00	150	Horizontal	N/A
3	3216.000	46.19	-6.53	74.0	27.81	Peak	127.00	150	Horizontal	Pass
3**	3216.000	35.12	-6.53	54.0	18.88	AV	127.00	150	Horizontal	Pass
4	5445.000	50.23	-2.20	74.0	23.77	Peak	166.00	150	Horizontal	Pass
4**	5445.000	38.95	-2.20	54.0	15.05	AV	166.00	150	Horizontal	Pass
5	8517.500	47.13	-4.90	74.0	26.87	Peak	58.00	150	Horizontal	Pass
5**	8517.500	36.51	-4.90	54.0	17.49	AV	58.00	150	Horizontal	Pass
6	16461.500	50.22	-1.70	74.0	23.78	Peak	0.00	150	Horizontal	Pass
6**	16461.500	38.65	-1.70	54.0	15.35	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.250	40.19	-15.65	74.0	33.81	Peak	338.00	150	Vertical	Pass
1**	1151.250	28.73	-15.65	54.0	25.27	AV	338.00	150	Vertical	Pass
2	2437.750	107.33	-12.38	74.0	-33.33	Peak	169.00	150	Vertical	N/A
2**	2437.750	98.88	-12.38	54.0	-44.88	AV	169.00	150	Vertical	N/A
3	2992.250	46.63	-9.05	74.0	27.37	Peak	292.00	150	Vertical	Pass
3**	2992.250	35.90	-9.05	54.0	18.10	AV	292.00	150	Vertical	Pass
4	5018.000	50.45	-2.28	74.0	23.55	Peak	168.00	150	Vertical	Pass
4**	5018.000	39.40	-2.28	54.0	14.60	AV	168.00	150	Vertical	Pass
5	9917.500	47.07	-4.28	74.0	26.93	Peak	349.00	150	Vertical	Pass
5**	9917.500	35.77	-4.28	54.0	18.23	AV	349.00	150	Vertical	Pass
6	17217.499	49.51	-0.76	74.0	24.49	Peak	149.00	150	Vertical	Pass
6**	17217.499	38.48	-0.76	54.0	15.52	AV	149.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1395.500	39.67	-16.01	74.0	34.33	Peak	178.00	150	Horizontal	Pass
1**	1395.500	28.11	-16.01	54.0	25.89	AV	178.00	150	Horizontal	Pass
2	2436.000	105.86	-12.33	74.0	-31.86	Peak	308.00	150	Horizontal	N/A
2**	2436.000	98.19	-12.33	54.0	-44.19	AV	308.00	150	Horizontal	N/A
3	2999.750	46.21	-8.74	74.0	27.79	Peak	198.00	150	Horizontal	Pass
3**	2999.750	36.13	-8.74	54.0	17.87	AV	198.00	150	Horizontal	Pass
4	4955.000	49.99	-1.73	74.0	24.01	Peak	70.00	150	Horizontal	Pass
4**	4955.000	38.92	-1.73	54.0	15.08	AV	70.00	150	Horizontal	Pass
5	8868.500	46.25	-4.71	74.0	27.75	Peak	360.00	150	Horizontal	Pass
5**	8868.500	35.85	-4.71	54.0	18.15	AV	360.00	150	Horizontal	Pass
6	16569.500	49.52	-0.89	74.0	24.48	Peak	360.00	150	Horizontal	Pass
6**	16569.500	38.62	-0.89	54.0	15.38	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.500	40.53	-15.87	74.0	33.47	Peak	360.00	150	Vertical	Pass
1**	1211.500	28.61	-15.87	54.0	25.39	AV	360.00	150	Vertical	Pass
2	2435.750	106.07	-12.32	74.0	-32.07	Peak	218.00	150	Vertical	N/A
2**	2435.750	98.03	-12.32	54.0	-44.03	AV	218.00	150	Vertical	N/A
3	2967.250	46.04	-8.46	74.0	27.96	Peak	28.00	150	Vertical	Pass
3**	2967.250	35.54		54.0	18.46	AV	28.00	150	Vertical	Pass
4	6088.000	52.27	-0.41	74.0	21.73	Peak	178.00	150	Vertical	Pass
4**	6088.000	40.73	-0.41	54.0	13.27	AV	178.00	150	Vertical	Pass
5	9367.500	46.70	-4.96	74.0	27.30	Peak	149.00	150	Vertical	Pass
5**	9367.500	35.79	-4.96	54.0	18.21	AV	149.00	150	Vertical	Pass
6	15902.500	49.86	-2.09	74.0	24.14	Peak	0.00	150	Vertical	Pass
6**	15902.500	38.56	-2.09	54.0	15.44	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1302.000	40.83	-15.58	74.0	33.17	Peak	203.00	150	Horizontal	Pass
1**	1302.000	28.84	-15.58	54.0	25.16	AV	203.00	150	Horizontal	Pass
2	2438.750	103.57	-12.37	74.0	-29.57	Peak	314.00	150	Horizontal	N/A
2**	2438.750	95.47	-12.37	54.0	-41.47	AV	314.00	150	Horizontal	N/A
3	3363.000	47.24	-5.43	74.0	26.76	Peak	186.00	150	Horizontal	Pass
3**	3363.000	36.52	-5.43	54.0	17.48	AV	186.00	150	Horizontal	Pass
4	5937.000	51.72	-0.11	74.0	22.28	Peak	99.00	150	Horizontal	Pass
4**	5937.000	40.64	-0.11	54.0	13.36	AV	99.00	150	Horizontal	Pass
5	9858.500	46.80	-4.11	74.0	27.20	Peak	264.00	150	Horizontal	Pass
5**	9858.500	35.85	-4.11	54.0	18.15	AV	264.00	150	Horizontal	Pass
6	17092.000	49.63	-0.66	74.0	24.37	Peak	292.00	150	Horizontal	Pass
6**	17092.000	38.68	-0.66	54.0	15.32	AV	292.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1150.000	40.08	-15.65	74.0	33.92	Peak	95.00	150	Vertical	Pass
1**	1150.000	28.27	-15.65	54.0	25.73	AV	95.00	150	Vertical	Pass
2	2435.500	103.76	-12.31	74.0	-29.76	Peak	230.00	150	Vertical	N/A
2**	2435.500	95.42	-12.31	54.0	-41.42	AV	230.00	150	Vertical	N/A
3	2990.500	47.29	-9.16	74.0	26.71	Peak	194.00	150	Vertical	Pass
3**	2990.500	35.01	-9.16	54.0	18.99	AV	194.00	150	Vertical	Pass
4	4993.500	49.64	-2.27	74.0	24.36	Peak	173.00	150	Vertical	Pass
4**	4993.500	39.21	-2.27	54.0	14.79	AV	173.00	150	Vertical	Pass
5	10257.500	47.76	-3.17	74.0	26.24	Peak	0.00	150	Vertical	Pass
5**	10257.500	36.51	-3.17	54.0	17.49	AV	0.00	150	Vertical	Pass
6	17266.000	50.00	-1.36	74.0	24.00	Peak	148.00	150	Vertical	Pass
6**	17266.000	39.69	-1.36	54.0	14.31	AV	148.00	150	Vertical	Pass

Aux. Antenna:**1 GHz to 18 GHz, ANT H 802.11b Middle Channel**


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	41.17	-16.14	74.0	32.83	Peak	256.00	150	Horizontal	Pass
1**	1498.000	30.67	-16.14	54.0	23.33	AV	256.00	150	Horizontal	Pass
2	2438.500	104.93	-12.37	74.0	-30.93	Peak	180.00	150	Horizontal	N/A
2**	2438.500	101.90	-12.37	54.0	-47.90	AV	180.00	150	Horizontal	N/A
3	2996.000	46.53	-8.83	74.0	27.47	Peak	0.00	150	Horizontal	Pass
3**	2996.000	35.63	-8.83	54.0	18.37	AV	0.00	150	Horizontal	Pass
4	5763.500	50.97	-1.87	74.0	23.03	Peak	301.00	150	Horizontal	Pass
4**	5763.500	39.98	-1.87	54.0	14.02	AV	301.00	150	Horizontal	Pass
5	8710.000	47.41	-5.28	74.0	26.59	Peak	268.00	150	Horizontal	Pass
5**	8710.000	36.37	-5.28	54.0	17.63	AV	268.00	150	Horizontal	Pass
6	15562.500	49.79	-2.63	74.0	24.21	Peak	0.00	150	Horizontal	Pass
6**	15562.500	38.22	-2.63	54.0	15.78	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.250	39.77	-15.46	74.0	34.23	Peak	0.00	150	Vertical	Pass
1**	1162.250	29.01	-15.46	54.0	24.99	AV	0.00	150	Vertical	Pass
2	2438.500	105.16	-12.37	74.0	-31.16	Peak	167.00	150	Vertical	N/A
2**	2438.500	102.09	-12.37	54.0	-48.09	AV	167.00	150	Vertical	N/A
3	2995.250	47.20	-8.88	74.0	26.80	Peak	241.00	150	Vertical	Pass
3**	2995.250	35.48	-8.88	54.0	18.52	AV	241.00	150	Vertical	Pass
4	4999.500	50.74	-2.21	74.0	23.26	Peak	125.00	150	Vertical	Pass
4**	4999.500	38.67	-2.21	54.0	15.33	AV	125.00	150	Vertical	Pass
5	9014.500	47.26	-4.67	74.0	26.74	Peak	94.00	150	Vertical	Pass
5**	9014.500	36.36	-4.67	54.0	17.64	AV	94.00	150	Vertical	Pass
6	17189.501	49.66	0.17	74.0	24.34	Peak	10.00	150	Vertical	Pass
6**	17189.501	39.02	0.17	54.0	14.98	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1249.750	40.02	-16.17	74.0	33.98	Peak	185.00	150	Horizontal	Pass
1**	1249.750	28.22	-16.17	54.0	25.78	AV	185.00	150	Horizontal	Pass
2	2438.250	107.63	-12.38	74.0	-33.63	Peak	181.00	150	Horizontal	N/A
2**	2438.250	99.31	-12.38	54.0	-45.31	AV	181.00	150	Horizontal	N/A
3	2924.500	47.35	-8.24	74.0	26.65	Peak	52.00	150	Horizontal	Pass
3**	2924.500	35.83	-8.24	54.0	18.17	AV	52.00	150	Horizontal	Pass
4	4981.500	49.43	-2.53	74.0	24.57	Peak	280.00	150	Horizontal	Pass
4**	4981.500	38.40	-2.53	54.0	15.60	AV	280.00	150	Horizontal	Pass
5	9335.000	46.77	-4.99	74.0	27.23	Peak	155.00	150	Horizontal	Pass
5**	9335.000	36.13	-4.99	54.0	17.87	AV	155.00	150	Horizontal	Pass
6	15838.000	49.38	-1.03	74.0	24.62	Peak	68.00	150	Horizontal	Pass
6**	15838.000	39.18	-1.03	54.0	14.82	AV	68.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.000	39.91	-16.05	74.0	34.09	Peak	175.00	150	Vertical	Pass
1**	1336.000	28.26	-16.05	54.0	25.74	AV	175.00	150	Vertical	Pass
2	2438.750	106.51	-12.37	74.0	-32.51	Peak	167.00	150	Vertical	N/A
2**	2438.750	99.31	-12.37	54.0	-45.31	AV	167.00	150	Vertical	N/A
3	2985.750	46.99	-9.35	74.0	27.01	Peak	295.00	150	Vertical	Pass
3**	2985.750	36.52	-9.35	54.0	17.48	AV	295.00	150	Vertical	Pass
4	4994.500	51.20	-2.25	74.0	22.80	Peak	283.00	150	Vertical	Pass
4**	4994.500	41.63	-2.25	54.0	12.37	AV	283.00	150	Vertical	Pass
5	9539.500	47.29	-3.03	74.0	26.71	Peak	124.00	150	Vertical	Pass
5**	9539.500	36.45	-3.03	54.0	17.55	AV	124.00	150	Vertical	Pass
6	16647.000	50.59	-1.24	74.0	23.41	Peak	271.00	150	Vertical	Pass
6**	16647.000	39.01	-1.24	54.0	14.99	AV	271.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1355.750	39.47	-15.84	74.0	34.53	Peak	89.00	150	Horizontal	Pass
1**	1355.750	28.53	-15.84	54.0	25.47	AV	89.00	150	Horizontal	Pass
2	2438.000	105.70	-12.38	74.0	-31.70	Peak	297.00	150	Horizontal	N/A
2**	2438.000	98.25	-12.38	54.0	-44.25	AV	297.00	150	Horizontal	N/A
3	2979.750	46.00	-9.08	74.0	28.00	Peak	138.00	150	Horizontal	Pass
3**	2979.750	35.08	-9.08	54.0	18.92	AV	138.00	150	Horizontal	Pass
4	6721.000	52.87	0.50	74.0	21.13	Peak	182.00	150	Horizontal	Pass
4**	6721.000	42.38	0.50	54.0	11.62	AV	182.00	150	Horizontal	Pass
5	10260.500	48.10	-3.16	74.0	25.90	Peak	0.00	150	Horizontal	Pass
5**	10260.500	36.46	-3.16	54.0	17.54	AV	0.00	150	Horizontal	Pass
6	17255.000	49.79	-0.96	74.0	24.21	Peak	0.00	150	Horizontal	Pass
6**	17255.000	39.81	-0.96	54.0	14.19	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.000	39.32	-15.92	74.0	34.68	Peak	277.00	150	Vertical	Pass
1**	1351.000	28.74	-15.92	54.0	25.26	AV	277.00	150	Vertical	Pass
2	2438.250	105.55	-12.38	74.0	-31.55	Peak	228.00	150	Vertical	N/A
2**	2438.250	98.48	-12.38	54.0	-44.48	AV	228.00	150	Vertical	N/A
3	2901.500	47.61	-9.62	74.0	26.39	Peak	193.00	150	Vertical	Pass
3**	2901.500	35.94	-9.62	54.0	18.06	AV	193.00	150	Vertical	Pass
4	6089.000	51.90	-0.41	74.0	22.10	Peak	285.00	150	Vertical	Pass
4**	6089.000	40.96	-0.41	54.0	13.04	AV	285.00	150	Vertical	Pass
5	9110.500	46.95	-5.10	74.0	27.05	Peak	326.00	150	Vertical	Pass
5**	9110.500	35.87	-5.10	54.0	18.13	AV	326.00	150	Vertical	Pass
6	15888.000	49.34	-1.47	74.0	24.66	Peak	66.00	150	Vertical	Pass
6**	15888.000	39.02	-1.47	54.0	14.98	AV	66.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1325.750	40.10	-15.89	74.0	33.90	Peak	270.00	150	Horizontal	Pass
1**	1325.750	28.36	-15.89	54.0	25.64	AV	270.00	150	Horizontal	Pass
2	2439.000	103.39	-12.37	74.0	-29.39	Peak	313.00	150	Horizontal	N/A
2**	2439.000	95.13	-12.37	54.0	-41.13	AV	313.00	150	Horizontal	N/A
3	3127.000	46.12	-7.34	74.0	27.88	Peak	292.00	150	Horizontal	Pass
3**	3127.000	35.43	-7.34	54.0	18.57	AV	292.00	150	Horizontal	Pass
4	5499.500	49.92	-2.52	74.0	24.08	Peak	17.00	150	Horizontal	Pass
4**	5499.500	38.81	-2.52	54.0	15.19	AV	17.00	150	Horizontal	Pass
5	9556.000	46.71	-2.72	74.0	27.29	Peak	243.00	150	Horizontal	Pass
5**	9556.000	36.14	-2.72	54.0	17.86	AV	243.00	150	Horizontal	Pass
6	16645.500	49.38	-1.17	74.0	24.62	Peak	0.00	150	Horizontal	Pass
6**	16645.500	39.17	-1.17	54.0	14.83	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1150.000	38.79	-15.65	74.0	35.21	Peak	295.00	150	Vertical	Pass
1**	1150.000	28.49	-15.65	54.0	25.51	AV	295.00	150	Vertical	Pass
2	2438.750	103.42	-12.37	74.0	-29.42	Peak	45.00	150	Vertical	N/A
2**	2438.750	95.95	-12.37	54.0	-41.95	AV	45.00	150	Vertical	N/A
3	3121.000	47.33	-7.58	74.0	26.67	Peak	174.00	150	Vertical	Pass
3**	3121.000	36.58	-7.58	54.0	17.42	AV	174.00	150	Vertical	Pass
4	5962.500	52.08	-0.38	74.0	21.92	Peak	56.00	150	Vertical	Pass
4**	5962.500	40.47	-0.38	54.0	13.53	AV	56.00	150	Vertical	Pass
5	9986.500	47.20	-3.73	74.0	26.80	Peak	38.00	150	Vertical	Pass
5**	9986.500	36.34	-3.73	54.0	17.66	AV	38.00	150	Vertical	Pass
6	16576.500	49.23	-0.73	74.0	24.77	Peak	125.00	150	Vertical	Pass
6**	16576.500	39.01	-0.73	54.0	14.99	AV	125.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note 5: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data and Plots


Main Antenna:

802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.89	-4.87	74.0	23.11	Peak	228.99	150	Vertical	Pass
1**	2390.000	41.53	-4.87	54.0	12.47	AV	228.99	150	Vertical	Pass
2	2386.400	53.22	-4.66	74.0	20.78	Peak	234.00	150	Vertical	Pass
2**	2386.400	43.28	-4.66	54.0	10.72	AV	234.00	150	Vertical	Pass


802.11b HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.59	-3.78	74.0	22.41	Peak	300.00	150	Horizontal	Pass
1**	2483.500	42.47	-3.78	54.0	11.53	AV	300.00	150	Horizontal	Pass
2	2490.520	55.32	-3.84	74.0	18.68	Peak	95.00	150	Horizontal	Pass
2**	2490.520	44.19	-3.84	54.0	9.81	AV	95.00	150	Horizontal	Pass


802.11g LOW CHANNEL

Bandedge_FCC-WIFI_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.01	-4.87	74.0	12.99	Peak	223.00	150	Vertical	Pass
1**	2390.000	45.42	-4.87	54.0	8.58	AV	223.00	150	Vertical	Pass
2	2389.700	60.55	-4.86	74.0	13.45	Peak	41.00	150	Vertical	Pass
2**	2389.700	45.18	-4.86	54.0	8.82	AV	41.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.22	-3.78	74.0	5.78	Peak	305.00	150	Horizontal	Pass
1**	2483.500	50.20	-3.78	54.0	3.80	AV	305.00	150	Horizontal	Pass
2	2483.680	65.90	-3.78	74.0	8.10	Peak	311.00	150	Horizontal	Pass
2**	2483.680	49.58	-3.78	54.0	4.42	AV	311.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.69	-4.87	74.0	10.31	Peak	45.23	150	Vertical	Pass
1**	2390.000	47.05	-4.87	54.0	6.95	AV	45.23	150	Vertical	Pass
2	2389.800	62.61	-4.86	74.0	11.39	Peak	217.00	150	Vertical	Pass
2**	2389.800	46.29	-4.86	54.0	7.71	AV	217.00	150	Vertical	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.43	-3.78	74.0	8.57	Peak	223.00	150	Vertical	Pass
1**	2483.500	51.16	-3.78	54.0	2.84	AV	223.00	150	Vertical	Pass
2	2484.370	66.06	-3.78	74.0	7.94	Peak	225.00	150	Vertical	Pass
2**	2484.370	49.18	-3.78	54.0	4.82	AV	225.00	150	Vertical	Pass


802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.30	-4.87	74.0	9.70	Peak	229.76	150	Vertical	Pass
1**	2390.000	49.29	-4.87	54.0	4.71	AV	229.76	150	Vertical	Pass
2	2389.500	65.40	-4.85	74.0	8.60	Peak	47.00	150	Vertical	Pass
2**	2389.500	49.18	-4.85	54.0	4.82	AV	47.00	150	Vertical	Pas

802.11n40 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.44	-3.78	74.0	14.56	Peak	292.00	150	Horizontal	Pass
1**	2483.500	49.51	-3.78	54.0	4.49	AV	292.00	150	Horizontal	Pass
2	2483.860	61.55	-3.78	74.0	12.45	Peak	312.00	150	Horizontal	Pass
2**	2483.860	49.47	-3.78	54.0	4.53	AV	312.00	150	Horizontal	Pass

Aux. Antenna:**802.11b LOW CHANNEL**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.63	-4.87	74.0	22.37	Peak	42.95	150	Vertical	Pass
1**	2390.000	41.39	-4.87	54.0	12.61	AV	42.95	150	Vertical	Pass
2	2385.100	52.79	-4.59	74.0	21.21	Peak	43.00	150	Vertical	Pass
2**	2385.100	42.39	-4.59	54.0	11.61	AV	43.00	150	Vertical	Pass


802.11b HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.92	-3.78	74.0	22.08	Peak	87.00	150	Horizontal	Pass
1**	2483.500	42.34	-3.78	54.0	11.66	AV	87.00	150	Horizontal	Pass
2	2489.440	54.75	-3.82	74.0	19.25	Peak	315.00	150	Horizontal	Pass
2**	2489.440	43.47	-3.82	54.0	10.53	AV	315.00	150	Horizontal	Pass


802.11g LOW CHANNEL

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.85	-4.87	74.0	15.15	Peak	44.23	150	Vertical	Pass
1**	2390.000	45.39	-4.87	54.0	8.61	AV	44.23	150	Vertical	Pass
2	2389.500	58.98	-4.85	74.0	15.02	Peak	234.00	150	Vertical	Pass
2**	2389.500	44.70	-4.85	54.0	9.30	AV	234.00	150	Vertical	Pass


802.11g HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.79	-3.78	74.0	9.21	Peak	318.00	150	Horizontal	Pass
1**	2483.500	49.92	-3.78	54.0	4.08	AV	318.00	150	Horizontal	Pass
2	2483.590	65.20	-3.78	74.0	8.80	Peak	318.00	150	Horizontal	Pass
2**	2483.590	49.75	-3.78	54.0	4.25	AV	318.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL


Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.11	-4.87	74.0	11.89	Peak	230.00	150	Vertical	Pass
1**	2390.000	46.27	-4.87	54.0	7.73	AV	230.00	150	Vertical	Pass
2	2389.900	63.77	-4.87	74.0	10.23	Peak	230.00	150	Vertical	Pass
2**	2389.900	46.90	-4.87	54.0	7.10	AV	230.00	150	Vertical	Pass


802.11n20 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.77	-3.78	74.0	9.23	Peak	315.00	150	Horizontal	Pass
1**	2483.500	50.85	-3.78	54.0	3.15	AV	315.00	150	Horizontal	Pass
2	2484.520	65.24	-3.78	74.0	8.76	Peak	310.00	150	Horizontal	Pass
2**	2484.520	49.30	-3.78	54.0	4.70	AV	310.00	150	Horizontal	Pass

802.11n40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.24	-4.87	74.0	9.76	Peak	45.23	150	Vertical	Pass
1**	2390.000	49.63	-4.87	54.0	4.37	AV	45.23	150	Vertical	Pass
2	2389.700	65.70	-4.86	74.0	8.30	Peak	229.00	150	Vertical	Pass
2**	2389.700	49.47	-4.86	54.0	4.53	AV	229.00	150	Vertical	Pass

802.11n40 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.05	-3.78	74.0	15.95	Peak	219.00	150	Vertical	Pass
1**	2483.500	48.51	-3.78	54.0	5.49	AV	219.00	150	Vertical	Pass
2	2484.220	61.81	-3.78	74.0	12.19	Peak	51.00	150	Vertical	Pass
2**	2484.220	49.49	-3.78	54.0	4.51	AV	51.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.18	8
Middle	-6.44	8
High	-6.92	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.59	8
Middle	-9.64	8
High	-8.58	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.29	8
Middle	-9.21	8
High	-9.58	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.31	8
Middle	-12.33	8
High	-12.96	8

Aux. Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.42	8
Middle	-4.77	8
High	-6.35	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.83	8
Middle	-8.32	8
High	-9.06	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.29	8
Middle	-7.20	8
High	-8.56	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.84	8
Middle	-11.30	8
High	-11.40	8

Test Plots

Main Antenna:

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



Aux. Antenna:

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2540397-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2540397-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2540397-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--