



FCC / ISED & Test Report

For:
NexRev LLC

Model Number:
T2

Market Name:
Nexus T2

Product Description:
Intelligent IoT Control Device (2x2)

Applied Rules and Standards:
47 CFR Parts 22, 24, 27, and 90
RSS-GEN Issue 5, RSS: 130 Issue 2, 132 Issue 4, 133 Issue 7, 139 Issue 4

FCC ID: 2BOOE-NEXUST2
IC: 33828-NEXUST2

REPORT #: EMC_NEXRE_004_25001_FCC_22_24_27_90

DATE: 2025-07-14



A2LA Accredited

IC recognized #
3462B-1

CETECOM Inc.

411 Dixon Landing Road ♦ Milpitas, CA 95035 ♦ U.S.A.

Phone: + 1 (408) 586 6200 ♦ Fax: + 1 (408) 586 6299 ♦ E-mail: contact@cetecom.com ♦ <http://www.cetecom.com>

CETECOM Inc. is a Delaware Corporation with Corporation number: 2905571

TABLE OF CONTENTS

1	ASSESSMENT.....	3
2	ADMINISTRATIVE DATA	4
2.1	IDENTIFICATION OF THE TESTING LABORATORY ISSUING THE EMC TEST REPORT	4
2.2	IDENTIFICATION OF THE CLIENT	4
2.3	IDENTIFICATION OF THE MANUFACTURER.....	4
3	EQUIPMENT UNDER TEST (EUT).....	5
3.1	EUT SPECIFICATIONS	5
3.2	EUT SAMPLE DETAILS	6
3.3	ACCESSORY EQUIPMENT (AE) DETAILS.....	6
3.4	TEST SAMPLE CONFIGURATION	6
3.5	MODE OF OPERATION DETAILS	6
3.6	JUSTIFICATION FOR MODE OF OPERATION	6
4	SUBJECT OF INVESTIGATION	7
5	MEASUREMENT UNCERTAINTY.....	7
5.1	ENVIRONMENTAL CONDITIONS DURING TESTING:.....	7
5.2	DATES OF TESTING:	7
5.3	DECISION RULE:.....	7
6	MEASUREMENT PROCEDURES	8
6.1	RADIATED MEASUREMENT.....	8
6.2	SAMPLE CALCULATIONS FOR FIELD STRENGTH MEASUREMENTS	10
7	MEASUREMENT RESULTS SUMMARY	11
7.1	FCC 22 / RSS-132	11
7.2	FCC 24 / RSS-133	11
7.3	FCC 27 / RSS-130, RSS-132, RSS 139	12
7.4	FCC 90 / RSS-132	12
8	TEST RESULT DATA	13
8.1	RADIATED SPURIOUS EMISSIONS	13
9	TEST SETUP PHOTOS	101
10	TEST EQUIPMENT AND ANCILLARIES USED FOR TESTING	101
11	REVISION HISTORY	102

1 Assessment

The following device as further described in section 3 of this report was evaluated against the applicable criteria specified in the Code of Federal Regulations Title 47 parts 22, 24, 27, and 90, and Industry Canada Standards RSS-GEN Issue 5, RSS: 130 Issue 2, 132 Issue 4, 133 Issue 7, 139 Issue 4.

No deficiencies were ascertained.

Company Name	Product Description	Model #
NexRev LLC	Intelligent IoT Control Device (2x2)	T2

Report Reviewer:

Alvin, Ilarina

2025-07-14

Compliance

(Senior Manager Regulatory Services)

Date	Section	Name	Signature
------	---------	------	-----------

Responsible for the Report:

Cheng Song

2025-07-14

Compliance

(EMC Engineer)

Date	Section	Name	Signature
------	---------	------	-----------

The test results of this test report relate exclusively to the test item specified in Section 3.

CETECOM Inc. USA does not assume responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CETECOM Inc. USA.

2 Administrative Data

2.1 Identification of the Testing Laboratory Issuing the EMC Test Report

Company Name:	CETECOM Inc.
Department:	Compliance
Street Address:	411 Dixon Landing Road
City/Zip Code	Milpitas, CA 95035
Country	USA
Telephone:	+1 (408) 586 6200
Fax:	+1 (408) 586 6299
Senior Manager Regulatory Services:	Alvin Ilarina
Responsible Project Leader:	Shane Hao

2.2 Identification of the Client

Client's Name:	NexRev LLC
Street Address:	601 Development Drive
City/Zip Code	Plano TX 75074
Country	USA

2.3 Identification of the Manufacturer

Manufacturer's Name:	Same as Client
Manufacturers Address:	
City/Zip Code	
Country	

3 Equipment Under Test (EUT)

3.1 EUT Specifications

Model No	T2
Marketing Name	Nexus T2
HW Version	1
SW Version	V1.1.0
FCC ID	2B00E-NEXUST2
IC	33828-NEXUST2
Product Description	Intelligent IoT Control Device (2x2)
Radio Information as declared	<u>Cellular Modules</u> • Model: Nordic Semiconductor nRF9160 • Contains FCC ID: 2ANPO00NRF9160 • Contains IC: 24529-NRF9160 <u>Bluetooth Modules</u> • Model: Nordic Semiconductor nRF 52840 • Wireless Technology: Bluetooth LE v5.2
Antenna Information as declared	Pulse W1010 Antenna Quectel YE0021AA Antenna (Primary cellular antenna) JoyMax ZWX-721XSA2B Antenna
Power Supply/ Rated Operating Voltage Range	Nominal 24 VAC/DC Range 18 - 30 VAC/DC
Operating Temperature Range	-40 °C to +70 °C
Sample Revision	☒ Production ☐ Pre-Production
EUT Dimensions	13.3cm x 12.0cm X 3.2cm
Weight	<1.0 lb
Note: Details about the Equipment Under Test (EUT) are provided by the client or applicant.	

3.2 EUT Sample details

EUT #	Serial Number	HW Version	SW Version	Comments
1	2803250050	1	V1.1.0	Radiated and AC Conducted Emissions

3.3 Accessory Equipment (AE) details

AE #	Type	Model	Manufacturer	Serial Number	Comments
1	Laptop	P135G	Dell	12243628947	Support laptop provided by Cetecom
2	Load Box	N/A	Very	MISC-00001	N/A
3	Power Supply	PS-AC2440	N/A	E508012	AC/AC Adapter

3.4 Test Sample Configuration

Set-up #	Combination of AE used for test set up	Comments
1	EUT#1 + AE#1,2,3	External antennas were connected to the EUT during testing.

3.5 Mode of Operation details

Mode of Operation	Description of Operating modes	Additional Information
Op. 1	Cellular + BLE (BLE Power Setting: 21)	The EUT was configured to operate in Bluetooth Low Energy (BLE) continuous transmission mode utilizing test software that is not accessible to the end user. A persistent connection was maintained between the EUT and a cellular base station simulator for the duration of the test. Concurrent transmission was enabled, with the CAT-M1 cellular radio and the BLE radio operating simultaneously throughout the evaluation.

3.6 Justification for Mode of Operation

During the testing process, the EUT was evaluated with the cellular transmitter set to low, mid, and high channel configurations, while simultaneously transmitting on the BLE radio at the mid channel. For radiated measurements, all data in this report shows the worst case between horizontal and vertical antenna polarizations and for all orientations of the EUT.

4 Subject of Investigation

The objective of the measurements done by CETECOM Inc. was to evaluate the compliance of the EUT against the relevant requirements specified in section 1.

5 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus, with 95% confidence interval (in dB delta to result), based on a coverage factor k=2.

Radiated measurement

Measurement System		EMC 1	EMC 2
Conducted emissions (mains port)	150 kHz – 30 MHz	2.47 dB	N/A
Radiated emissions	9 kHz – 30 MHz	2.68 dB	2.53 dB
	30 – 100 MHz	4.39 dB	3.85 dB
	100 MHz – 1 GHz	5.65 dB	5.24 dB
	1 – 6 GHz	5.0 dB	4.88 dB
	6 – 18 GHz	4.76 dB	4.58 dB
	18 – 40 GHz	4.65 dB	4.61 dB

According to TR 102 273 a multiplicative propagation of error is assumed for RF measurement systems. For this reason the RMS method is applied to dB values and not to linear values as appropriate for additive propagation of error. Also used: <http://physics.nist.gov/cuu/Uncertainty/typeb.html>. The above calculated uncertainties apply to direct application of the Substitution method. The Substitution method is always used when the EUT comes closer than 3dB to the limit.

5.1 Environmental Conditions During Testing:

The following environmental conditions were maintained during the course of testing:

- Ambient Temperature: 20-25°C
- Relative humidity: 40-60%

5.2 Dates of Testing:

2025-05-14 – 2025-05-16


5.3 Decision Rule:

Cetecom Inc. follows ILAC G8:09/2019 chapter 4.2.1 (Simple Acceptance Rule).

Only the measured values related to their corresponding limits will be used to decide whether the equipment under test meets the requirements of the test standards listed in chapter 3. The measurement uncertainty is mentioned in this test report, See chapter 9, but is not taken into account – neither to the limits nor to the measurement results. Measurement results with a smaller margin to the corresponding limits than the measurement uncertainty have a potential risk of more than 5% that the decision might be wrong.

6 Measurement Procedures


Testing is performed according to the guidelines provided in FCC publication (KDB) 971168 D01 v03r01 – “Measurement Guidance for Certification of Licensed Digital Transmitters” and according to relevant parts of ANSI/TIA-603-D-2010 as detailed below.




6.1 Radiated Measurement


- The exploratory measurement is accomplished by running a matrix of 16 sweeps over the required frequency range with R&S Test-SW EMC32 for 4 positions of the turntable, two orthogonal positions of the EUT and both antenna polarizations. This procedure exceeds the requirement of the above standards to cover the 3 orthogonal axis of the EUT. A max peak detector is utilized during the exploratory measurement. The Test-SW creates an overall maximum trace for all 12 sweeps and saves the settings for each point of this trace. The maximum trace is part of the test report.
- The 10 highest emissions are selected with an automatic algorithm of EMC32 searching for peaks in the noise floor and ensuring that broadband signals are not selected multiple times.
- The maxima are then put through the final measurement and again maximized in a 90deg range of the turntable, fine search in frequency domain and height scan between 1m and 4m.
- The above procedure is repeated for all possible ways of power supply to EUT and for all supported modulations.
- In case there are no emissions above noise floor level only the maximum trace is reported as described above.
- The results are split up into up to 4 frequency ranges due to antenna bandwidth restrictions. A magnetic loop is used from 9 kHz to 30 MHz, a Biconilog antenna is used from 30 MHz to 1 GHz, and two different horn antennas are used to cover frequencies up to 40 GHz.

Radiated Emissions Test Setup below 30MHz Measurements



Radiated Emissions Test Setup 30MHz-1GHz Measurements





6.2 Sample Calculations for Field Strength Measurements

Field Strength is calculated from the Spectrum Analyzer/ Receiver readings, taking into account the following parameters:

- Measured reading in dB μ V
- Cable Loss between the receiving antenna and SA in dB and
- Antenna Factor in dB/m

All radiated measurement plots in this report are taken from a test SW that calculates the Field Strength based on the following equation:

$$FS \text{ (dB}\mu\text{V/m)} = \text{Measured Value on SA (dB}\mu\text{V)} + \text{Cable Loss (dB)} + \text{Antenna Factor (dB/m)}$$

Example:

Frequency (MHz)	Measured SA (dB μ V)	Cable Loss (dB)	Antenna Factor Correction (dB)	Field Strength Result (dB μ V/m)
1000	80.5	3.5	14	98.0

7 Measurement Results Summary

7.1 FCC 22 / RSS-132

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §22.913 (a)	RF Output Power	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1055; §22.355	Frequency Tolerance	Extreme Temperature and Voltage	-	☐	☐	☐	■	Note 1 Note 2
§2.1049; §22.917	Occupied Bandwidth	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §22.917	Band Edge Compliance	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §22.917	Conducted Spurious Emissions	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1053; §22.917	Radiated Spurious Emissions	Nominal	Op. 1	■	☐	☐	☐	Note 3

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The LTE Band 5 test results are leveraged from test report No. NIE: 59675REM.004, associated with FCC ID: 2ANPO00NRF9160 and IC: 24529-NRF9160.

Note 3: The testing for LTE Band 5 was performed in accordance with the test specifications outlined in FCC Part 22, and RSS-132.

7.2 FCC 24 / RSS-133

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §24.232 (a)	RF Output Power	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1055; §24.235	Frequency Stability	Extreme Temperature and Voltage	-	☐	☐	☐	■	Note 1 Note 2
§2.1049; §24.238	Occupied Bandwidth	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §24.238	Band Edge Compliance	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §24.238	Conducted Spurious Emissions	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1053; §24.238	Radiated Spurious Emissions	Nominal	Op. 1	■	☐	☐	☐	Note 3

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The LTE Band 2 test results are leveraged from test report No. NIE: 59675REM.004, associated with FCC ID: 2ANPO00NRF9160 and IC: 24529-NRF9160.

Note 3: The testing for LTE Band 2, and LTE Band 25 was performed in accordance with the test specifications outlined in FCC Part 24, and RSS-133.

7.3 FCC 27 / RSS-130, RSS-132, RSS 139

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §27.50	RF Output Power	Nominal	-	☐	☐	☐	■	Note 1 Note 2 Note 3
§2.1055; §27.54	Frequency Stability	Extreme Temperature and Voltage	-	☐	☐	☐	■	Note 1 Note 2 Note 3
§2.1049; §27.53	Occupied Bandwidth	Nominal	-	☐	☐	☐	■	Note 1 Note 2 Note 3
§2.1051; §27.53	Band Edge Compliance	Nominal	-	☐	☐	☐	■	Note 1 Note 2 Note 3
§2.1051; §27.53	Conducted Spurious Emissions	Nominal	-	☐	☐	☐	■	Note 1 Note 2 Note 3
§2.1053; §27.53	Radiated Spurious Emissions	Nominal	Op. 1	■	☐	☐	☐	Note 4

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The LTE Band 4, LTE Band 12, and LTE Band 13 test results are leveraged from test report No. NIE: 59675REM.004, associated with FCC ID: 2ANPO00NRF9160 and IC: 24529-NRF9160.

Note 3: The LTE Band 8 test results are leveraged from test report No. 72148RRF.001A3, associated with FCC ID: 2ANPO00NRF9160 and IC: 24529-NRF9160.

Note 4: The testing for LTE Band 4, LTE Band 8, LTE Band 12, and LTE Band 13 was performed in accordance with the test specifications outlined in FCC Part 27, RSS-130, RSS-132, and RSS-139.

7.4 FCC 90 / RSS-132

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §90.635(b)	RF Output Power	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§90.635(b)	Effective Radiated Power	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1055; §90.213	Frequency Stability	Extreme Temperature and Voltage	-	☐	☐	☐	■	Note 1 Note 2
§2.1049; §90.209	Occupied Bandwidth	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §90.691	Emission Masks	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1051; §90.691	Spurious Emissions at Antenna Terminals	Nominal	-	☐	☐	☐	■	Note 1 Note 2
§2.1053; §90.691	Radiated Spurious Emissions	Nominal	Op. 1	■	☐	☐	☐	Note 3

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The LTE Band 26 test results are leveraged from test report No. NIE: 59675REM.004, associated with FCC ID: 2ANPO00NRF9160 and IC: 24529-NRF9160.

Note 3: The testing for LTE Band 26 was performed in accordance with the test specifications outlined in FCC Part 90, and RSS-132.

8 Test Result Data

8.1 Radiated Spurious Emissions

8.1.1 Measurement utilizing KDB 971168 D01 Power Meas License Digital Systems v03r01, and according to ANSI/TIA-603-E-2016

Spectrum Analyzer Settings for FCC 22

Frequency Range	30MHz – 1 GHz	1 – 1.58 GHz	1.58 – 9 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto

Spectrum Analyzer Settings for FCC 24, 27, and 90

Frequency Range	30MHz – 1 GHz	1 – 2.7 GHz	2.7 – 18 GHz	18 – 19.1 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto	Auto

8.1.2 Limits:

8.1.2.1 FCC Part 22.917 (a); FCC Part 24.238 (a); FCC Part 27.53 (c); FCC Part 27.53 (g); FCC Part 27.53 (h) and FCC Part 90.691 (a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

8.1.2.2 RSS-130 Part 4.7, RSS-132 Part 5.5; RSS-133 Part 6.5; RSS-139 Part 6.6 Transmitter Unwanted Emissions

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

i. In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts).

ii. After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

8.1.3 Test conditions and setup:

Ambient Temperature (C)	EUT Set-Up #	EUT operating mode	Power Input
22	1	Op. 1	120 VAC

8.1.4 Measurement result:

Cellular Antenna: Quectel YE0021AA

Plot #	Cellular Uplink Operating Channel	EUT Operating Mode	Scan Frequency	Transmitter Spurious (dBm @ 3m)	Limit (dBm)	Result
1-4	Low	LTE B2 + BLE	30 MHz – 22 GHz	-42.821	-13	Pass
5-8	Mid	LTE B2 + BLE	30 MHz – 22 GHz		-13	Pass
9-12	High	LTE B2 + BLE	30 MHz – 22 GHz		-13	Pass
13-15	Low	LTE B4 + BLE	30 MHz – 18 GHz	-43.000	-13	Pass
16-18	Mid	LTE B4 + BLE	30 MHz – 18 GHz		-13	Pass
19-21	High	LTE B4 + BLE	30 MHz – 18 GHz		-13	Pass
22-24	Low	LTE B5 + BLE	30 MHz – 9 GHz	-42.715	-13	Pass
25-27	Mid	LTE B5 + BLE	30 MHz – 9 GHz		-13	Pass
28-30	High	LTE B5 + BLE	30 MHz – 9 GHz		-13	Pass
31-33	Low	LTE B8 + BLE	30 MHz – 18 GHz	-43.389	-13	Pass
34-36	Mid	LTE B8 + BLE	30 MHz – 18 GHz		-13	Pass
37-39	High	LTE B8 + BLE	30 MHz – 18 GHz		-13	Pass
40-42	Low	LTE B12 + BLE	30 MHz – 8 GHz	-42.475	-13	Pass
43-45	Mid	LTE B12 + BLE	30 MHz – 8 GHz		-13	Pass
46-48	High	LTE B12 + BLE	30 MHz – 8 GHz		-13	Pass
49-51	Low	LTE B13 + BLE	30 MHz – 8 GHz	-42.678	-13	Pass
52-54	Mid	LTE B13 + BLE	30 MHz – 8 GHz		-13	Pass
55-57	High	LTE B13 + BLE	30 MHz – 8 GHz		-13	Pass
58-61	Low	LTE B25 + BLE	30 MHz – 20 GHz	-42.781	-13	Pass
62-65	Mid	LTE B25 + BLE	30 MHz – 20 GHz		-13	Pass
66-69	High	LTE B25 + BLE	30 MHz – 20 GHz		-13	Pass
70-72	Low	LTE B26 + BLE	30 MHz – 9 GHz	-43.570	-13	Pass
73-75	Mid	LTE B26 + BLE	30 MHz – 9 GHz		-13	Pass
76-78	High	LTE B26 + BLE	30 MHz – 9 GHz		-13	Pass

Note 1: The measurement results presented in the table above are based on the EUT configured with the Pulse W1010 as the BLE antenna and the Quectel YE0021AA as the cellular antenna.

Cellular Antenna: JoyMax ZWX-721XSA2B

Plot #	Cellular Uplink Operating Channel	EUT Operating Mode	Scan Frequency	Transmitter Spurious (dBm @ 3m)	Limit (dBm)	Result
79-82	Mid	LTE B2 + BLE	30 MHz – 22 GHz	-33.151	-13	Pass
83-85	Mid	LTE B4 + BLE	30 MHz – 18 GHz	-36.479	-13	Pass

Note 1: The measurement results presented in the table above are based on the EUT configured with the Pulse W1010 as the BLE antenna and the JoyMax ZWX-721XSA2B as the cellular antenna.

Note 2: LTE Bands 2 and 4 were tested using the JoyMax antenna in simultaneous-transmit mode with the BLE path (Pulse W1010, 2 dBi), representing the worst-case aggregate EIRP for the revised configuration.

8.1.5 Delta-Scope Declaration

No change to radio hardware, firmware, modulation or tune-up.

The only hardware modification is the optional replacement of the Quectel YE0021AA external whip antenna with a JoyMax ZWX-721XSA2B external whip of identical connector type (SMA-M) and cable length.

Antenna	Peak Gain (698 – 960 MHz)	Peak Gain (1710 – 2170 MHz)	Peak Gain (2170 – 2690 MHz)
Quectel YE0021AA (original)	3.3 dBi	1.2 dBi	–0.3 dBi
JoyMax ZWX-721XSA2B (new)	2.1 dBi	4.4 dBi	3.0 dBi

- The new antenna shows lower gain than the original in the 698–960 MHz block (all U.S. LTE low-bands).
- It shows equal or higher gain only in the 1.7–2.2 GHz PCS/AWS block (LTE Bands 2 & 4).
- No other certified band is affected, and the nRF9160 does not transmit above 2.7 GHz.

Therefore, the additional testing scope is limited to:

Band	Uplink range tested
LTE Band 2	1850 – 1910 MHz (Mid channel)
LTE Band 4	1710 – 1755 MHz (Mid channel)


No additional testing is required for Bands 5, 8, 12, 13, or 26 because the JoyMax ZWX 721XSA2B gain in 698–960 MHz is lower than the Quectel YE0021AA value; all other metrics (EIRP, ERP, RSE, RF-Exposure) will therefore remain equal to or below original levels.

Band 25 uplink (1850–1915 MHz) falls entirely within the tested Band 2 range (1852.5–1907.5 MHz), and the JoyMax antenna exhibits flat gain across 1.7–2.7 GHz, the existing Band 2 co-transmit tests adequately cover Band 25. Therefore, no additional testing is necessary.

8.1.6 Measurement plots:

Plot # 1 Radiated Emissions: 30 MHz – 1GHz

Channel: Low




PK+_MAXH
FCC Licensed -13dBm

* Critical_Freqs PK+
◆ Final_Result RMS

Plot # 2 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.250	-44.321	-13.00	31.32	500.0	1000.0	100.0	H	296.0	-62.4	4.8	0.0	-67.1	18.0
2471.750	-46.385	-13.00	33.38	500.0	1000.0	107.0	H	236.0	-61.9	5.0	0.0	-66.9	15.6
2488.053	-53.252	-13.00	40.25	500.0	1000.0	100.0	H	264.0	-61.9	5.0	0.0	-66.9	8.6




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 3 Radiated Emissions: 3 GHz – 18 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.552	-43.069	-13.00	30.07	500.0	1000.0	117.0	V	223.0	-	7.1	-45.9	-61.1	56.9
7318.760	-49.599	-13.00	36.60	500.0	1000.0	194.0	V	122.0	-96.8	9.0	-46.5	-59.3	47.2
9761.629	-48.299	-13.00	35.30	500.0	1000.0	383.0	V	329.0	-94.3	10.6	-46.8	-58.1	46.0




Plot # 4 Radiated Emissions: 18 GHz – 22 GHz

Channel: Low



Plot # 5 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 6 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1316.250	-56.738	-13.00	43.74	500.0	1000.0	379.0	H	-34.0	-66.6	3.5	0.0	-70.0	9.8
1323.750	-57.045	-13.00	44.04	500.0	1000.0	142.0	H	68.0	-66.5	3.5	0.0	-70.0	9.5
2407.500	-48.986	-13.00	35.99	500.0	1000.0	176.0	H	50.0	-62.4	4.8	0.0	-67.1	13.4
2471.998	-46.347	-13.00	33.35	500.0	1000.0	228.0	H	-33.0	-61.9	5.0	0.0	-66.9	15.6



Plot # 7 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4878.919	-42.821	-13.00	29.82	500.0	1000.0	118.0	V	223.0	-	7.0	-45.9	-61.1	57.1
7321.071	-48.592	-13.00	35.59	500.0	1000.0	196.0	V	123.0	-96.8	9.0	-46.5	-59.3	48.2
9761.500	-48.991	-13.00	35.99	500.0	1000.0	210.0	V	298.0	-94.3	10.6	-46.8	-58.1	45.3




Plot # 8 Radiated Emissions: 18 GHz – 22 GHz

Channel: Mid



Plot # 9 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 10 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1366.250	-54.015	-13.00	41.02	500.0	1000.0	202.0	H	170.0	-66.4	3.6	0.0	-70.0	12.4
2408.250	-44.146	-13.00	31.15	500.0	1000.0	100.0	H	294.0	-62.4	4.8	0.0	-67.1	18.2
2471.913	-45.689	-13.00	32.69	500.0	1000.0	100.0	H	191.0	-61.9	5.0	0.0	-66.9	16.2



Plot # 11 Radiated Emissions: 3 GHz – 18 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.457	-43.279	-13.00	30.28	500.0	1000.0	121.0	V	222.0	-	7.1	-45.9	-61.1	56.7
7318.375	-49.301	-13.00	36.30	500.0	1000.0	194.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.5
9761.716	-47.939	-13.00	34.94	500.0	1000.0	400.0	V	331.0	-94.3	10.6	-46.8	-58.1	46.4




Plot # 12 Radiated Emissions: 18 GHz – 22 GHz

Channel: High



Plot # 13 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 14 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.250	-44.280	-13.00	31.28	500.0	1000.0	100.0	H	290.0	-61.8	5.3	0.0	-67.1	17.5
2682.902	-52.740	-13.00	39.74	500.0	1000.0	142.0	H	0.0	-60.8	5.7	0.0	-66.5	8.1




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 15 Radiated Emissions: 3 GHz – 18 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.432	-43.590	-13.00	30.59	500.0	1000.0	107.0	V	223.0	-	7.1	-45.9	-61.1	56.4
7318.344	-49.731	-13.00	36.73	500.0	1000.0	193.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.1
9758.059	-48.317	-13.00	35.32	500.0	1000.0	186.0	V	291.0	-94.3	10.6	-46.8	-58.1	46.0



Plot # 16 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 17 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.750	-43.996	-13.00	31.00	500.0	1000.0	100.0	H	190.0	-61.8	5.3	0.0	-67.1	17.8
2946.570	-50.818	-13.00	37.82	500.0	1000.0	162.0	H	37.0	-59.7	5.9	0.0	-65.6	8.9



Plot # 18 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.735	-43.000	-13.00	30.00	500.0	1000.0	171.0	V	214.0	-99.9	7.1	-45.9	-61.1	56.9
7318.375	-49.615	-13.00	36.61	500.0	1000.0	193.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.2
9757.750	-48.496	-13.00	35.50	500.0	1000.0	219.0	V	292.0	-94.3	10.6	-46.8	-58.1	45.8



Plot # 19 Radiated Emissions: 30 MHz – 1GHz

Channel: High




PK+_MAXH
FCC Licensed -13dBm

* Critical_Freqs PK+
◆ Final_Result RMS

Plot # 20 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.750	-44.133	-13.00	31.13	500.0	1000.0	100.0	H	191.0	-61.8	5.3	0.0	-67.1	17.7



Plot # 21 Radiated Emissions: 3 GHz – 18 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.375	-43.760	-13.00	30.76	500.0	1000.0	125.0	V	221.0	-	7.0	-45.9	-61.1	56.2
7320.991	-49.083	-13.00	36.08	500.0	1000.0	194.0	V	124.0	-96.8	9.0	-46.5	-59.3	47.7
9761.469	-48.606	-13.00	35.61	500.0	1000.0	384.0	V	327.0	-94.3	10.6	-46.8	-58.1	45.7



Plot # 22 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 23 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2392.000	-53.336	-13.00	40.34	500.0	1000.0	117.0	H	298.0	-61.9	5.3	0.0	-67.2	8.6
2407.752	-43.684	-13.00	30.68	500.0	1000.0	100.0	H	293.0	-61.8	5.3	0.0	-67.1	18.1
2471.750	-46.178	-13.00	33.18	500.0	1000.0	235.0	H	325.0	-61.5	5.4	0.0	-66.9	15.3




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 24 Radiated Emissions: 3 GHz – 9 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3314.750	-59.076	-13.00	46.08	500.0	1000.0	400.0	V	67.0	-	5.7	-45.9	-62.6	43.8
4880.817	-42.796	-13.00	29.80	500.0	1000.0	116.0	V	221.0	-99.9	7.1	-45.9	-61.1	57.2
7321.000	-48.572	-13.00	35.57	500.0	1000.0	196.0	V	125.0	-96.8	9.0	-46.5	-59.3	48.3



Plot # 25 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 26 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.852	-48.974	-13.00	35.97	500.0	1000.0	125.0	V	0.0	-61.9	5.3	0.0	-67.2	12.9
2472.000	-47.770	-13.00	34.77	500.0	1000.0	162.0	H	307.0	-61.5	5.4	0.0	-66.9	13.7



Plot # 27 Radiated Emissions: 3 GHz – 9 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3354.750	-60.357	-13.00	47.36	500.0	1000.0	365.0	V	359.0	-	5.8	-45.9	-62.6	42.2
4879.000	-43.780	-13.00	30.78	500.0	1000.0	330.0	V	39.0	-	7.0	-45.9	-61.1	56.2
7318.750	-49.522	-13.00	36.52	500.0	1000.0	328.0	V	121.0	-96.8	9.0	-46.5	-59.3	47.3



Plot # 28 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 29 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.219	-45.121	-13.00	32.12	500.0	1000.0	192.0	H	185.0	-61.8	5.3	0.0	-67.1	16.7
2471.500	-47.414	-13.00	34.41	500.0	1000.0	107.0	H	234.0	-61.5	5.4	0.0	-66.9	14.1



Plot # 30 Radiated Emissions: 3 GHz – 9 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3394.000	-68.612	-13.00	55.61	500.0	1000.0	312.0	V	217.0	-	5.9	-45.9	-62.5	33.9
4878.892	-42.715	-13.00	29.71	500.0	1000.0	116.0	V	223.0	-	7.0	-45.9	-61.1	57.2
7321.000	-49.059	-13.00	36.06	500.0	1000.0	195.0	V	122.0	-96.8	9.0	-46.5	-59.3	47.8



Plot # 31 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 32 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.750	-48.942	-13.00	35.94	500.0	1000.0	203.0	V	1.0	-61.9	5.3	0.0	-67.2	12.9
2471.750	-46.269	-13.00	33.27	500.0	1000.0	270.0	H	-31.0	-61.5	5.4	0.0	-66.9	15.2




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 33 Radiated Emissions: 3 GHz – 18 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3538.844	-64.566	-13.00	51.57	500.0	1000.0	378.0	V	5.0	-	5.8	-45.9	-62.4	37.9
4879.000	-43.389	-13.00	30.39	500.0	1000.0	120.0	V	222.0	-	7.0	-45.9	-61.1	56.6
7320.984	-49.143	-13.00	36.14	500.0	1000.0	194.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.7
9757.750	-47.413	-13.00	34.41	500.0	1000.0	400.0	V	331.0	-94.3	10.6	-46.8	-58.1	46.9



Plot # 34 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 35 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.000	-46.197	-13.00	33.20	500.0	1000.0	202.0	H	-29.0	-61.8	5.3	0.0	-67.1	15.6
2954.250	-50.834	-13.00	37.83	500.0	1000.0	100.0	H	325.0	-59.6	5.9	0.0	-65.5	8.8



Plot # 36 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3339.594	-65.196	-13.00	52.20	500.0	1000.0	237.0	V	79.0	-	5.8	-45.9	-62.6	37.5
3597.875	-68.916	-13.00	55.92	500.0	1000.0	100.0	V	70.0	-	5.9	-45.9	-62.4	33.4
4879.638	-44.470	-13.00	31.47	500.0	1000.0	173.0	V	213.0	-	7.0	-45.9	-61.1	55.5
7321.656	-52.658	-13.00	39.66	500.0	1000.0	195.0	V	122.0	-96.8	9.0	-46.5	-59.3	44.2
9761.706	-47.293	-13.00	34.29	500.0	1000.0	400.0	V	330.0	-94.3	10.6	-46.8	-58.1	47.0



Plot # 37 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 38 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.526	-45.344	-13.00	32.34	500.0	1000.0	100.0	H	299.0	-61.8	5.3	0.0	-67.1	16.5
2852.750	-51.234	-13.00	38.23	500.0	1000.0	133.0	H	84.0	-60.2	5.9	0.0	-66.1	9.0



Plot # 39 Radiated Emissions: 3 GHz – 18 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBµV)
3355.064	-65.054	-13.00	52.05	500.0	1000.0	222.0	H	216.0	-	5.8	-45.9	-62.6	37.5
3658.161	-67.311	-13.00	54.31	500.0	1000.0	128.0	V	24.0	-	6.0	-45.6	-62.3	34.5
4880.875	-43.724	-13.00	30.72	500.0	1000.0	194.0	V	224.0	-99.9	7.1	-45.9	-61.1	56.2
7318.429	-49.326	-13.00	36.33	500.0	1000.0	197.0	V	122.0	-96.8	9.0	-46.5	-59.3	47.5
9761.787	-48.083	-13.00	35.08	500.0	1000.0	386.0	V	328.0	-94.3	10.6	-46.8	-58.1	46.2



Plot # 40 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 41 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1407.000	-49.813	-13.00	36.81	500.0	1000.0	185.0	H	131.0	-65.8	4.2	0.0	-70.0	16.0
2472.500	-48.234	-13.00	35.23	500.0	1000.0	235.0	H	322.0	-61.5	5.4	0.0	-66.9	13.3




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 42 Radiated Emissions: 3 GHz – 8 GHz

Channel: Low


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4878.981	-42.694	-13.00	29.69	500.0	1000.0	107.0	V	223.0	-	7.0	-45.9	-61.1	57.3
7318.587	-49.468	-13.00	36.47	500.0	1000.0	332.0	V	121.0	-96.8	9.0	-46.5	-59.3	47.4



Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 43 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 44 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1407.000	-49.813	-13.00	36.81	500.0	1000.0	185.0	H	131.0	-65.8	4.2	0.0	-70.0	16.0
2472.500	-48.234	-13.00	35.23	500.0	1000.0	235.0	H	322.0	-61.5	5.4	0.0	-66.9	13.3



Plot # 45 Radiated Emissions: 3 GHz – 8 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.870	-42.683	-13.00	29.68	500.0	1000.0	125.0	V	221.0	-99.9	7.1	-45.9	-61.1	57.3
7321.284	-49.256	-13.00	36.26	500.0	1000.0	194.0	V	124.0	-96.8	9.0	-46.5	-59.3	47.6



Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 46 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 47 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1422.750	-51.515	-13.00	38.51	500.0	1000.0	175.0	H	85.0	-65.8	4.2	0.0	-70.0	14.2
1431.236	-51.177	-13.00	38.18	500.0	1000.0	176.0	H	92.0	-65.8	4.2	0.0	-70.0	14.6




Plot # 48 Radiated Emissions: 3 GHz – 8 GHz

Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBµV)
4878.944	-42.475	-13.00	29.47	500.0	1000.0	125.0	V	221.0	-	7.0	-45.9	-61.1	57.5
7321.000	-48.962	-13.00	35.96	500.0	1000.0	194.0	V	124.0	-96.8	9.0	-46.5	-59.3	47.9






Plot # 50 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.000	-43.349	-13.00	30.35	500.0	1000.0	100.0	H	290.0	-61.8	5.3	0.0	-67.1	18.5




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 51 Radiated Emissions: 3 GHz – 8 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3126.968	-61.739	-13.00	48.74	500.0	1000.0	379.0	V	11.0	-	5.5	-45.9	-62.5	41.2
4880.579	-43.110	-13.00	30.11	500.0	1000.0	125.0	V	222.0	-	7.1	-45.9	-61.1	56.8
7318.844	-49.979	-13.00	36.98	500.0	1000.0	195.0	V	124.0	-96.8	9.0	-46.5	-59.3	46.9



Plot # 52 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 53 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2948.250	-50.821	-13.00	37.82	500.0	1000.0	210.0	H	153.0	-59.7	5.9	0.0	-65.6	8.8




Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 54 Radiated Emissions: 3 GHz – 8 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3136.766	-61.638	-13.00	48.64	500.0	1000.0	338.0	V	355.0	-	5.5	-46.0	-62.6	41.4
4880.839	-43.801	-13.00	30.80	500.0	1000.0	195.0	V	223.0	-99.9	7.1	-45.9	-61.1	56.1
7321.398	-49.926	-13.00	36.93	500.0	1000.0	194.0	V	123.0	-96.8	9.0	-46.5	-59.3	46.9



Plot # 55 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 56 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.250	-44.885	-13.00	31.88	500.0	1000.0	151.0	H	287.0	-61.8	5.3	0.0	-67.1	16.9
2877.000	-51.015	-13.00	38.02	500.0	1000.0	201.0	V	115.0	-60.0	5.9	0.0	-66.0	9.0



Plot # 57 Radiated Emissions: 3 GHz – 8 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3146.527	-60.414	-13.00	47.41	500.0	1000.0	365.0	V	40.0	-	5.5	-46.0	-62.6	42.6
4879.156	-42.678	-13.00	29.68	500.0	1000.0	126.0	V	222.0	-	7.0	-45.9	-61.1	57.3
7318.567	-49.434	-13.00	36.43	500.0	1000.0	193.0	V	122.0	-96.8	9.0	-46.5	-59.3	47.4



Plot # 58 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 59 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.250	-48.235	-13.00	35.23	500.0	1000.0	142.0	H	75.0	-62.4	4.8	0.0	-67.1	14.1
2456.250	-49.808	-13.00	36.81	500.0	1000.0	100.0	H	238.0	-62.0	5.0	0.0	-67.0	12.2




PK+_MAXH FCC Licensed -13dBm Final_Result RMS

Plot # 60 Radiated Emissions: 3 GHz – 18 GHz


Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.375	-43.638	-13.00	30.64	500.0	1000.0	117.0	V	223.0	-	7.0	-45.9	-61.1	56.3
7318.844	-49.641	-13.00	36.64	500.0	1000.0	195.0	V	124.0	-96.8	9.0	-46.5	-59.3	47.2
9757.750	-48.751	-13.00	35.75	500.0	1000.0	259.0	V	296.0	-94.3	10.6	-46.8	-58.1	45.5




Plot # 61 Radiated Emissions: 18 GHz – 22 GHz

Channel: Low



Plot # 62 Radiated Emissions: 30 MHz – 1GHz


Channel: Mid



Plot # 63 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1329.275	-55.403	-13.00	42.40	500.0	1000.0	252.0	H	-33.0	-66.5	3.5	0.0	-70.0	11.1
2408.000	-44.072	-13.00	31.07	500.0	1000.0	100.0	H	186.0	-62.4	4.8	0.0	-67.1	18.3
2471.911	-45.674	-13.00	32.67	500.0	1000.0	100.0	H	191.0	-61.9	5.0	0.0	-66.9	16.3



Plot # 64 Radiated Emissions: 3 GHz – 18 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4880.375	-43.452	-13.00	30.45	500.0	1000.0	116.0	V	222.0	-	7.0	-45.9	-61.1	56.5
7318.451	-49.082	-13.00	36.08	500.0	1000.0	194.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.8
9761.968	-49.613	-13.00	36.61	500.0	1000.0	221.0	V	291.0	-94.3	10.6	-46.8	-58.1	44.7




Plot # 65 Radiated Emissions: 18 GHz – 22 GHz

Channel: Mid



Plot # 66 Radiated Emissions: 30 MHz – 1GHz


Channel: High



Plot # 67 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1389.492	-54.836	-13.00	41.84	500.0	1000.0	175.0	H	315.0	-66.4	3.6	0.0	-70.0	11.6
2407.943	-48.799	-13.00	35.80	500.0	1000.0	187.0	V	356.0	-62.4	4.8	0.0	-67.2	13.6
2471.750	-47.112	-13.00	34.11	500.0	1000.0	209.0	H	186.0	-61.9	5.0	0.0	-66.9	14.8



Plot # 68 Radiated Emissions: 3 GHz – 18 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4879.000	-42.781	-13.00	29.78	500.0	1000.0	107.0	V	223.0	-	7.0	-45.9	-61.1	57.2
7318.375	-48.759	-13.00	35.76	500.0	1000.0	193.0	V	123.0	-96.8	9.0	-46.5	-59.3	48.1
9757.750	-47.876	-13.00	34.88	500.0	1000.0	261.0	V	292.0	-94.3	10.6	-46.8	-58.1	46.4




Plot # 69 Radiated Emissions: 18 GHz – 22 GHz

Channel: High



Plot # 70 Radiated Emissions: 30 MHz – 1GHz


Channel: Low



Plot # 71 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2407.500	-48.380	-13.00	35.38	500.0	1000.0	125.0	H	34.0	-61.8	5.3	0.0	-67.1	13.4





Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Plot # 72 Radiated Emissions: 3 GHz – 9 GHz

Channel: Low

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3274.750	-58.754	-13.00	45.75	500.0	1000.0	385.0	V	-27.0	-	5.6	-45.9	-62.6	44.2
4880.896	-43.570	-13.00	30.57	500.0	1000.0	197.0	V	222.0	-99.9	7.1	-45.9	-61.1	56.4
7320.933	-49.771	-13.00	36.77	500.0	1000.0	211.0	V	122.0	-96.8	9.0	-46.5	-59.3	47.1






Plot # 74 Radiated Emissions: 1 GHz - 3 GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2408.200	-49.086	-13.00	36.09	500.0	1000.0	184.0	V	-4.0	-61.9	5.3	0.0	-67.2	12.8
2472.220	-46.365	-13.00	33.37	500.0	1000.0	253.0	H	331.0	-61.5	5.4	0.0	-66.9	15.2



Plot # 75 Radiated Emissions: 3 GHz – 9 GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3334.557	-58.790	-13.00	45.79	500.0	1000.0	383.0	V	56.0	-	5.8	-45.9	-62.6	43.9
4880.873	-43.854	-13.00	30.85	500.0	1000.0	193.0	V	223.0	-99.9	7.1	-45.9	-61.1	56.1
7318.750	-49.455	-13.00	36.45	500.0	1000.0	214.0	V	123.0	-96.8	9.0	-46.5	-59.3	47.4



Plot # 76 Radiated Emissions: 30 MHz – 1GHz

Channel: High




PK+_MAXH
FCC Licensed -13dBm

* Critical_Freqs PK+
◆ Final_Result RMS

Plot # 77 Radiated Emissions: 1 GHz - 3 GHz

Channel: High


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preampl (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
2653.857	-52.813	-13.00	39.81	500.0	1000.0	159.0	V	325.0	-60.5	5.9	0.0	-66.4	7.7



Plot # 78 Radiated Emissions: 3 GHz – 9 GHz


Channel: High

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
3394.063	-66.902	-13.00	53.90	500.0	1000.0	100.0	V	8.0	-	5.9	-45.9	-62.5	35.6
4880.737	-43.820	-13.00	30.82	500.0	1000.0	195.0	V	223.0	-99.9	7.1	-45.9	-61.1	56.1
7321.063	-48.857	-13.00	35.86	500.0	1000.0	195.0	V	124.0	-96.8	9.0	-46.5	-59.3	48.0



Plot # 79 Radiated Emissions: 30MHz – 1GHz


Channel: Mid



Plot # 80 Radiated Emissions: 1GHz – 3GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1316.750	-36.634	-13.00	23.63	500.0	1000.0	254.0	V	70.0	-66.7	3.5	0.0	-70.1	30.0
1324.250	-33.151	-13.00	20.15	500.0	1000.0	100.0	V	-13.0	-66.6	3.5	0.0	-70.1	33.5
2408.093	-43.847	-13.00	30.85	500.0	1000.0	155.0	V	302.0	-62.4	4.8	0.0	-67.2	18.6
2471.750	-44.772	-13.00	31.77	500.0	1000.0	143.0	V	310.0	-62.0	5.0	0.0	-67.0	17.2



Plot # 81 Radiated Emissions: 3GHz – 18GHz


Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4878.923	-43.097	-13.00	30.10	500.0	1000.0	281.0	V	82.0	-	7.0	-45.9	-61.1	56.9
7317.916	-50.830	-13.00	37.83	500.0	1000.0	279.0	V	178.0	-96.8	9.0	-46.5	-59.3	46.0
9757.500	-48.850	-13.00	35.85	500.0	1000.0	300.0	V	346.0	-94.3	10.6	-46.8	-58.1	45.4




Plot # 82 Radiated Emissions: 18GHz – 22GHz

Channel: Mid



Plot # 83 Radiated Emissions: 30MHz – 1GHz


Channel: Mid



Plot # 84 Radiated Emissions: 1GHz – 3GHz

Channel: Mid


Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
1020.460	-42.642	-13.00	29.64	500.0	1000.0	252.0	V	3.0	-66.6	4.3	0.0	-70.9	24.0
1029.500	-36.479	-13.00	23.48	500.0	1000.0	234.0	H	275.0	-66.7	4.2	0.0	-71.0	30.3
2408.245	-45.861	-13.00	32.86	500.0	1000.0	150.0	V	169.0	-61.9	5.3	0.0	-67.2	16.0



Plot # 85 Radiated Emissions: 3GHz – 18GHz

Channel: Mid

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB)	Raw Rec (dBμV)
4878.945	-44.201	-13.00	31.20	500.0	1000.0	272.0	V	27.0	-	7.0	-45.9	-61.1	55.8
7318.375	-46.704	-13.00	33.70	500.0	1000.0	213.0	V	121.0	-96.8	9.0	-46.5	-59.3	50.1
9761.469	-46.775	-13.00	33.77	500.0	1000.0	257.0	V	288.0	-94.3	10.6	-46.8	-58.1	47.5



9 Test setup photos

Setup photos are included in supporting file name: "EMC_NEXRE_004_25001_FCC_22_24_27_90_Setup_Photos"

10 Test Equipment and Ancillaries Used for Testing

Equipment Type	Manufacturer	Model	Serial #	Calibration Cycle	Last Calibration Date
BILOG ANTENNA	A.H. SYSTEMS	BiLA2G	569	3 Years	10/30/2023
HORN ANTENNA	EMCO	3115	00035111	3 Years	10/26/2023
HORN ANTENNA	ETS LINDGREN	3117-PA	00167061	3 Years	9/25/2023
HORN ANTENNA	ETS LINDGREN	3116C-PA	00166821	3 Years	10/26/2023
ESW.EMI TEST RECEIVER	ROHDE & SCHWARZ	ESW44	101715	3 Years	10/24/2023
DIGITAL THERMOMETER	Control Company	4410,90080-03	230712972	3 Years	10/18/2023
Signal Analyzer	R&S	FSV40	101022	3 Years	09/25/2023
Multimeter	Fluke	115	56090717MV	3 Years	09/26/2023
Software	EMC32	Version 10.50.40	-	-	-

Note: Equipment used meets the measurement uncertainty requirements as required per applicable standards for 95% confidence levels.

Calibration due dates, unless defined specifically, falls on the last day of the month. Items indicated "N/A" for cal status either do not specifically require calibration or is internally characterized before use.

11 Revision History

Date	Report Name	Changes to report	Prepared by
2025-07-14	EMC_NEXRE_004_25001_FCC_22_24_27_90	Initial Version	Cheng Song

<<< The End >>>