







Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

AppendixF: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	0.27	0.000146	±2.5	PASS
Band2	9262	VL	NT	1.32	0.000713	±2.5	PASS
Band2	9262	VH	NT	0.51	0.000275	±2.5	PASS
Band2	9400	VN	NT	-2.85	-0.001516	±2.5	PASS
Band2	9400	VL	NT	-2.59	-0.001378	±2.5	PASS
Band2	9400	VH	NT	-2.23	-0.001186	±2.5	PASS
Band2	9538	VN	NT	-6.72	-0.003523	±2.5	PASS
Band2	9538	VL	NT	-5.76	-0.003020	±2.5	PASS
Band2	9538	VH	NT	-5.52	-0.002894	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	1.16	0.000626	±2.5	PASS
Band2	9262	NV	-20	1.12	0.000605	±2.5	PASS
Band2	9262	NV	-10	1.22	0.000659	±2.5	PASS
Band2	9262	NV	0	1.23	0.000664	±2.5	PASS
Band2	9262	NV	10	1.57	0.000848	±2.5	PASS
Band2	9262	NV	20	1.42	0.000767	±2.5	PASS
Band2	9262	NV	30	0.74	0.000399	±2.5	PASS
Band2	9262	NV	40	1.62	0.000875	±2.5	PASS
Band2	9262	NV	50	1.51	0.000815	±2.5	PASS
Band2	9400	NV	-30	-1.80	-0.000957	±2.5	PASS
Band2	9400	NV	-20	-1.85	-0.000984	±2.5	PASS
Band2	9400	NV	-10	-3.09	-0.001644	±2.5	PASS
Band2	9400	NV	0	-3.63	-0.001931	±2.5	PASS
Band2	9400	NV	10	-2.85	-0.001516	±2.5	PASS
Band2	9400	NV	20	-2.95	-0.001569	±2.5	PASS
Band2	9400	NV	30	-1.95	-0.001037	±2.5	PASS
Band2	9400	NV	40	-3.05	-0.001622	±2.5	PASS
Band2	9400	NV	50	-2.13	-0.001133	±2.5	PASS
Band2	9538	NV	-30	-6.19	-0.003245	±2.5	PASS
Band2	9538	NV	-20	-6.37	-0.003339	±2.5	PASS
Band2	9538	NV	-10	-5.87	-0.003077	±2.5	PASS
Band2	9538	NV	0	-5.86	-0.003072	±2.5	PASS

Band2	9538	NV	10	-5.60	-0.002936	±2.5	PASS
Band2	9538	NV	20	-5.16	-0.002705	±2.5	PASS
Band2	9538	NV	30	-5.92	-0.003103	±2.5	PASS
Band2	9538	NV	40	-7.34	-0.003848	±2.5	PASS
Band2	9538	NV	50	-5.65	-0.002962	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-5.67	-0.003061	±2.5	PASS
Band2	9262	1	VL	NT	-6.00	-0.003239	±2.5	PASS
Band2	9262	1	VH	NT	-6.49	-0.003504	±2.5	PASS
Band2	9262	2	VN	NT	-5.66	-0.003055	±2.5	PASS
Band2	9262	2	VL	NT	-5.76	-0.003109	±2.5	PASS
Band2	9262	2	VH	NT	-6.99	-0.003773	±2.5	PASS
Band2	9262	3	VN	NT	-5.74	-0.003099	±2.5	PASS
Band2	9262	3	VL	NT	-6.62	-0.003574	±2.5	PASS
Band2	9262	3	VH	NT	-6.90	-0.003725	±2.5	PASS
Band2	9262	4	VN	NT	-6.46	-0.003487	±2.5	PASS
Band2	9262	4	VL	NT	-6.22	-0.003358	±2.5	PASS
Band2	9262	4	VH	NT	-6.92	-0.003736	±2.5	PASS
Band2	9400	1	VN	NT	-5.95	-0.003165	±2.5	PASS
Band2	9400	1	VL	NT	-5.58	-0.002968	±2.5	PASS
Band2	9400	1	VH	NT	-5.92	-0.003149	±2.5	PASS
Band2	9400	2	VN	NT	-5.15	-0.002739	±2.5	PASS
Band2	9400	2	VL	NT	-5.56	-0.002957	±2.5	PASS
Band2	9400	2	VH	NT	-7.27	-0.003867	±2.5	PASS
Band2	9400	3	VN	NT	-6.72	-0.003574	±2.5	PASS
Band2	9400	3	VL	NT	-6.48	-0.003447	±2.5	PASS
Band2	9400	3	VH	NT	-7.30	-0.003883	±2.5	PASS
Band2	9400	4	VN	NT	-5.90	-0.003138	±2.5	PASS
Band2	9400	4	VL	NT	-6.81	-0.003622	±2.5	PASS
Band2	9400	4	VH	NT	-6.64	-0.003532	±2.5	PASS
Band2	9538	1	VN	NT	-6.39	-0.003350	±2.5	PASS
Band2	9538	1	VL	NT	-4.96	-0.002600	±2.5	PASS
Band2	9538	1	VH	NT	-5.02	-0.002632	±2.5	PASS
Band2	9538	2	VN	NT	-7.09	-0.003717	±2.5	PASS
Band2	9538	2	VL	NT	-5.65	-0.002962	±2.5	PASS
Band2	9538	2	VH	NT	-6.10	-0.003198	±2.5	PASS
Band2	9538	3	VN	NT	-5.32	-0.002789	±2.5	PASS
Band2	9538	3	VL	NT	-6.31	-0.003308	±2.5	PASS

Band2	9538	3	VH	NT	-7.32	-0.003837	±2.5	PASS
Band2	9538	4	VN	NT	-6.29	-0.003297	±2.5	PASS
Band2	9538	4	VL	NT	-6.87	-0.003601	±2.5	PASS
Band2	9538	4	VH	NT	-6.66	-0.003491	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-6.04	-0.003261	±2.5	PASS
Band2	9262	1	NV	-20	-6.33	-0.003417	±2.5	PASS
Band2	9262	1	NV	-10	-6.39	-0.003450	±2.5	PASS
Band2	9262	1	NV	0	-5.19	-0.002802	±2.5	PASS
Band2	9262	1	NV	10	-5.95	-0.003212	±2.5	PASS
Band2	9262	1	NV	20	-6.32	-0.003412	±2.5	PASS
Band2	9262	1	NV	30	-6.64	-0.003585	±2.5	PASS
Band2	9262	1	NV	40	-6.20	-0.003347	±2.5	PASS
Band2	9262	1	NV	50	-6.69	-0.003612	±2.5	PASS
Band2	9262	2	NV	-30	-6.76	-0.003649	±2.5	PASS
Band2	9262	2	NV	-20	-5.77	-0.003115	±2.5	PASS
Band2	9262	2	NV	-10	-6.14	-0.003315	±2.5	PASS
Band2	9262	2	NV	0	-5.76	-0.003109	±2.5	PASS
Band2	9262	2	NV	10	-6.58	-0.003552	±2.5	PASS
Band2	9262	2	NV	20	-6.11	-0.003298	±2.5	PASS
Band2	9262	2	NV	30	-5.94	-0.003207	±2.5	PASS
Band2	9262	2	NV	40	-6.49	-0.003504	±2.5	PASS
Band2	9262	2	NV	50	-5.49	-0.002964	±2.5	PASS
Band2	9262	3	NV	-30	-7.07	-0.003817	±2.5	PASS
Band2	9262	3	NV	-20	-7.10	-0.003833	±2.5	PASS
Band2	9262	3	NV	-10	-6.09	-0.003288	±2.5	PASS
Band2	9262	3	NV	0	-7.09	-0.003827	±2.5	PASS
Band2	9262	3	NV	10	-6.52	-0.003520	±2.5	PASS
Band2	9262	3	NV	20	-6.59	-0.003558	±2.5	PASS
Band2	9262	3	NV	30	-6.02	-0.003250	±2.5	PASS
Band2	9262	3	NV	40	-6.34	-0.003423	±2.5	PASS
Band2	9262	3	NV	50	-7.06	-0.003811	±2.5	PASS
Band2	9262	4	NV	-30	-6.62	-0.003574	±2.5	PASS
Band2	9262	4	NV	-20	-6.95	-0.003752	±2.5	PASS
Band2	9262	4	NV	-10	-6.04	-0.003261	±2.5	PASS
Band2	9262	4	NV	0	-5.60	-0.003023	±2.5	PASS
Band2	9262	4	NV	10	-5.44	-0.002937	±2.5	PASS

Band2	9262	4	NV	20	-5.99	-0.003234	±2.5	PASS
Band2	9262	4	NV	30	-6.64	-0.003585	±2.5	PASS
Band2	9262	4	NV	40	-6.62	-0.003574	±2.5	PASS
Band2	9262	4	NV	50	-7.29	-0.003935	±2.5	PASS
Band2	9400	1	NV	-30	-6.64	-0.003532	±2.5	PASS
Band2	9400	1	NV	-20	-7.09	-0.003771	±2.5	PASS
Band2	9400	1	NV	-10	-5.26	-0.002798	±2.5	PASS
Band2	9400	1	NV	0	-5.75	-0.003059	±2.5	PASS
Band2	9400	1	NV	10	-7.16	-0.003809	±2.5	PASS
Band2	9400	1	NV	20	-6.18	-0.003287	±2.5	PASS
Band2	9400	1	NV	30	-7.15	-0.003803	±2.5	PASS
Band2	9400	1	NV	40	-5.69	-0.003027	±2.5	PASS
Band2	9400	1	NV	50	-6.67	-0.003548	±2.5	PASS
Band2	9400	2	NV	-30	-5.51	-0.002931	±2.5	PASS
Band2	9400	2	NV	-20	-6.26	-0.003330	±2.5	PASS
Band2	9400	2	NV	-10	-6.24	-0.003319	±2.5	PASS
Band2	9400	2	NV	0	-5.49	-0.002920	±2.5	PASS
Band2	9400	2	NV	10	-6.23	-0.003314	±2.5	PASS
Band2	9400	2	NV	20	-6.62	-0.003521	±2.5	PASS
Band2	9400	2	NV	30	-6.27	-0.003335	±2.5	PASS
Band2	9400	2	NV	40	-6.62	-0.003521	±2.5	PASS
Band2	9400	2	NV	50	-7.61	-0.004048	±2.5	PASS
Band2	9400	3	NV	-30	-6.54	-0.003479	±2.5	PASS
Band2	9400	3	NV	-20	-7.02	-0.003734	±2.5	PASS
Band2	9400	3	NV	-10	-6.38	-0.003394	±2.5	PASS
Band2	9400	3	NV	0	-6.64	-0.003532	±2.5	PASS
Band2	9400	3	NV	10	-6.87	-0.003654	±2.5	PASS
Band2	9400	3	NV	20	-6.32	-0.003362	±2.5	PASS
Band2	9400	3	NV	30	-6.69	-0.003559	±2.5	PASS
Band2	9400	3	NV	40	-6.44	-0.003426	±2.5	PASS
Band2	9400	3	NV	50	-6.57	-0.003495	±2.5	PASS
Band2	9400	4	NV	-30	-6.26	-0.003330	±2.5	PASS
Band2	9400	4	NV	-20	-6.52	-0.003468	±2.5	PASS
Band2	9400	4	NV	-10	-6.03	-0.003207	±2.5	PASS
Band2	9400	4	NV	0	-6.32	-0.003362	±2.5	PASS
Band2	9400	4	NV	10	-6.82	-0.003628	±2.5	PASS
Band2	9400	4	NV	20	-7.95	-0.004229	±2.5	PASS
Band2	9400	4	NV	30	-6.19	-0.003293	±2.5	PASS
Band2	9400	4	NV	40	-6.57	-0.003495	±2.5	PASS
Band2	9400	4	NV	50	-5.82	-0.003096	±2.5	PASS
Band2	9538	1	NV	-30	-5.69	-0.002983	±2.5	PASS

Band2	9538	1	NV	-20	-6.55	-0.003434	±2.5	PASS
Band2	9538	1	NV	-10	-5.98	-0.003135	±2.5	PASS
Band2	9538	1	NV	0	-7.61	-0.003989	±2.5	PASS
Band2	9538	1	NV	10	-6.89	-0.003612	±2.5	PASS
Band2	9538	1	NV	20	-5.14	-0.002694	±2.5	PASS
Band2	9538	1	NV	30	-6.72	-0.003523	±2.5	PASS
Band2	9538	1	NV	40	-7.68	-0.004026	±2.5	PASS
Band2	9538	1	NV	50	-7.62	-0.003995	±2.5	PASS
Band2	9538	2	NV	-30	-7.15	-0.003748	±2.5	PASS
Band2	9538	2	NV	-20	-6.95	-0.003643	±2.5	PASS
Band2	9538	2	NV	-10	-6.04	-0.003166	±2.5	PASS
Band2	9538	2	NV	0	-6.08	-0.003187	±2.5	PASS
Band2	9538	2	NV	10	-7.24	-0.003795	±2.5	PASS
Band2	9538	2	NV	20	-7.02	-0.003680	±2.5	PASS
Band2	9538	2	NV	30	-5.61	-0.002941	±2.5	PASS
Band2	9538	2	NV	40	-5.93	-0.003109	±2.5	PASS
Band2	9538	2	NV	50	-7.11	-0.003727	±2.5	PASS
Band2	9538	3	NV	-30	-7.14	-0.003743	±2.5	PASS
Band2	9538	3	NV	-20	-6.23	-0.003266	±2.5	PASS
Band2	9538	3	NV	-10	-6.47	-0.003392	±2.5	PASS
Band2	9538	3	NV	0	-6.87	-0.003601	±2.5	PASS
Band2	9538	3	NV	10	-6.14	-0.003219	±2.5	PASS
Band2	9538	3	NV	20	-6.37	-0.003339	±2.5	PASS
Band2	9538	3	NV	30	-6.23	-0.003266	±2.5	PASS
Band2	9538	3	NV	40	-7.29	-0.003822	±2.5	PASS
Band2	9538	3	NV	50	-6.62	-0.003470	±2.5	PASS
Band2	9538	4	NV	-30	-7.23	-0.003790	±2.5	PASS
Band2	9538	4	NV	-20	-6.94	-0.003638	±2.5	PASS
Band2	9538	4	NV	-10	-6.98	-0.003659	±2.5	PASS
Band2	9538	4	NV	0	-5.70	-0.002988	±2.5	PASS
Band2	9538	4	NV	10	-6.15	-0.003224	±2.5	PASS
Band2	9538	4	NV	20	-7.36	-0.003858	±2.5	PASS
Band2	9538	4	NV	30	-7.10	-0.003722	±2.5	PASS
Band2	9538	4	NV	40	-6.92	-0.003628	±2.5	PASS
Band2	9538	4	NV	50	-6.36	-0.003334	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-5.72	-0.003088	±2.5	PASS
Band2	9262	1	VL	NT	-6.69	-0.003612	±2.5	PASS
Band2	9262	1	VH	NT	-6.04	-0.003261	±2.5	PASS
Band2	9262	2	VN	NT	-7.38	-0.003984	±2.5	PASS
Band2	9262	2	VL	NT	-5.74	-0.003099	±2.5	PASS
Band2	9262	2	VH	NT	-6.74	-0.003639	±2.5	PASS
Band2	9262	3	VN	NT	-5.57	-0.003007	±2.5	PASS
Band2	9262	3	VL	NT	-6.71	-0.003622	±2.5	PASS
Band2	9262	3	VH	NT	-7.70	-0.004157	±2.5	PASS
Band2	9262	4	VN	NT	-6.38	-0.003444	±2.5	PASS
Band2	9262	4	VL	NT	-7.50	-0.004049	±2.5	PASS
Band2	9262	4	VH	NT	-6.53	-0.003525	±2.5	PASS
Band2	9262	5	VN	NT	-6.99	-0.003773	±2.5	PASS
Band2	9262	5	VL	NT	-6.17	-0.003331	±2.5	PASS
Band2	9262	5	VH	NT	-6.81	-0.003676	±2.5	PASS
Band2	9400	1	VN	NT	-5.86	-0.003117	±2.5	PASS
Band2	9400	1	VL	NT	-6.17	-0.003282	±2.5	PASS
Band2	9400	1	VH	NT	-7.08	-0.003766	±2.5	PASS
Band2	9400	2	VN	NT	-5.99	-0.003186	±2.5	PASS
Band2	9400	2	VL	NT	-6.74	-0.003585	±2.5	PASS
Band2	9400	2	VH	NT	-6.55	-0.003484	±2.5	PASS
Band2	9400	3	VN	NT	-5.33	-0.002835	±2.5	PASS
Band2	9400	3	VL	NT	-6.77	-0.003601	±2.5	PASS
Band2	9400	3	VH	NT	-7.40	-0.003936	±2.5	PASS
Band2	9400	4	VN	NT	-6.63	-0.003527	±2.5	PASS
Band2	9400	4	VL	NT	-6.82	-0.003628	±2.5	PASS
Band2	9400	4	VH	NT	-6.77	-0.003601	±2.5	PASS
Band2	9400	5	VN	NT	-6.82	-0.003628	±2.5	PASS
Band2	9400	5	VL	NT	-7.78	-0.004138	±2.5	PASS
Band2	9400	5	VH	NT	-6.79	-0.003612	±2.5	PASS
Band2	9538	1	VN	NT	-6.92	-0.003628	±2.5	PASS
Band2	9538	1	VL	NT	-6.50	-0.003407	±2.5	PASS
Band2	9538	1	VH	NT	-6.42	-0.003365	±2.5	PASS
Band2	9538	2	VN	NT	-6.42	-0.003365	±2.5	PASS
Band2	9538	2	VL	NT	-8.00	-0.004194	±2.5	PASS
Band2	9538	2	VH	NT	-6.25	-0.003276	±2.5	PASS
Band2	9538	3	VN	NT	-7.17	-0.003759	±2.5	PASS

Band2	9538	3	VL	NT	-6.77	-0.003549	±2.5	PASS
Band2	9538	3	VH	NT	-7.34	-0.003848	±2.5	PASS
Band2	9538	4	VN	NT	-6.62	-0.003470	±2.5	PASS
Band2	9538	4	VL	NT	-6.81	-0.003570	±2.5	PASS
Band2	9538	4	VH	NT	-6.12	-0.003208	±2.5	PASS
Band2	9538	5	VN	NT	-6.85	-0.003591	±2.5	PASS
Band2	9538	5	VL	NT	-5.60	-0.002936	±2.5	PASS
Band2	9538	5	VH	NT	-7.21	-0.003780	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-7.69	-0.004151	±2.5	PASS
Band2	9262	1	NV	-20	-6.97	-0.003763	±2.5	PASS
Band2	9262	1	NV	-10	-8.23	-0.004443	±2.5	PASS
Band2	9262	1	NV	0	-6.70	-0.003617	±2.5	PASS
Band2	9262	1	NV	10	-6.80	-0.003671	±2.5	PASS
Band2	9262	1	NV	20	-6.36	-0.003433	±2.5	PASS
Band2	9262	1	NV	30	-6.43	-0.003471	±2.5	PASS
Band2	9262	1	NV	40	-6.55	-0.003536	±2.5	PASS
Band2	9262	1	NV	50	-7.22	-0.003898	±2.5	PASS
Band2	9262	2	NV	-30	-7.47	-0.004033	±2.5	PASS
Band2	9262	2	NV	-20	-8.31	-0.004486	±2.5	PASS
Band2	9262	2	NV	-10	-7.02	-0.003790	±2.5	PASS
Band2	9262	2	NV	0	-6.97	-0.003763	±2.5	PASS
Band2	9262	2	NV	10	-7.56	-0.004081	±2.5	PASS
Band2	9262	2	NV	20	-6.53	-0.003525	±2.5	PASS
Band2	9262	2	NV	30	-6.86	-0.003703	±2.5	PASS
Band2	9262	2	NV	40	-7.52	-0.004060	±2.5	PASS
Band2	9262	2	NV	50	-7.43	-0.004011	±2.5	PASS
Band2	9262	3	NV	-30	-6.57	-0.003547	±2.5	PASS
Band2	9262	3	NV	-20	-5.64	-0.003045	±2.5	PASS
Band2	9262	3	NV	-10	-6.65	-0.003590	±2.5	PASS
Band2	9262	3	NV	0	-7.03	-0.003795	±2.5	PASS
Band2	9262	3	NV	10	-6.70	-0.003617	±2.5	PASS
Band2	9262	3	NV	20	-6.57	-0.003547	±2.5	PASS
Band2	9262	3	NV	30	-7.04	-0.003800	±2.5	PASS
Band2	9262	3	NV	40	-6.16	-0.003325	±2.5	PASS
Band2	9262	3	NV	50	-6.17	-0.003331	±2.5	PASS
Band2	9262	4	NV	-30	-4.90	-0.002645	±2.5	PASS
Band2	9262	4	NV	-20	-6.72	-0.003628	±2.5	PASS

Band2	9262	4	NV	-10	-6.87	-0.003709	±2.5	PASS
Band2	9262	4	NV	0	-7.23	-0.003903	±2.5	PASS
Band2	9262	4	NV	10	-6.92	-0.003736	±2.5	PASS
Band2	9262	4	NV	20	-7.35	-0.003968	±2.5	PASS
Band2	9262	4	NV	30	-7.40	-0.003995	±2.5	PASS
Band2	9262	4	NV	40	-7.50	-0.004049	±2.5	PASS
Band2	9262	4	NV	50	-6.49	-0.003504	±2.5	PASS
Band2	9262	5	NV	-30	-6.83	-0.003687	±2.5	PASS
Band2	9262	5	NV	-20	-6.87	-0.003709	±2.5	PASS
Band2	9262	5	NV	-10	-7.60	-0.004103	±2.5	PASS
Band2	9262	5	NV	0	-6.85	-0.003698	±2.5	PASS
Band2	9262	5	NV	10	-7.50	-0.004049	±2.5	PASS
Band2	9262	5	NV	20	-6.96	-0.003757	±2.5	PASS
Band2	9262	5	NV	30	-6.85	-0.003698	±2.5	PASS
Band2	9262	5	NV	40	-6.82	-0.003682	±2.5	PASS
Band2	9262	5	NV	50	-6.79	-0.003666	±2.5	PASS
Band2	9400	1	NV	-30	-7.32	-0.003894	±2.5	PASS
Band2	9400	1	NV	-20	-7.18	-0.003819	±2.5	PASS
Band2	9400	1	NV	-10	-6.42	-0.003415	±2.5	PASS
Band2	9400	1	NV	0	-7.13	-0.003793	±2.5	PASS
Band2	9400	1	NV	10	-6.79	-0.003612	±2.5	PASS
Band2	9400	1	NV	20	-7.90	-0.004202	±2.5	PASS
Band2	9400	1	NV	30	-5.97	-0.003176	±2.5	PASS
Band2	9400	1	NV	40	-7.82	-0.004160	±2.5	PASS
Band2	9400	1	NV	50	-7.35	-0.003910	±2.5	PASS
Band2	9400	2	NV	-30	-6.61	-0.003516	±2.5	PASS
Band2	9400	2	NV	-20	-7.34	-0.003904	±2.5	PASS
Band2	9400	2	NV	-10	-7.02	-0.003734	±2.5	PASS
Band2	9400	2	NV	0	-6.46	-0.003436	±2.5	PASS
Band2	9400	2	NV	10	-6.57	-0.003495	±2.5	PASS
Band2	9400	2	NV	20	-5.87	-0.003122	±2.5	PASS
Band2	9400	2	NV	30	-7.51	-0.003995	±2.5	PASS
Band2	9400	2	NV	40	-5.31	-0.002824	±2.5	PASS
Band2	9400	2	NV	50	-6.19	-0.003293	±2.5	PASS
Band2	9400	3	NV	-30	-6.28	-0.003340	±2.5	PASS
Band2	9400	3	NV	-20	-6.27	-0.003335	±2.5	PASS
Band2	9400	3	NV	-10	-7.43	-0.003952	±2.5	PASS
Band2	9400	3	NV	0	-5.92	-0.003149	±2.5	PASS
Band2	9400	3	NV	10	-6.57	-0.003495	±2.5	PASS
Band2	9400	3	NV	20	-6.82	-0.003628	±2.5	PASS
Band2	9400	3	NV	30	-6.67	-0.003548	±2.5	PASS

Band2	9400	3	NV	40	-8.38	-0.004457	±2.5	PASS
Band2	9400	3	NV	50	-6.26	-0.003330	±2.5	PASS
Band2	9400	4	NV	-30	-7.71	-0.004101	±2.5	PASS
Band2	9400	4	NV	-20	-6.69	-0.003559	±2.5	PASS
Band2	9400	4	NV	-10	-7.72	-0.004106	±2.5	PASS
Band2	9400	4	NV	0	-6.60	-0.003511	±2.5	PASS
Band2	9400	4	NV	10	-7.20	-0.003830	±2.5	PASS
Band2	9400	4	NV	20	-7.54	-0.004011	±2.5	PASS
Band2	9400	4	NV	30	-6.43	-0.003420	±2.5	PASS
Band2	9400	4	NV	40	-7.58	-0.004032	±2.5	PASS
Band2	9400	4	NV	50	-7.94	-0.004223	±2.5	PASS
Band2	9400	5	NV	-30	-7.03	-0.003739	±2.5	PASS
Band2	9400	5	NV	-20	-6.55	-0.003484	±2.5	PASS
Band2	9400	5	NV	-10	-6.71	-0.003569	±2.5	PASS
Band2	9400	5	NV	0	-7.16	-0.003809	±2.5	PASS
Band2	9400	5	NV	10	-7.53	-0.004005	±2.5	PASS
Band2	9400	5	NV	20	-6.66	-0.003543	±2.5	PASS
Band2	9400	5	NV	30	-7.50	-0.003989	±2.5	PASS
Band2	9400	5	NV	40	-7.14	-0.003798	±2.5	PASS
Band2	9400	5	NV	50	-6.54	-0.003479	±2.5	PASS
Band2	9538	1	NV	-30	-6.88	-0.003607	±2.5	PASS
Band2	9538	1	NV	-20	-7.43	-0.003895	±2.5	PASS
Band2	9538	1	NV	-10	-7.40	-0.003879	±2.5	PASS
Band2	9538	1	NV	0	-6.52	-0.003418	±2.5	PASS
Band2	9538	1	NV	10	-7.57	-0.003968	±2.5	PASS
Band2	9538	1	NV	20	-7.05	-0.003696	±2.5	PASS
Band2	9538	1	NV	30	-7.47	-0.003916	±2.5	PASS
Band2	9538	1	NV	40	-7.13	-0.003738	±2.5	PASS
Band2	9538	1	NV	50	-6.74	-0.003533	±2.5	PASS
Band2	9538	2	NV	-30	-6.72	-0.003523	±2.5	PASS
Band2	9538	2	NV	-20	-7.62	-0.003995	±2.5	PASS
Band2	9538	2	NV	-10	-5.88	-0.003082	±2.5	PASS
Band2	9538	2	NV	0	-6.27	-0.003287	±2.5	PASS
Band2	9538	2	NV	10	-7.27	-0.003811	±2.5	PASS
Band2	9538	2	NV	20	-6.07	-0.003182	±2.5	PASS
Band2	9538	2	NV	30	-6.28	-0.003292	±2.5	PASS
Band2	9538	2	NV	40	-5.82	-0.003051	±2.5	PASS
Band2	9538	2	NV	50	-6.17	-0.003234	±2.5	PASS
Band2	9538	3	NV	-30	-6.68	-0.003502	±2.5	PASS
Band2	9538	3	NV	-20	-6.96	-0.003649	±2.5	PASS
Band2	9538	3	NV	-10	-7.87	-0.004126	±2.5	PASS

Band2	9538	3	NV	0	-6.66	-0.003491	±2.5	PASS
Band2	9538	3	NV	10	-6.29	-0.003297	±2.5	PASS
Band2	9538	3	NV	20	-7.24	-0.003795	±2.5	PASS
Band2	9538	3	NV	30	-6.44	-0.003376	±2.5	PASS
Band2	9538	3	NV	40	-5.64	-0.002957	±2.5	PASS
Band2	9538	3	NV	50	-6.67	-0.003497	±2.5	PASS
Band2	9538	4	NV	-30	-6.95	-0.003643	±2.5	PASS
Band2	9538	4	NV	-20	-7.48	-0.003921	±2.5	PASS
Band2	9538	4	NV	-10	-7.76	-0.004068	±2.5	PASS
Band2	9538	4	NV	0	-6.28	-0.003292	±2.5	PASS
Band2	9538	4	NV	10	-7.04	-0.003691	±2.5	PASS
Band2	9538	4	NV	20	-6.33	-0.003318	±2.5	PASS
Band2	9538	4	NV	30	-7.27	-0.003811	±2.5	PASS
Band2	9538	4	NV	40	-7.39	-0.003874	±2.5	PASS
Band2	9538	4	NV	50	-6.87	-0.003601	±2.5	PASS
Band2	9538	5	NV	-30	-6.59	-0.003455	±2.5	PASS
Band2	9538	5	NV	-20	-8.00	-0.004194	±2.5	PASS
Band2	9538	5	NV	-10	-8.05	-0.004220	±2.5	PASS
Band2	9538	5	NV	0	-7.40	-0.003879	±2.5	PASS
Band2	9538	5	NV	10	-6.80	-0.003565	±2.5	PASS
Band2	9538	5	NV	20	-6.61	-0.003465	±2.5	PASS
Band2	9538	5	NV	30	-7.06	-0.003701	±2.5	PASS
Band2	9538	5	NV	40	-7.45	-0.003905	±2.5	PASS
Band2	9538	5	NV	50	-6.72	-0.003523	±2.5	PASS