

## Appendix Test Data

|                  |                  |                    |                    |
|------------------|------------------|--------------------|--------------------|
| Report No.:      | 1812C50211712502 | Test Sample No.:   | 1-2-2              |
| Start Test Date: | 2025-05-13       | Finish Test Date:  | 2025-07-15         |
| Test Engineer:   | <i>Alex Peng</i> | Auditor:           | <i>Justin Feng</i> |
| Temperature:     | 25.1℃            | Relative Humidity: | 51%                |
| Pressure:        | 101kPa           |                    |                    |


## Appendix A: 6dB Bandwidth

### Test Result

| Test Mode | Antenna | Frequency[MHz] | 6dB BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412           | 10.160       | 2406.920 | 2417.080 | 0.5        | PASS    |
| 11B       | Ant1    | 2437           | 9.200        | 2432.480 | 2441.680 | 0.5        | PASS    |
| 11B       | Ant1    | 2462           | 9.760        | 2456.920 | 2466.680 | 0.5        | PASS    |
| 11G       | Ant1    | 2412           | 16.280       | 2403.880 | 2420.160 | 0.5        | PASS    |
| 11G       | Ant1    | 2437           | 15.160       | 2429.640 | 2444.800 | 0.5        | PASS    |
| 11G       | Ant1    | 2462           | 16.200       | 2453.840 | 2470.040 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412           | 17.440       | 2403.240 | 2420.680 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2437           | 16.320       | 2429.280 | 2445.600 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2462           | 17.680       | 2453.080 | 2470.760 | 0.5        | PASS    |

## Test Graphs






**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline 400-003-0500  
www.anbotech.com



**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com




**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com


## Appendix B: 99% Occupied Bandwidth

### Test Result

| Test Mode | Antenna | Channel Frequency[MHz] | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|------------------------|-----------|-----------|-----------|------------|---------|
| 11B       | Ant1    | 2412                   | 12.667    | 2405.6254 | 2418.2924 | ---        | ---     |
| 11B       | Ant1    | 2437                   | 12.238    | 2431.1027 | 2443.3407 | ---        | ---     |
| 11B       | Ant1    | 2462                   | 12.651    | 2455.5703 | 2468.2213 | ---        | ---     |
| 11G       | Ant1    | 2412                   | 17.052    | 2403.4242 | 2420.4762 | ---        | ---     |
| 11G       | Ant1    | 2437                   | 16.577    | 2428.8223 | 2445.3993 | ---        | ---     |
| 11G       | Ant1    | 2462                   | 17.044    | 2453.4305 | 2470.4745 | ---        | ---     |
| 11N20SISO | Ant1    | 2412                   | 17.894    | 2403.0626 | 2420.9566 | ---        | ---     |
| 11N20SISO | Ant1    | 2437                   | 17.567    | 2428.3009 | 2445.8679 | ---        | ---     |
| 11N20SISO | Ant1    | 2462                   | 17.907    | 2452.9674 | 2470.8744 | ---        | ---     |




## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86)0755-26066440 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com


## Appendix C: Maximum conducted output power

### Test Result Average

| Test Mode | Antenna | Frequency [MHz] | Average power [dBm] | Duty Cycle [%] | DC Factor [dB] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|-----------------|---------------------|----------------|----------------|--------------|-------------|---------|
| 11B       | Ant1    | 2412            | 14.21               | 100.00         | 0.00           | 14.21        | ≤30.00      | PASS    |
| 11B       | Ant1    | 2437            | 14.20               | 100.00         | 0.00           | 14.20        | ≤30.00      | PASS    |
| 11B       | Ant1    | 2462            | 14.60               | 100.00         | 0.00           | 14.60        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2412            | 10.34               | 100.00         | 0.00           | 10.34        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2437            | 11.93               | 100.00         | 0.00           | 11.93        | ≤30.00      | PASS    |
| 11G       | Ant1    | 2462            | 12.60               | 100.00         | 0.00           | 12.60        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2412            | 10.37               | 100.00         | 0.00           | 10.37        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2437            | 11.91               | 100.00         | 0.00           | 11.91        | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2462            | 12.75               | 100.00         | 0.00           | 12.75        | ≤30.00      | PASS    |

Note: The Duty Cycle Factor( $10 \cdot \log(1/D)$ ) and cable loss are compensated in the graph.


## Test Graphs Average





## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com









#### Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com

## Appendix D: Maximum power spectral density

### Test Result


| Test Mode | Antenna | Frequency [MHz] | Result[dBm/30kHz] | Result[dBm/3kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|-----------------|-------------------|------------------|-----------------|---------|
| 11B       | Ant1    | 2412            | -7.77             | -17.77           | ≤8.00           | PASS    |
| 11B       | Ant1    | 2437            | -7.03             | -17.03           | ≤8.00           | PASS    |
| 11B       | Ant1    | 2462            | -7.42             | -17.42           | ≤8.00           | PASS    |
| 11G       | Ant1    | 2412            | -13.50            | -23.5            | ≤8.00           | PASS    |
| 11G       | Ant1    | 2437            | -10.79            | -20.79           | ≤8.00           | PASS    |
| 11G       | Ant1    | 2462            | -10.59            | -20.59           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2412            | -13.42            | -23.42           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2437            | -10.62            | -20.62           | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2462            | -10.66            | -20.66           | ≤8.00           | PASS    |

Note:

1. The Duty Cycle Factor( $10 \cdot \log(1/D)$ ) and cable loss are compensated in the graph.
2.  $PSD(dBm/3kHz) = PSD(dBm/30kHz) - (10 \cdot \log(30/3))$




## Test Graphs



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500  
www.anbotech.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



### Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com

## Appendix E: Conducted Band edge


### Test Result

| Test Mode | Antenna | Ch. Name | Frequency[MHz] | Ref. Level[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|-----------|---------|----------|----------------|-----------------|-------------|------------|---------|
| 11B       | Ant1    | Low      | 2412           | 4.70            | -36.9       | ≤-25.31    | PASS    |
| 11B       | Ant1    | High     | 2462           | 5.85            | -46.53      | ≤-24.15    | PASS    |
| 11G       | Ant1    | Low      | 2412           | -0.69           | -34.51      | ≤-30.69    | PASS    |
| 11G       | Ant1    | High     | 2462           | 1.45            | -40.11      | ≤-28.55    | PASS    |
| 11N20SISO | Ant1    | Low      | 2412           | 0.22            | -33.97      | ≤-29.78    | PASS    |
| 11N20SISO | Ant1    | High     | 2462           | 1.59            | -41.3       | ≤-28.41    | PASS    |


Remark:Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'offset' of the Spectrum Analyzer during the test.



## Test Graphs








## Appendix F: Conducted Spurious Emission

### Test Result

| Test Mode | Antenna | Frequency [MHz] | Freq. Range [Mhz] | Ref. Level [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|-----------------|-------------------|------------------|--------------|-------------|---------|
| 11B       | Ant1    | 2412            | 0~Reference       | 4.66             | 4.66         | ---         | PASS    |
| 11B       | Ant1    | 2412            | 30~1000           | 4.66             | -69.03       | ≤-25.34     | PASS    |
| 11B       | Ant1    | 2412            | 1000~26500        | 4.66             | -43.95       | ≤-25.34     | PASS    |
| 11B       | Ant1    | 2437            | 0~Reference       | 5.71             | 5.71         | ---         | PASS    |
| 11B       | Ant1    | 2437            | 30~1000           | 5.71             | -68.99       | ≤-24.29     | PASS    |
| 11B       | Ant1    | 2437            | 1000~26500        | 5.71             | -46.82       | ≤-24.29     | PASS    |
| 11B       | Ant1    | 2462            | 0~Reference       | 5.44             | 5.44         | ---         | PASS    |
| 11B       | Ant1    | 2462            | 30~1000           | 5.44             | -69.37       | ≤-24.56     | PASS    |
| 11B       | Ant1    | 2462            | 1000~26500        | 5.44             | -44.13       | ≤-24.56     | PASS    |
| 11G       | Ant1    | 2412            | 0~Reference       | -0.27            | -0.27        | ---         | PASS    |
| 11G       | Ant1    | 2412            | 30~1000           | -0.27            | -52.32       | ≤-30.27     | PASS    |
| 11G       | Ant1    | 2412            | 1000~26500        | -0.27            | -53.55       | ≤-30.27     | PASS    |
| 11G       | Ant1    | 2437            | 0~Reference       | 2.52             | 2.52         | ---         | PASS    |
| 11G       | Ant1    | 2437            | 30~1000           | 2.52             | -46.58       | ≤-27.48     | PASS    |
| 11G       | Ant1    | 2437            | 1000~26500        | 2.52             | -52.5        | ≤-27.48     | PASS    |
| 11G       | Ant1    | 2462            | 0~Reference       | 2.51             | 2.51         | ---         | PASS    |
| 11G       | Ant1    | 2462            | 30~1000           | 2.51             | -64.17       | ≤-27.49     | PASS    |
| 11G       | Ant1    | 2462            | 1000~26500        | 2.51             | -52.27       | ≤-27.49     | PASS    |
| 11N20SISO | Ant1    | 2412            | 0~Reference       | -0.41            | -0.41        | ---         | PASS    |
| 11N20SISO | Ant1    | 2412            | 30~1000           | -0.41            | -48.55       | ≤-30.41     | PASS    |
| 11N20SISO | Ant1    | 2412            | 1000~26500        | -0.41            | -53.21       | ≤-30.41     | PASS    |
| 11N20SISO | Ant1    | 2437            | 0~Reference       | 0.32             | 0.32         | ---         | PASS    |
| 11N20SISO | Ant1    | 2437            | 30~1000           | 0.32             | -68.93       | ≤-29.68     | PASS    |
| 11N20SISO | Ant1    | 2437            | 1000~26500        | 0.32             | -52.65       | ≤-29.68     | PASS    |
| 11N20SISO | Ant1    | 2462            | 0~Reference       | 1.95             | 1.95         | ---         | PASS    |
| 11N20SISO | Ant1    | 2462            | 30~1000           | 1.95             | -69.05       | ≤-28.05     | PASS    |
| 11N20SISO | Ant1    | 2462            | 1000~26500        | 1.95             | -50.34       | ≤-28.05     | PASS    |

Remark: Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose and attenuator factors have been set in the 'Input Correction' of the Spectrum Analyzer during the test.

## Test Graphs




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com




## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com






## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline  
400-003-0500  
www.anbotech.com





## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com










**Shenzhen Anbotech Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500  
www.anbotech.com









**Shenzhen Anbotech Compliance Laboratory Limited**


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com







### Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com

## Appendix G: Duty Cycle

### Test Result

| Test Mode | Antenna | Frequency [MHz] | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Factor |
|-----------|---------|-----------------|----------------------------|--------------------------|----------------|--------|
| 11B       | Ant1    | 2412            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11B       | Ant1    | 2437            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11B       | Ant1    | 2462            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2412            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2437            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11G       | Ant1    | 2462            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2412            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2437            | 100.00                     | 100.00                   | 100.00         | 0.00   |
| 11N20SISO | Ant1    | 2462            | 100.00                     | 100.00                   | 100.00         | 0.00   |


### Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com


## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com





## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com







---End---

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel:(86)0755-26066440      Email:service@anbotek.com

 Hotline  
400-003-0500  
www.anbotek.com