


Appendix-5.2G


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	18.42	16.34
NVNT	ANT1	802.11a	5200.00	18.45	16.36
NVNT	ANT1	802.11a	5240.00	18.28	16.34
NVNT	ANT1	802.11n(HT20)	5180.00	19.30	17.56
NVNT	ANT1	802.11n(HT20)	5200.00	19.50	17.57
NVNT	ANT1	802.11n(HT20)	5240.00	19.45	17.56
NVNT	ANT1	802.11ac(VHT20)	5180.00	19.38	17.55
NVNT	ANT1	802.11ac(VHT20)	5200.00	19.46	17.57
NVNT	ANT1	802.11ac(VHT20)	5240.00	19.56	17.56
NVNT	ANT1	802.11n(HT40)	5190.00	40.90	36.03
NVNT	ANT1	802.11n(HT40)	5230.00	41.05	35.99
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.86	36.01
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.81	35.99
NVNT	ANT1	802.11ac(VHT80)	5210.00	81.24	74.86


99%_OCB_NVNT_ANT1_802_11a_5180




-26BW_NVNT_ANT1_802_11a_5180




99%_OCB_NVNT_ANT1_802_11a_5200




-26BW_NVNT_ANT1_802_11a_5200




99%_OCB_NVNT_ANT1_802_11a_5240




-26BW_NVNT_ANT1_802_11a_5240



99%_OCB_NVNT_ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180



99%_OCB_NVNT_ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200




99%_OCB_NVNT_ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190



99%_OCB_NVNT_ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5210




-26BW_NVNT_ANT1_802_11ac(VHT80)_5210




2. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	100	0.00
NVNT	ANT1	802.11a	5200.00	100	0.00
NVNT	ANT1	802.11a	5240.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5180.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5200.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5240.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5180.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5200.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5240.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5190.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5230.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5190.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5230.00	100	0.00
NVNT	ANT1	802.11ac(VHT80)	5210.00	100	0.00


Duty_Cycle_NVNT_ANT1_802_11a_5180




Duty_Cycle_NVNT_ANT1_802_11a_5200




Duty_Cycle_NVNT_ANT1_802_11a_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5180




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5200




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	10.90	30	Pass
NVNT	ANT1	802.11a	5200.00	10.62	30	Pass
NVNT	ANT1	802.11a	5240.00	10.95	30	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	9.56	30	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	9.82	30	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	10.07	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	10.09	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	9.78	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	10.08	30	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	9.16	30	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	9.43	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	9.09	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	9.51	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	9.80	30	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5210_80M



4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-1.64	0.00	-1.64	11	Pass
NVNT	ANT1	802.11a	5200.00	-2.84	0.00	-2.84	11	Pass
NVNT	ANT1	802.11a	5240.00	-2.45	0.00	-2.45	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-4.04	0.00	-4.04	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-3.96	0.00	-3.96	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-3.72	0.00	-3.72	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-3.81	0.00	-3.81	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-3.96	0.00	-3.96	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-3.55	0.00	-3.55	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-7.18	0.00	-7.18	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-6.90	0.00	-6.90	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-7.34	0.00	-7.34	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-6.52	0.00	-6.52	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-9.72	0.00	-9.72	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5210




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5147.20	-40.92	-27	Pass
NVNT	ANT1	802.11a	5240.00	5360.20	-40.89	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5062.80	-40.99	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5375.40	-41.14	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5095.80	-41.20	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5372.80	-40.74	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.94	-40.16	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5391.44	-41.55	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5148.26	-40.10	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5356.37	-41.33	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5149.94	-38.58	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5350.28	-40.14	-27	Pass


Bandedge_NVNT_ANT1_802_11a_5180




Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180




Bandedge_NVNT_ANT1_802_11n(HT20)_5240



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190




Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25017.68	-37.93	-27	Pass
NVNT	ANT1	802.11a	5200.00	25097.09	-36.91	-27	Pass
NVNT	ANT1	802.11a	5240.00	25044.15	-36.42	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	24991.21	-37.61	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25097.09	-36.68	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	24964.74	-37.48	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25097.09	-37.72	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24964.74	-36.94	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	25044.15	-37.52	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25123.56	-37.62	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25044.15	-37.24	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25070.62	-37.19	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25097.09	-37.11	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	25017.68	-36.85	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M




Spurious_Emission_NVNT_ANT1_802_11a_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&12.0V	ANT1	802.11a	5180.00	5180.034	5171.692	5188.376	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11a	5180.00	5180.046	5172.004	5188.088	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11a	5180.00	5180.032	5172.204	5187.860	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11a	5180.00	5180.034	5172.244	5187.824	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11a	5180.00	5180.008	5172.328	5187.688	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11a	5200.00	5200.036	5191.684	5208.388	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11a	5200.00	5200.048	5192.004	5208.092	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11a	5200.00	5200.054	5192.208	5207.900	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11a	5200.00	5200.058	5192.260	5207.856	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11a	5200.00	5200.058	5192.348	5207.768	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11a	5240.00	5240.032	5231.676	5248.388	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11a	5240.00	5240.056	5232.012	5248.100	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11a	5240.00	5240.050	5232.212	5247.888	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11a	5240.00	5240.050	5232.256	5247.844	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11a	5240.00	5240.044	5232.344	5247.744	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.144	5188.964	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.420	5188.668	5150~5250	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.608	5188.480	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5180.00	5180.048	5171.664	5188.432	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5180.00	5180.046	5171.708	5188.384	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11n(HT20)	5180.00	5180.036	5171.808	5188.264	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11n(HT20)	5200.00	5200.060	5191.140	5208.980	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5200.00	5200.060	5191.432	5208.688	5150~5250	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5200.00	5200.066	5191.568	5208.564	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5200.00	5200.074	5191.688	5208.460	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5200.00	5200.070	5191.736	5208.404	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11n(HT20)	5200.00	5200.084	5191.852	5208.316	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11n(HT20)	5240.00	5240.056	5231.144	5248.968	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5240.00	5240.054	5231.428	5248.680	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5240.00	5240.068	5231.676	5248.460	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5240.00	5240.050	5231.724	5248.376	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11n(HT20)	5240.00	5240.048	5231.824	5248.272	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT20)	5180.00	5180.048	5171.132	5188.964	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.412	5188.668	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5171.656	5188.400	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.700	5188.380	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT20)	5180.00	5180.026	5171.800	5188.252	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT20)	5200.00	5200.060	5191.128	5208.992	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5200.00	5200.052	5191.412	5208.692	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5200.00	5200.050	5191.648	5208.452	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5200.00	5200.064	5191.704	5208.424	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT20)	5200.00	5200.062	5191.800	5208.324	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT20)	5240.00	5240.062	5231.144	5248.980	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5240.00	5240.058	5231.428	5248.688	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5240.00	5240.068	5231.684	5248.452	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5240.00	5240.074	5231.736	5248.412	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT20)	5240.00	5240.072	5231.840	5248.304	5150~5250	Pass

55degrees C&&12.0V	ANT1	802.11n(HT40)	5190.00	5190.088	5171.856	5208.320	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5190.00	5190.032	5172.360	5207.704	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5190.00	5190.084	5172.920	5207.248	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11n(HT40)	5190.00	5190.096	5173.064	5207.128	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11n(HT40)	5190.00	5190.068	5173.296	5206.840	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11n(HT40)	5230.00	5230.104	5211.904	5248.304	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5230.00	5230.088	5212.440	5247.736	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5230.00	5230.148	5213.032	5247.264	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11n(HT40)	5230.00	5230.164	5213.192	5247.136	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11n(HT40)	5230.00	5230.144	5213.416	5246.872	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT40)	5190.00	5190.096	5171.880	5208.312	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5190.00	5190.028	5172.360	5207.696	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5190.00	5190.060	5172.904	5207.216	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5173.056	5207.096	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT40)	5190.00	5190.080	5173.312	5206.848	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT40)	5230.00	5230.064	5211.880	5248.248	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5230.00	5230.076	5212.432	5247.720	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5230.00	5230.256	5213.080	5247.432	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT40)	5230.00	5230.400	5213.232	5247.568	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT40)	5230.00	5230.692	5213.520	5247.864	5150~5250	Pass
55degrees C&&12.0V	ANT1	802.11ac(VHT80)	5210.00	5210.036	5172.212	5247.860	5150~5250	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT80)	5210.00	5210.192	5173.676	5246.708	5150~5250	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT80)	5210.00	5210.276	5175.128	5245.424	5150~5250	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT80)	5210.00	5210.222	5175.380	5245.064	5150~5250	Pass
25degrees C&&10.8	ANT1	802.11ac(VHT80)	5210.00	5210.156	5175.992	5244.320	5150~5250	Pass