




Product Name: Smart Driver
Test Model No.: ED-5CH12W40VG-SL

7.3 Conducted Output Power

Test Mode	CH	Output power (dBm)	Limit (dBm)
GFSK-1M	2402MHz	11.00	≤30
	2440MHz	11.03	
	2480MHz	10.94	
GFSK-2M	2402MHz	10.97	≤30
	2440MHz	11.15	
	2480MHz	10.94	
Conclusion:	PASS		









7.4 Channel Bandwidth


Test Mode	CH	-6dB bandwidth (MHz)	Limit (KHz)
GFSK-1M	2402MHz	0.696	≥ 500
	2440MHz	0.690	
	2480MHz	0.708	
GFSK-2M	2402MHz	1.162	≥ 500
	2440MHz	1.150	
	2480MHz	1.140	
Conclusion: PASS			



2440MHz




2480MHz




Type:


GFSK-2M

2402MHz




2440MHz






7.5 Power Spectral Density


Test Mode	CH	Power density (dBm/3KHz)	Limit (dBm/3KHz)
GFSK-1M	2402MHz	-2.26	8
	2440MHz	-2.10	
	2480MHz	-2.30	
GFSK-2M	2402MHz	-6.38	8
	2440MHz	-6.49	
	2480MHz	-6.26	
Conclusion: PASS			





2440MHz




2480MHz











7.6.1 Conducted Emission Method










CH19
30MHz-1000MHz





CH19
Above 1GHz



















CH19
30MHz-1000MHz



CH19
Above 1GHz







-----End-----