



Appendix D

RF Test Data for 5.2GWIFI(Conducted Measurement)

Product Name: laptop

Test Model: A1Pro

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	53.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	26.59	---	Pass
NVNT	a	5200	Ant1	26.003	---	Pass
NVNT	a	5240	Ant1	26.804	---	Pass
NVNT	n20	5180	Ant1	28.606	---	Pass
NVNT	n20	5200	Ant1	26.227	---	Pass
NVNT	n20	5240	Ant1	25.314	---	Pass
NVNT	n40	5190	Ant1	48.096	---	Pass
NVNT	n40	5230	Ant1	47.063	---	Pass
NVNT	ac20	5180	Ant1	29.394	---	Pass
NVNT	ac20	5200	Ant1	27.843	---	Pass
NVNT	ac20	5240	Ant1	27.233	---	Pass
NVNT	ac40	5190	Ant1	44.901	---	Pass
NVNT	ac40	5230	Ant1	47.05	---	Pass
NVNT	ac80	5210	Ant1	86.441	---	Pass
NVNT	ax20	5180	Ant1	29.127	---	Pass
NVNT	ax20	5200	Ant1	26.401	---	Pass
NVNT	ax20	5240	Ant1	24.311	---	Pass
NVNT	ax40	5190	Ant1	51.158	---	Pass
NVNT	ax40	5230	Ant1	44.745	---	Pass
NVNT	ax80	5210	Ant1	85.024	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5180MHz Ant1



-26dB Bandwidth NVNT ax20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5240MHz Ant1



-26dB Bandwidth NVNT ax40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5230MHz Ant1



-26dB Bandwidth NVNT ax80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.77	0.24	12.01	24	Pass
NVNT	a	5200	Ant1	11.25	0.24	11.49	24	Pass
NVNT	a	5240	Ant1	11.25	0.24	11.49	24	Pass
NVNT	n20	5180	Ant1	11.13	0.12	11.25	24	Pass
NVNT	n20	5200	Ant1	11.32	0.12	11.44	24	Pass
NVNT	n20	5240	Ant1	11.19	0.12	11.31	24	Pass
NVNT	n40	5190	Ant1	10.33	0.24	10.57	24	Pass
NVNT	n40	5230	Ant1	10.34	0.24	10.58	24	Pass
NVNT	ac20	5180	Ant1	11.6	0.12	11.72	24	Pass
NVNT	ac20	5200	Ant1	12.23	0.12	12.35	24	Pass
NVNT	ac20	5240	Ant1	10.69	0.12	10.81	24	Pass
NVNT	ac40	5190	Ant1	10.5	0.24	10.74	24	Pass
NVNT	ac40	5230	Ant1	10.85	0.24	11.09	24	Pass
NVNT	ac80	5210	Ant1	11.09	0.47	11.56	24	Pass
NVNT	ax20	5180	Ant1	11.62	0.12	11.74	24	Pass
NVNT	ax20	5200	Ant1	11.34	0.12	11.46	24	Pass
NVNT	ax20	5240	Ant1	10.37	0.12	10.49	24	Pass
NVNT	ax40	5190	Ant1	10.88	0.24	11.12	24	Pass
NVNT	ax40	5230	Ant1	10.86	0.23	11.09	24	Pass
NVNT	ax80	5210	Ant1	11.04	0.47	11.51	24	Pass





D.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.16	0.24	1.4	11	Pass
NVNT	a	5200	Ant1	0.59	0.24	0.83	11	Pass
NVNT	a	5240	Ant1	1.4	0.24	1.64	11	Pass
NVNT	n20	5180	Ant1	0.74	0.12	0.86	11	Pass
NVNT	n20	5200	Ant1	0.43	0.12	0.55	11	Pass
NVNT	n20	5240	Ant1	0.49	0.12	0.61	11	Pass
NVNT	n40	5190	Ant1	-2.89	0.24	-2.65	11	Pass
NVNT	n40	5230	Ant1	-3.16	0.24	-2.92	11	Pass
NVNT	ac20	5180	Ant1	0.84	0.12	0.96	11	Pass
NVNT	ac20	5200	Ant1	1.51	0.12	1.63	11	Pass
NVNT	ac20	5240	Ant1	-0.25	0.12	-0.13	11	Pass
NVNT	ac40	5190	Ant1	-2.94	0.24	-2.7	11	Pass
NVNT	ac40	5230	Ant1	-2.5	0.24	-2.26	11	Pass
NVNT	ac80	5210	Ant1	-5.7	0.47	-5.23	11	Pass
NVNT	ax20	5180	Ant1	0.87	0.12	0.99	11	Pass
NVNT	ax20	5200	Ant1	0.49	0.12	0.61	11	Pass
NVNT	ax20	5240	Ant1	-0.41	0.12	-0.29	11	Pass
NVNT	ax40	5190	Ant1	-2.64	0.24	-2.4	11	Pass
NVNT	ax40	5230	Ant1	-2.65	0.23	-2.42	11	Pass
NVNT	ax80	5210	Ant1	-5.56	0.47	-5.09	11	Pass






Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1






PSD NVNT ax20 5180MHz Ant1




PSD NVNT ax20 5200MHz Ant1






PSD NVNT ax20 5240MHz Ant1




PSD NVNT ax40 5190MHz Ant1






PSD NVNT ax40 5230MHz Ant1



PSD NVNT ax80 5210MHz Ant1





D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-51.68	2.84	-	46.39	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-59.09	2.84	0.24	39.22	Average	54	Pass
NVNT	a	5180	Ant1	5105.5	-46.86	2.84	-	51.21	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-56.15	2.84	0.24	42.16	Average	54	Pass
NVNT	a	5180	Ant1	5150	-46.11	2.84	-	51.96	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-57.1	2.84	0.24	41.21	Average	54	Pass
NVNT	a	5240	Ant1	5350	-50.66	2.84	-	47.41	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-58.24	2.84	0.24	40.07	Average	54	Pass
NVNT	a	5240	Ant1	5430.72	-47.93	2.84	-	50.14	Peak	68.2	Pass
NVNT	a	5240	Ant1	5458.56	-57.5	2.84	0.24	40.81	Average	54	Pass
NVNT	a	5240	Ant1	5460	-50.28	2.84	-	47.79	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-58.13	2.84	0.24	40.18	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-51.22	2.84	-	46.85	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-58.71	2.84	0.12	39.48	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-43.79	2.84	-	54.28	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5148.9	-55.82	2.84	0.12	42.37	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-46.62	2.84	-	51.45	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-55.8	2.84	0.12	42.39	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.81	2.84	-	48.26	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-58.22	2.84	0.12	39.97	Average	54	Pass
NVNT	n20	5240	Ant1	5400	-47.27	2.84	-	50.80	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5417.76	-57.49	2.84	0.12	40.70	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-50.43	2.84	-	47.64	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-58.75	2.84	0.12	39.44	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.53	2.84	-	47.54	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-59.21	2.84	0.24	39.10	Average	54	Pass
NVNT	n40	5190	Ant1	5149.7	-43.34	2.84	-	54.73	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-55.85	2.84	0.24	42.46	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-43.34	2.84	-	54.73	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-55.85	2.84	0.24	42.46	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-49.35	2.84	-	48.72	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.7	2.84	0.24	40.61	Average	54	Pass
NVNT	n40	5230	Ant1	5370.36	-46.26	2.84	-	51.81	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5351.46	-56.96	2.84	0.24	41.35	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.53	2.84	-	48.54	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-58.36	2.84	0.24	39.95	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-50.74	2.84	-	47.33	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-58.64	2.84	0.12	39.55	Average	54	Pass
NVNT	ac20	5180	Ant1	5149.6	-45.63	2.84	-	52.44	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5149.6	-55.57	2.84	0.12	42.62	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-46.17	2.84	-	51.90	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-56.01	2.84	0.12	42.18	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-48.38	2.84	-	49.69	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.79	2.84	0.12	40.40	Average	54	Pass
NVNT	ac20	5240	Ant1	5403.12	-46.83	2.84	-	51.24	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5351.76	-56.88	2.84	0.12	41.31	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-48.53	2.84	-	49.54	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-58.09	2.84	0.12	40.10	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.13	2.84	-	47.94	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.47	2.84	0.24	39.84	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-45	2.84	-	53.07	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-55.47	2.84	0.24	42.84	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-45	2.84	-	53.07	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-55.47	2.84	0.24	42.84	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-50.28	2.84	-	47.79	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-58.7	2.84	0.24	39.61	Average	54	Pass
NVNT	ac40	5230	Ant1	5429.22	-47.61	2.84	-	50.46	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350.92	-57.41	2.84	0.24	40.90	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-50.7	2.84	-	47.37	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.17	2.84	0.24	40.14	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-47.38	2.84	-	50.69	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-56.55	2.84	0.47	41.99	Average	54	Pass
NVNT	ac80	5210	Ant1	5351.1	-45.94	2.84	-	52.13	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350.77	-55.85	2.84	0.47	42.69	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.74	2.84	-	49.33	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-57.79	2.84	0.47	40.75	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-50.07	2.84	-	48.00	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-59.03	2.84	0.47	39.51	Average	54	Pass
NVNT	ac80	5210	Ant1	5149.38	-42.85	2.84	-	55.22	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5147.8	-55.14	2.84	0.47	43.40	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-46.62	2.84	-	51.45	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-55.84	2.84	0.47	42.70	Average	54	Pass
NVNT	ax20	5180	Ant1	4500	-50.36	2.84	-	47.71	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	4500	-59.28	2.84	0.12	38.91	Average	54	Pass
NVNT	ax20	5180	Ant1	4992.8	-45.18	2.84	-	52.89	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5148.9	-55.98	2.84	0.12	42.21	Average	54	Pass
NVNT	ax20	5180	Ant1	5150	-46.13	2.84	-	51.94	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ax20	5180	Ant1	5150	-55.54	2.84	0.12	42.65	Average	54	Pass
NVNT	ax20	5240	Ant1	5350	-49.94	2.84	-	48.13	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5350	-57.57	2.84	0.12	40.62	Average	54	Pass
NVNT	ax20	5240	Ant1	5437.2	-46.72	2.84	-	51.35	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5370	-56.83	2.84	0.12	41.36	Average	54	Pass
NVNT	ax20	5240	Ant1	5460	-49.36	2.84	-	48.71	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5460	-58.31	2.84	0.12	39.88	Average	54	Pass
NVNT	ax40	5190	Ant1	4500	-48.46	2.84	-	49.61	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	4500	-59.11	2.84	0.24	39.20	Average	54	Pass
NVNT	ax40	5190	Ant1	5145.32	-45.35	2.84	-	52.72	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5148.97	-55.58	2.84	0.24	42.73	Average	54	Pass
NVNT	ax40	5190	Ant1	5150	-45.38	2.84	-	52.69	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5150	-55.82	2.84	0.24	42.49	Average	54	Pass
NVNT	ax40	5230	Ant1	5350	-50.33	2.84	-	47.74	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5350	-57.88	2.84	0.23	40.42	Average	54	Pass
NVNT	ax40	5230	Ant1	5409.78	-47.84	2.84	-	50.23	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5356.86	-57.45	2.84	0.23	40.85	Average	54	Pass
NVNT	ax40	5230	Ant1	5460	-50.74	2.84	-	47.33	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5460	-58.73	2.84	0.23	39.57	Average	54	Pass
NVNT	ax80	5210	Ant1	5350	-49.53	2.84	-	48.54	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5350	-56.39	2.84	0.47	42.15	Average	54	Pass
NVNT	ax80	5210	Ant1	5352.75	-46.64	2.84	-	51.43	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5358.69	-56.12	2.84	0.47	42.42	Average	54	Pass
NVNT	ax80	5210	Ant1	5460	-50.2	2.84	-	47.87	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5460	-58.27	2.84	0.47	40.27	Average	54	Pass
NVNT	ax80	5210	Ant1	4500	-49.69	2.84	-	48.38	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	4500	-58.47	2.84	0.47	40.07	Average	54	Pass
NVNT	ax80	5210	Ant1	4955.83	-46.03	2.84	-	52.04	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5147.01	-55.66	2.84	0.47	42.88	Average	54	Pass
NVNT	ax80	5210	Ant1	5150	-46.5	2.84	-	51.57	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5150	-55.9	2.84	0.47	42.64	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak



Restrict Band NVNT a 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 5180MHz Ant1 Peak




Restrict Band NVNT ax20 5180MHz Ant1 Average






Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average






Restrict Band NVNT ax40 5190MHz Ant1 Peak



Restrict Band NVNT ax40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 5230MHz Ant1 Peak



Restrict Band NVNT ax40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax80 5210MHz Ant1 Peak



Restrict Band NVNT ax80 5210MHz Ant1 Average

