

天线产品规格书

PRODUCT SPECIFICATION

1、产品技术指标（PRODUCT TECHNICAL SPECIFICATION）

电性能指标 Electrical Specifications	
频率范围 Frequency Range (MHz)	2400-2500
频带宽度 Bandwidth (MHz)	100
输入阻抗 Input Impedence (Ω)	50
电压驻波比 V.S.W.R	≤2
增益 Gain (dBi)	0 ± 0.8dBi
极化形式 Polarization Type	垂直 Vertical
雷电保护 Lightning Protection	Communication grounding
功率容量 Power Capacity (w)	0.5
机械指标 Mechanical Specifications	
天线长度 Antenna Length (mm)	2.5*11.5MM
辐射体 Radiator	Copper Cu
连接器型号 Connect Type	Serpentine antenna （model: JR-012）
工作温度 Working Temp(°C)	-40~65
储藏温度 Storage Temperature(°C)	-40~80
颜色 Color	White or green oil color
重量 Weight (g)	Integrated board
Manufacturer	Jingrui Electronics
address	No. 5 Gangxia Road, Chenghai District, Shantou City

PRODUCT INTRODUCTION


This antenna is designed and produced specifically for 2.4G products, with the advantages of high cost-effectiveness, compact structure, and easy production.

2、产品图片（PRODUCT PICTURE）



3、产品规格图(PRODUCT SPECIFICATION CHART)

4、驻波图（STATIONARY WAVE PATTERN）



5、增益图(GAIN CHART)

