























Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.448
NVNT	a	5200	16.432
NVNT	a	5240	16.382
NVNT	a	5260	16.364
NVNT	a	5300	16.458
NVNT	a	5320	16.451
NVNT	a	5500	16.472
NVNT	a	5580	16.372
NVNT	a	5700	16.444
NVNT	a	5745	16.424
NVNT	a	5785	16.373
NVNT	a	5825	16.413
NVNT	n20	5180	17.609
NVNT	n20	5200	17.621
NVNT	n20	5240	17.542
NVNT	n20	5260	17.55
NVNT	n20	5300	17.609
NVNT	n20	5320	17.62
NVNT	n20	5500	17.61
NVNT	n20	5580	17.546
NVNT	n20	5700	17.604
NVNT	n20	5745	17.607
NVNT	n20	5785	17.57
NVNT	n20	5825	17.594
NVNT	n40	5190	35.937
NVNT	n40	5230	35.817
NVNT	n40	5270	35.839
NVNT	n40	5310	35.93
NVNT	n40	5510	35.965
NVNT	n40	5550	35.823
NVNT	n40	5670	35.872
NVNT	n40	5755	35.952
NVNT	n40	5795	35.8
NVNT	ac20	5180	17.609
NVNT	ac20	5200	17.603
NVNT	ac20	5240	17.569
NVNT	ac20	5260	17.538
NVNT	ac20	5300	17.587
NVNT	ac20	5320	17.57
NVNT	ac20	5500	17.602
NVNT	ac20	5580	17.553
NVNT	ac20	5700	17.614
NVNT	ac20	5745	17.585
NVNT	ac20	5785	17.534
NVNT	ac20	5825	17.58
NVNT	ac40	5190	35.929
NVNT	ac40	5230	35.827
NVNT	ac40	5270	35.817
NVNT	ac40	5310	35.979
NVNT	ac40	5510	35.942
NVNT	ac40	5550	35.815
NVNT	ac40	5670	35.968
NVNT	ac40	5755	35.922



NVNT	ac40	5795	35.747
------	------	------	--------





OBW NVNT a 5260MHz



OBW NVNT a 5300MHz



OBW NVNT a 5320MHz





OBW NVNT a 5500MHz



OBW NVNT a 5580MHz



OBW NVNT a 5700MHz





OBW NVNT a 5745MHz



OBW NVNT a 5785MHz



OBW NVNT a 5825MHz





OBW NVNT n20 5180MHz





OBW NVNT n20 5200MHz



OBW NVNT n20 5240MHz









OBW NVNT n20 5745MHz





OBW NVNT n40 5190MHz





OBW NVNT n40 5310MHz







OBW NVNT n40 5510MHz




OBW NVNT n40 5550MHz



















OBW NVNT ac40 5310MHz



OBW NVNT ac40 5510MHz



OBW NVNT ac40 5550MHz





OBW NVNT ac40 5670MHz



OBW NVNT ac40 5755MHz



OBW NVNT ac40 5795MHz






Maximum Power Spectral Density Level


Cond ition	Mode	Frequen cy (MHz)	Conducted PSD (dBm/MHz)		Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdi ct
NVNT	a	5180	2.14		0.17	2.31	11	Pass
NVNT	a	5200	2.39		0.17	2.56	11	Pass
NVNT	a	5240	3.81		0.17	3.98	11	Pass
NVNT	a	5260	4.12		0.17	4.29	11	Pass
NVNT	a	5300	3.41		0.17	3.58	11	Pass
NVNT	a	5320	2.68		0.17	2.85	11	Pass
NVNT	a	5500	1.07		0.17	1.24	11	Pass
NVNT	a	5580	2.26		0.17	2.43	11	Pass
NVNT	a	5700	0.92		0.17	1.09	11	Pass
NVNT	n20	5180	1.15		0.19	1.34	11	Pass
NVNT	n20	5200	2.02		0.19	2.21	11	Pass
NVNT	n20	5240	1.3		0.19	1.49	11	Pass
NVNT	n20	5260	1.96		0.18	2.14	11	Pass
NVNT	n20	5300	1.35		0.19	1.54	11	Pass
NVNT	n20	5320	1.43		0.19	1.62	11	Pass
NVNT	n20	5500	2.5		0.19	2.69	11	Pass
NVNT	n20	5580	1.58		0.19	1.77	11	Pass
NVNT	n20	5700	-0.07		0.19	0.12	11	Pass
NVNT	n40	5190	-1.43		0.37	-1.06	11	Pass
NVNT	n40	5230	-1.11		0.36	-0.75	11	Pass
NVNT	n40	5270	-1.77		0.37	-1.4	11	Pass
NVNT	n40	5310	-2.2		0.37	-1.83	11	Pass
NVNT	n40	5510	-1.43		0.37	-1.06	11	Pass
NVNT	n40	5550	-3.45		0.37	-3.08	11	Pass
NVNT	n40	5670	-0.69		0.37	-0.32	11	Pass
NVNT	ac20	5180	-0.47		0.48	0.01	11	Pass
NVNT	ac20	5200	0.1		0.48	0.58	11	Pass
NVNT	ac20	5240	2.06		0.49	2.55	11	Pass
NVNT	ac20	5260	1.46		0.49	1.95	11	Pass
NVNT	ac20	5300	-1.31		0.49	-0.82	11	Pass
NVNT	ac20	5320	-0.52		0.48	-0.04	11	Pass
NVNT	ac20	5500	-2		0.49	-1.51	11	Pass
NVNT	ac20	5580	-1.86		0.48	-1.38	11	Pass
NVNT	ac20	5700	-1.92		0.48	-1.44	11	Pass
NVNT	ac40	5190	-6.82		0.86	-5.96	11	Pass
NVNT	ac40	5230	-5.29		0.86	-4.43	11	Pass
NVNT	ac40	5270	-5.44		0.84	-4.6	11	Pass
NVNT	ac40	5310	-6.07		0.84	-5.23	11	Pass
NVNT	ac40	5510	-6.47		0.86	-5.61	11	Pass
NVNT	ac40	5550	-8.25		0.84	-7.41	11	Pass
NVNT	ac40	5670	-5.25		0.86	-4.39	11	Pass
Cond ition	Mode	Frequen cy (MHz)	Conducte d PSD (dBm/510 kHz)	Conducte d PSD (dBm/500 kHz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdi ct
NVNT	a	5745	-1.38	-1.47	0.17	-1.30	30	Pass
NVNT	a	5785	-1.24	-1.33	0.17	-1.16	30	Pass
NVNT	a	5825	-1.02	-1.11	0.17	-0.94	30	Pass
NVNT	n20	5745	-0.21	-0.30	0.19	-0.11	30	Pass
NVNT	n20	5785	-2.24	-2.33	0.19	-2.14	30	Pass
NVNT	n20	5825	-2.84	-2.93	0.19	-2.74	30	Pass





NVNT	n40	5755	-5.67	-5.76	0.37	-5.39	30	Pass
NVNT	n40	5795	-6.27	-6.36	0.37	-5.99	30	Pass
NVNT	ac20	5745	-5.57	-5.66	0.49	-5.17	30	Pass
NVNT	ac20	5785	-4.54	-4.63	0.49	-4.14	30	Pass
NVNT	ac20	5825	-5.9	-5.99	0.49	-5.50	30	Pass
NVNT	ac40	5755	-11.2	-11.29	0.86	-10.43	30	Pass
NVNT	ac40	5795	-9.04	-9.13	0.86	-8.27	30	Pass





















































Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	-38.59	-27	Pass
NVNT	a	5240	-41.42	-27	Pass
NVNT	a	5260	-38.64	-27	Pass
NVNT	a	5320	-39.85	-27	Pass
NVNT	a	5500	-40.12	-27	Pass
NVNT	a	5700	-39.33	-27	Pass
NVNT	n20	5180	-38.32	-27	Pass
NVNT	n20	5240	-40.64	-27	Pass
NVNT	n20	5260	-38.99	-27	Pass
NVNT	n20	5320	-40.23	-27	Pass
NVNT	n20	5500	-40.53	-27	Pass
NVNT	n20	5700	-39.81	-27	Pass
NVNT	n40	5190	-37.39	-27	Pass
NVNT	n40	5230	-41.45	-27	Pass
NVNT	n40	5270	-39.27	-27	Pass
NVNT	n40	5310	-40.01	-27	Pass
NVNT	n40	5510	-38.97	-27	Pass
NVNT	n40	5550	-41.13	-27	Pass
NVNT	n40	5670	-39.59	-27	Pass
NVNT	ac20	5180	-38.66	-27	Pass
NVNT	ac20	5240	-41.32	-27	Pass
NVNT	ac20	5260	-38.59	-27	Pass
NVNT	ac20	5320	-41.13	-27	Pass
NVNT	ac20	5500	-40.87	-27	Pass
NVNT	ac20	5700	-39.67	-27	Pass
NVNT	ac40	5190	-38.01	-27	Pass
NVNT	ac40	5230	-40.37	-27	Pass
NVNT	ac40	5270	-39.53	-27	Pass
NVNT	ac40	5310	-39.59	-27	Pass
NVNT	ac40	5510	-40.32	-27	Pass
NVNT	ac40	5550	-40.9	-27	Pass
NVNT	ac40	5670	-39.85	-27	Pass
Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-35.73	15.6	Pass
NVNT	a	5825	-38.28	15.6	Pass
NVNT	n20	5745	-34.63	15.6	Pass
NVNT	n20	5825	-38.17	15.6	Pass
NVNT	n40	5755	-34.43	15.6	Pass
NVNT	n40	5795	-39.17	15.6	Pass
NVNT	ac20	5745	-37.61	15.6	Pass
NVNT	ac20	5825	-39.6	15.6	Pass
NVNT	ac40	5755	-36.24	15.6	Pass
NVNT	ac40	5795	-38.92	15.6	Pass



Test Graphs

Band Edge NVNT a 5180MHz Low



Band Edge NVNT a 5240MHz High



Band Edge NVNT a 5260MHz Low





Band Edge NVNT a 5320MHz High





Band Edge NVNT a 5500MHz Low




Band Edge NVNT a 5700MHz High













Band Edge NVNT n40 5310MHz High





Band Edge NVNT n40 5510MHz Low



Band Edge NVNT n40 5550MHz Low










Band Edge NVNT ac20 5700MHz High



Band Edge NVNT ac40 5190MHz Low



Band Edge NVNT ac40 5230MHz High










Band Edge NVNT a 5825MHz High



Band Edge NVNT n20 5745MHz Low



Band Edge NVNT n20 5825MHz High








Band Edge NVNT ac20 5825MHz High



Band Edge NVNT ac40 5755MHz Low



Band Edge NVNT ac40 5795MHz High





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	15.131	0.5	Pass
NVNT	a	5785	16.292	0.5	Pass
NVNT	a	5825	16.285	0.5	Pass
NVNT	n20	5745	15.059	0.5	Pass
NVNT	n20	5785	16.931	0.5	Pass
NVNT	n20	5825	16.137	0.5	Pass
NVNT	n40	5755	33.829	0.5	Pass
NVNT	n40	5795	35.028	0.5	Pass
NVNT	ac20	5745	15.31	0.5	Pass
NVNT	ac20	5785	16.286	0.5	Pass
NVNT	ac20	5825	15.086	0.5	Pass
NVNT	ac40	5755	35.063	0.5	Pass
NVNT	ac40	5795	35.038	0.5	Pass



Test Graphs


-6dB Bandwidth NVNT a 5745MHz





-6dB Bandwidth NVNT a 5785MHz







-6dB Bandwidth NVNT a 5825MHz













APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID & IC.

※※※※※END OF THE REPORT※※※※※