





ANNEX

EXHIBIT 1 - PRODUCT LABELING

Proposed FCC ID Label Format

<p>This device complies with part 15 of the FCC Rules.</p> <p>Operation is subject to the following two conditions:</p> <p>(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</p>	 Sveaverken RoboPusher Nimbo Plus																
	<table> <tr> <td>TYPE</td><td>LF02</td><td>STANDARD</td><td>Q/440300 SVEA 002-2022</td></tr> <tr> <td>WEIGHT</td><td>kg</td><td>POWER</td><td>0.8 kW</td></tr> <tr> <td>BATTERY VOLTAGE</td><td>51.2 V</td><td>BATTERY CAPACITY</td><td>Ah</td></tr> <tr> <td>SERIAL NUMBER</td><td></td><td>DATE OF PRODUCTION</td><td></td></tr> </table> <p>SVEA (HK) LIMITED FLAT/RM520, 5/F, CORE BUILDING 1, PH 1, 1 SCIENCE PARK EAST AVE, SHA T'IN NT, HK, CHINA</p> <p>    </p> <p>FCC ID: 2BPE2-LF02</p>	TYPE	LF02	STANDARD	Q/440300 SVEA 002-2022	WEIGHT	kg	POWER	0.8 kW	BATTERY VOLTAGE	51.2 V	BATTERY CAPACITY	Ah	SERIAL NUMBER		DATE OF PRODUCTION	
TYPE	LF02	STANDARD	Q/440300 SVEA 002-2022														
WEIGHT	kg	POWER	0.8 kW														
BATTERY VOLTAGE	51.2 V	BATTERY CAPACITY	Ah														
SERIAL NUMBER		DATE OF PRODUCTION															

Specifications: The label shall be securely affixed to a permanently attached part of the device, in a location where it is visible or easily accessible to the user, and shall not be readily detachable. The label shall be sufficiently durable to remain fully legible and intact on the device in all normal conditions of use throughout the device's expected lifetime.

Proposed Label Location on EUT

FCC ID Label
Location

