



Appendix A

RF Test Data for BT LE (Conducted Measurement)

Product Name: TAMI

Test Model: 1001-FRM1-BLK

Environmental Conditions

Temperature:	23.6°C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.676	≥ 0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.67	≥ 0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.663	≥ 0.5	Pass
NVNT	BLE 2M	2402	Ant1	1.171	≥ 0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.126	≥ 0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.123	≥ 0.5	Pass

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant2	0.651	≥ 0.5	Pass
NVNT	BLE 1M	2440	Ant2	0.657	≥ 0.5	Pass
NVNT	BLE 1M	2480	Ant2	0.66	≥ 0.5	Pass
NVNT	BLE 2M	2402	Ant2	1.167	≥ 0.5	Pass
NVNT	BLE 2M	2440	Ant2	1.151	≥ 0.5	Pass
NVNT	BLE 2M	2480	Ant2	1.156	≥ 0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1






-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1




-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1






-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1




-6dB Bandwidth NVNT BLE 2M 2480MHz Ant1






Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant2




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant2






-6dB Bandwidth NVNT BLE 1M 2480MHz Ant2




-6dB Bandwidth NVNT BLE 2M 2402MHz Ant2






-6dB Bandwidth NVNT BLE 2M 2440MHz Ant2



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant2





A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	5.19	30	Pass
NVNT	BLE 1M	2440	Ant1	5.45	30	Pass
NVNT	BLE 1M	2480	Ant1	5.72	30	Pass
NVNT	BLE 2M	2402	Ant1	5.27	30	Pass
NVNT	BLE 2M	2440	Ant1	5.1	30	Pass
NVNT	BLE 2M	2480	Ant1	5.78	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant2	5.84	30	Pass
NVNT	BLE 1M	2440	Ant2	5.29	30	Pass
NVNT	BLE 1M	2480	Ant2	5.35	30	Pass
NVNT	BLE 2M	2402	Ant2	5.69	30	Pass
NVNT	BLE 2M	2440	Ant2	5.18	30	Pass
NVNT	BLE 2M	2480	Ant2	5.17	30	Pass

Ant1+Ant2:

Condition	Mode	Frequency (MHz)	Antenna1	Antenna2	MIMO Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	5.19	5.84	8.54	30	Pass
NVNT	BLE 1M	2440	5.45	5.29	8.38	30	Pass
NVNT	BLE 1M	2480	5.72	5.35	8.55	30	Pass
NVNT	BLE 2M	2402	5.27	5.69	8.50	30	Pass
NVNT	BLE 2M	2440	5.1	5.18	8.15	30	Pass
NVNT	BLE 2M	2480	5.78	5.17	8.50	30	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Power NVNT BLE 1M 2402MHz Ant1



Power NVNT BLE 1M 2440MHz Ant1













Test Graphs

Power NVNT BLE 1M 2402MHz Ant2




Power NVNT BLE 1M 2440MHz Ant2








Power NVNT BLE 2M 2440MHz Ant2



Power NVNT BLE 2M 2480MHz Ant2





A.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-11.04	8	Pass
NVNT	BLE 1M	2440	Ant1	-8.63	8	Pass
NVNT	BLE 1M	2480	Ant1	-9.99	8	Pass
NVNT	BLE 2M	2402	Ant1	-14.14	8	Pass
NVNT	BLE 2M	2440	Ant1	-11.49	8	Pass
NVNT	BLE 2M	2480	Ant1	-12.95	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant2	-12.24	8	Pass
NVNT	BLE 1M	2440	Ant2	-9.88	8	Pass
NVNT	BLE 1M	2480	Ant2	-10.84	8	Pass
NVNT	BLE 2M	2402	Ant2	-15.99	8	Pass
NVNT	BLE 2M	2440	Ant2	-12.89	8	Pass
NVNT	BLE 2M	2480	Ant2	-13.95	8	Pass

Ant1+Ant2:

Condition	Mode	Frequency (MHz)	Antenna1	Antenna2	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	-11.04	-12.24	-8.588	8	Pass
NVNT	BLE 1M	2440	-8.63	-9.88	-6.200	8	Pass
NVNT	BLE 1M	2480	-9.99	-10.84	-7.384	8	Pass
NVNT	BLE 2M	2402	-14.14	-15.99	-11.957	8	Pass
NVNT	BLE 2M	2440	-11.49	-12.89	-9.124	8	Pass
NVNT	BLE 2M	2480	-12.95	-13.95	-10.411	8	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT BLE 1M 2402MHz Ant1




PSD NVNT BLE 1M 2440MHz Ant1






PSD NVNT BLE 1M 2480MHz Ant1




PSD NVNT BLE 2M 2402MHz Ant1






PSD NVNT BLE 2M 2440MHz Ant1



PSD NVNT BLE 2M 2480MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT BLE 1M 2402MHz Ant2




PSD NVNT BLE 1M 2440MHz Ant2






PSD NVNT BLE 1M 2480MHz Ant2




PSD NVNT BLE 2M 2402MHz Ant2






PSD NVNT BLE 2M 2440MHz Ant2



PSD NVNT BLE 2M 2480MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-60.54	-20	Pass
NVNT	BLE 1M	2480	Ant1	-61.34	-20	Pass
NVNT	BLE 2M	2402	Ant1	-46.47	-20	Pass
NVNT	BLE 2M	2480	Ant1	-59.53	-20	Pass

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant2	-59.7	-20	Pass
NVNT	BLE 1M	2480	Ant2	-59.32	-20	Pass
NVNT	BLE 2M	2402	Ant2	-44.98	-20	Pass
NVNT	BLE 2M	2480	Ant2	-59.35	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant1 Ref




Band Edge NVNT BLE 1M 2402MHz Ant1 Emission






Band Edge NVNT BLE 1M 2480MHz Ant1 Ref




Band Edge NVNT BLE 1M 2480MHz Ant1 Emission






Band Edge NVNT BLE 2M 2402MHz Ant1 Ref




Band Edge NVNT BLE 2M 2402MHz Ant1 Emission






Band Edge NVNT BLE 2M 2480MHz Ant1 Ref




Band Edge NVNT BLE 2M 2480MHz Ant1 Emission






Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant2 Ref




Band Edge NVNT BLE 1M 2402MHz Ant2 Emission






Band Edge NVNT BLE 1M 2480MHz Ant2 Ref




Band Edge NVNT BLE 1M 2480MHz Ant2 Emission






Band Edge NVNT BLE 2M 2402MHz Ant2 Ref




Band Edge NVNT BLE 2M 2402MHz Ant2 Emission






Band Edge NVNT BLE 2M 2480MHz Ant2 Ref



Band Edge NVNT BLE 2M 2480MHz Ant2 Emission





A.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-59.61	-20	Pass
NVNT	BLE 1M	2440	Ant1	-61.98	-20	Pass
NVNT	BLE 1M	2480	Ant1	-60.15	-20	Pass
NVNT	BLE 2M	2402	Ant1	-58.04	-20	Pass
NVNT	BLE 2M	2440	Ant1	-60.72	-20	Pass
NVNT	BLE 2M	2480	Ant1	-58.75	-20	Pass

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant2	-59.06	-20	Pass
NVNT	BLE 1M	2440	Ant2	-61.91	-20	Pass
NVNT	BLE 1M	2480	Ant2	-59.74	-20	Pass
NVNT	BLE 2M	2402	Ant2	-58	-20	Pass
NVNT	BLE 2M	2440	Ant2	-59.88	-20	Pass
NVNT	BLE 2M	2480	Ant2	-59.36	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission








Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Emission








Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission






Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant2 Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant2 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Tx. Spurious NVNT BLE 1M 2440MHz Ant2 Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant2 Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ant2 Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant2 Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ant2 Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant2 Emission






Tx. Spurious NVNT BLE 2M 2440MHz Ant2 Ref




Tx. Spurious NVNT BLE 2M 2440MHz Ant2 Emission






Tx. Spurious NVNT BLE 2M 2480MHz Ant2 Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant2 Emission





A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	72.92	1.37	0.74
NVNT	BLE 1M	2440	Ant1	72.92	1.37	0.74
NVNT	BLE 1M	2480	Ant1	72.89	1.37	0.74
NVNT	BLE 2M	2402	Ant1	45.2	3.45	1.77
NVNT	BLE 2M	2440	Ant1	45.6	3.41	1.75
NVNT	BLE 2M	2480	Ant1	55.2	2.58	1.45

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant2	72.03	1.42	0.74
NVNT	BLE 1M	2440	Ant2	72.89	1.37	0.74
NVNT	BLE 1M	2480	Ant2	72	1.43	0.74
NVNT	BLE 2M	2402	Ant2	54.38	2.65	1.47
NVNT	BLE 2M	2440	Ant2	54.4	2.64	1.47
NVNT	BLE 2M	2480	Ant2	54.4	2.64	1.47




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant1




Duty Cycle NVNT BLE 1M 2440MHz Ant1






Duty Cycle NVNT BLE 1M 2480MHz Ant1




Duty Cycle NVNT BLE 2M 2402MHz Ant1






Duty Cycle NVNT BLE 2M 2440MHz Ant1




Duty Cycle NVNT BLE 2M 2480MHz Ant1






Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant2




Duty Cycle NVNT BLE 1M 2440MHz Ant2






Duty Cycle NVNT BLE 1M 2480MHz Ant2




Duty Cycle NVNT BLE 2M 2402MHz Ant2






Duty Cycle NVNT BLE 2M 2440MHz Ant2



Duty Cycle NVNT BLE 2M 2480MHz Ant2





A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant1	2310	-50.58	2	-	46.68	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2310	-58	2	1.37	40.63	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2333.712	-46.59	2	-	50.67	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2372.976	-57.18	2	1.37	41.45	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2390	-48.47	2	-	48.79	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2390	-57.58	2	1.37	41.05	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-48.56	2	-	48.7	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-55.66	2	0	41.6	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2484.592	-39.28	2	-	57.98	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.536	-55.66	2	0	41.6	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2500	-50.34	2	-	46.92	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2500	-57.22	2	0	40.04	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2310	-48.67	2	-	48.59	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2310	-57.89	2	0	39.37	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2345.52	-47.01	2	-	50.25	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2374.128	-56.69	2	0	40.57	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2390	-50.16	2	-	47.1	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2390	-57.24	2	0	40.02	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-49	2	-	48.26	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-56.22	2	2.58	43.62	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2484.808	-39.41	2	-	57.85	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2484.592	-55.34	2	2.58	44.5	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2500	-48.24	2	-	49.02	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2500	-56.61	2	2.58	43.23	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant2	2310	-50.07	2	-	47.19	Peak	74	Pass
NVNT	BLE 1M	2402	Ant2	2310	-58.98	2	1.42	39.7	Average	54	Pass
NVNT	BLE 1M	2402	Ant2	2347.728	-47.75	2	-	49.51	Peak	74	Pass
NVNT	BLE 1M	2402	Ant2	2377.392	-58.34	2	1.42	40.34	Average	54	Pass
NVNT	BLE 1M	2402	Ant2	2390	-49.15	2	-	48.11	Peak	74	Pass
NVNT	BLE 1M	2402	Ant2	2390	-58.76	2	1.42	39.92	Average	54	Pass
NVNT	BLE 1M	2480	Ant2	2483.5	-48.07	2	-	49.19	Peak	74	Pass
NVNT	BLE 1M	2480	Ant2	2483.5	-56.7	2	1.43	41.99	Average	54	Pass
NVNT	BLE 1M	2480	Ant2	2483.56	-39.68	2	-	57.58	Peak	74	Pass
NVNT	BLE 1M	2480	Ant2	2483.632	-56.52	2	1.43	42.17	Average	54	Pass
NVNT	BLE 1M	2480	Ant2	2500	-49.81	2	-	47.45	Peak	74	Pass
NVNT	BLE 1M	2480	Ant2	2500	-58.25	2	1.43	40.44	Average	54	Pass
NVNT	BLE 2M	2402	Ant2	2310	-51.91	2	-	45.35	Peak	74	Pass
NVNT	BLE 2M	2402	Ant2	2310	-58.91	2	2.65	41	Average	54	Pass
NVNT	BLE 2M	2402	Ant2	2364.72	-47.84	2	-	49.42	Peak	74	Pass
NVNT	BLE 2M	2402	Ant2	2369.04	-58.09	2	2.65	41.82	Average	54	Pass
NVNT	BLE 2M	2402	Ant2	2390	-50.31	2	-	46.95	Peak	74	Pass
NVNT	BLE 2M	2402	Ant2	2390	-58.44	2	2.65	41.47	Average	54	Pass
NVNT	BLE 2M	2480	Ant2	2483.5	-43.69	2	-	53.57	Peak	74	Pass
NVNT	BLE 2M	2480	Ant2	2483.5	-57	2	2.64	42.9	Average	54	Pass
NVNT	BLE 2M	2480	Ant2	2484.088	-39.49	2	-	57.77	Peak	74	Pass
NVNT	BLE 2M	2480	Ant2	2483.584	-55.69	2	2.64	44.21	Average	54	Pass
NVNT	BLE 2M	2480	Ant2	2500	-50.92	2	-	46.34	Peak	74	Pass
NVNT	BLE 2M	2480	Ant2	2500	-57.95	2	2.64	41.95	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT BLE 1M 2402MHz Ant1 Peak




Restrict Band NVNT BLE 1M 2402MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT BLE 1M 2480MHz Ant1 Peak




Restrict Band NVNT BLE 1M 2480MHz Ant1 Average






Restrict Band NVNT BLE 2M 2402MHz Ant1 Peak




Restrict Band NVNT BLE 2M 2402MHz Ant1 Average






Restrict Band NVNT BLE 2M 2480MHz Ant1 Peak




Restrict Band NVNT BLE 2M 2480MHz Ant1 Average






Test Graphs

Restrict Band NVNT BLE 1M 2402MHz Ant2 Peak




Restrict Band NVNT BLE 1M 2402MHz Ant2 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT BLE 1M 2480MHz Ant2 Peak




Restrict Band NVNT BLE 1M 2480MHz Ant2 Average






Restrict Band NVNT BLE 2M 2402MHz Ant2 Peak




Restrict Band NVNT BLE 2M 2402MHz Ant2 Average





Restrict Band NVNT BLE 2M 2480MHz Ant2 Peak



Restrict Band NVNT BLE 2M 2480MHz Ant2 Average

