




Appendix C: Maximum power spectral density


Test Result


Glasses Temple	TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
L	BLE_1M	2402	-18.82	≤8.00	PASS
	BLE_1M	2440	-19.73	≤8.00	PASS
	BLE_1M	2480	-21.08	≤8.00	PASS
	BLE_2M	2402	-20.86	≤8.00	PASS
	BLE_2M	2440	-21.79	≤8.00	PASS
	BLE_2M	2480	-23.26	≤8.00	PASS

Glasses Temple	TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
R	BLE_1M	2402	-18.20	≤8.00	PASS
	BLE_1M	2440	-19.44	≤8.00	PASS
	BLE_1M	2480	-20.60	≤8.00	PASS
	BLE_2M	2402	-20.34	≤8.00	PASS
	BLE_2M	2440	-21.66	≤8.00	PASS
	BLE_2M	2480	-22.63	≤8.00	PASS


Test Graphs


L:





R:





Appendix D: Reference level measurement


Test Result


Glasses Temple	TestMode	Freq(MHz)	Max.Point[MHz]	Result[dBm]
L	BLE_1M	2402	2401.99	-3.35
	BLE_1M	2440	2440.00	-4.26
	BLE_1M	2480	2480.00	-5.71
	BLE_2M	2402	2401.96	-5.03
	BLE_2M	2440	2439.98	-4.49
	BLE_2M	2480	2480.00	-5.71

Glasses Temple	TestMode	Freq(MHz)	Max.Point[MHz]	Result[dBm]
R	BLE_1M	2402	2402.00	-2.82
	BLE_1M	2440	2440.00	-4.14
	BLE_1M	2480	2480.00	-5.14
	BLE_2M	2402	2401.96	-4.71
	BLE_2M	2440	2439.98	-4.36
	BLE_2M	2480	2480.00	-5.16

Test Graphs

L:





R:

