



深圳市永联无线科技有限公司

ShenZhen City Flink Wi Technology CO., LTD.

产品承认书

SPECIFICATION FOR APPROVED

客户

CUSTOMER:

产品名称

PRODUCTS:

客户料号

PART NO:

产品型号

Spec.:

日期

Data:

PCB antenna

2023. 08. 09

供应商

SUPPLIER

拟制

PREPARED BY

审核

CHECKED BY

批准

APPROVED BY

客户

CUSTOMER

承认

ACCEPTED BY

审核

CHECKED BY

批准

APPROVED BY

备注：承认盖章后请回复一份承认书（或复印件）给我司，其余由贵公司存档

REMARK: Please send us one (or copy) of this approval with stamp after accepting, other copies filed by the customer.


地址：深圳市宝安区45区裕安一路华创达商务楼608

Address: 608, Huachuangda Business Building, Yu'an Road, 45 District, Baoan, Shenzhen

电话 Tel: 18820170917


传真 Fax: 0755-26976277

PCB antenna




Electrical Properties	
Frequency	2.4GHz 至 2.48GHz
Impedance	50 Ohm Nominal
V.S.W.R	1.15:1 MAX
Gain(Peak)	1.27dBi
Polarization	Linear,Vertial
Admitted Power	0.45W
Physical Properties	
Antenna Material	PCB
Cable Type	None
Operating Temp	-10 ~ +60 °C
Storage Temp	-10 ~ +70 °C
Cable Color	None


Gain&Efficiency 增益、效率			
frequency 频率(MHz)	gain 增益(dBi)	efficiency 效率(dB)	efficiency 效率(%)
2400	-1.49	-5.96	25.33
2410	-1.24	-5.86	25.91
2420	-0.05	-5.23	30.01
2430	0.31	-5.1	30.88
2440	0.12	-4.96	31.89
2450	0.92	-4.73	33.67
2460	1.06	-4.88	32.5
2470	0.86	-4.93	32.16
2480	1.27	-5.01	31.54
2490	0.59	-5.86	25.97
2500	0.48	-6.15	24.28



Theta=90 freq=2400MHz



Theta=90 freq=2450MHz



Theta=90 freq=2480MHz

