



Report No.: XCL-AC202506-0014



TEST REPORT

Product Name: Watch intercom

Model: BL-332

Test Sort: External Commission Test

Client: Shantou Mibile Electronic Technology Co., Ltd

Test by: Xingci Lab

GUANGDONG XINGCI TESTING TECHNOLOGY RESEARCH Co.,Ltd.



Announcement

1. This report is invalid without seal.
2. This report must not be partially duplicated without permission.
3. The manufacturer would be responsible for the test samples.
4. Xingci Lab would be only responsible for report items of the test sample, this test result is only used for scientific research, teaching, and internal control, and does not have a proof function to the society.
5. If the client has any question about the test report, please contact our lab as agreed within 15 days. Disagreement couldn't be accepted over 15 days.
6. Test report inquires telephone No.: + 86-757-87744743

Add: No#4, Jinye 2nd road, Yundonghai street, Sanshui, Foshan, Guangdong Province, China, 528100

Tel: 0086-(0757)-87744743

Post Code: 528100

Test Report

Product Name		Watch intercom	Manufacture Date	/		
Product Model		BL-332	Brand Name	/		
Client	Name	Shantou Mibile Electronic Technology Co., Ltd				
	Address	2nd Floor, No. 4 East Yutan Road, North Chengjiang Road, Longtian, Guangyi Street, Chenghai District, Shantou City, Guangdong Province, China				
Test Type		External Commission Test				
Test Place		SG64 Anechoic Chamber (Guangdong Xingci testing technology research Co.,Ltd.)				
Sample Qty		1pc	Test Date	Jun. 11, 2025		
Test Environment		Temperature: (20~22) °C	Relative Humidity: (63~66) %			
Test Item		Electrical performance: Radiation Pattern, Gain				
Test Standard		According to the client's requirements, refer to the following standard: IEEE Std 149™-2021 IEEE Recommended Practice for Antenna Measurements				
Test Description		Guangdong Xingci testing technology research Co., Ltd. tested the electrical performance of 1pc of Watch intercom under the guideline of relevant standard. Please see test result in page 5, Radiation Patterns in pages 5-6.				
Remarks						
Tested by: Guanzhiliang		Checked by: zhang xiaojun	Approved by: (Authorized signatory) 			
Date: Jun. 11, 2025		Date: Jun. 13, 2025	Date: Jun. 13, 2025			

Sample Description

Accessories	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes:
Outlook/Appearance	<input checked="" type="checkbox"/> Qualified	<input type="checkbox"/> Unqualified:
Status at the beginning of Test	<input checked="" type="checkbox"/> Working Normally	<input type="checkbox"/> Working Abnormally:
Status after Test	<input checked="" type="checkbox"/> Working Normally	<input type="checkbox"/> Other:
Photograph	<input type="checkbox"/> No	<input checked="" type="checkbox"/> In page 7
Remarks (Provided by the customer)	Device size: 140mm×60mm×60mm Antenna size: 0.7mm Antenna weight: 0.95g	

Sample Number

Item	Sample Number	Serial Number
1	AC2025061101	/


Electrical Performance Test Result

Item	Test Item	Technical Requirement	Unit	Test Frequency (MHz)	Test Result
1	Gain	/	dBi	400	-2.07
				430	-3.77
				462.5265	0.54
				470	0.03
2	Radiation Pattern	/	/	400-470	Pages 5-6


Note: Test Method: Near Field Measurement Method.

Radiation Pattern


2D



3D



Sample photo	Antenna photo
	



Main instruments and equipment for testing and test system

No.	NAME	Model	SERIAL NUMBER	VALIDITY DATE (DD/MM/YY)
1	Analog Signal Generator	N5181A	XCRE034	04/03/2026
2	Analog Signal Generator	N5181A	XCRE035	25/07/2025
3	Standard Gain Antenna	SH400-440	XCA014	21/11/2025
4	Microwave Anechoic Chamber	5m×5m×5m	XCC03	05/06/2028
5	SG64 Antenna Test System	SATENV 2.0.1.5 Build12	XCXT03	N/A

-----End of Report-----