



Test Graphs





BLE_2M-Ant1-2480-PASS

Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	2.68	-58.47	≤-17.32	PASS
BLE_1M	Ant1	2402	1000~26500	2.68	-43.82	≤-17.32	PASS
BLE_1M	Ant1	2440	30~1000	3.47	-58.85	≤-16.53	PASS
BLE_1M	Ant1	2440	1000~26500	3.47	-44.38	≤-16.53	PASS
BLE_1M	Ant1	2480	30~1000	4.08	-59.21	≤-15.92	PASS
BLE_1M	Ant1	2480	1000~26500	4.08	-44.65	≤-15.92	PASS
BLE_2M	Ant1	2402	30~1000	2.63	-59.38	≤-17.37	PASS
BLE_2M	Ant1	2402	1000~26500	2.63	-43.15	≤-17.37	PASS
BLE_2M	Ant1	2440	30~1000	3.27	-58.92	≤-16.73	PASS
BLE_2M	Ant1	2440	1000~26500	3.27	-43.56	≤-16.73	PASS
BLE_2M	Ant1	2480	30~1000	4.09	-59.62	≤-15.91	PASS
BLE_2M	Ant1	2480	1000~26500	4.09	-43.5	≤-15.91	PASS

Test Graphs

