



Test Graphs





BLE_2M-Ant1-2480-PASS

Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	2.82	-58.84	≤-17.18	PASS
BLE_1M	Ant1	2402	1000~26500	2.82	-44.01	≤-17.18	PASS
BLE_1M	Ant1	2440	30~1000	3.34	-58.96	≤-16.66	PASS
BLE_1M	Ant1	2440	1000~26500	3.34	-43.86	≤-16.66	PASS
BLE_1M	Ant1	2480	30~1000	4.09	-59.37	≤-15.91	PASS
BLE_1M	Ant1	2480	1000~26500	4.09	-44.22	≤-15.91	PASS
BLE_2M	Ant1	2402	30~1000	2.63	-59.05	≤-17.37	PASS
BLE_2M	Ant1	2402	1000~26500	2.63	-44.14	≤-17.37	PASS
BLE_2M	Ant1	2440	30~1000	3.27	-59.32	≤-16.73	PASS
BLE_2M	Ant1	2440	1000~26500	3.27	-44.23	≤-16.73	PASS
BLE_2M	Ant1	2480	30~1000	3.83	-58.72	≤-16.17	PASS
BLE_2M	Ant1	2480	1000~26500	3.83	-44.16	≤-16.17	PASS

Test Graphs

