

Page: 60 of 266




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sgs.com.tw




Page: 61 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 62 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 63 of 266




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 64 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 65 of 266




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 66 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 67 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 68 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

prosecuted to the fullest extent of the law.



Page: 69 of 266



## **Maximum Conducted Output Power**

## **Duty Cycle** 7.2.1

Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log ( 1/Duty Cycle )	1/T (kHz)	VBW setting (kHz)
802.11a	96.82	0.14	0.32	1.00
802.11n_20	97.97	0.09	0.21	1.00
802.11n_40	95.78	0.19	0.43	1.00
802.11ac_80	91.49	0.39	0.91	1.00



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd 台灣檢驗科技股份有限公司



Page: 70 of 266



## 7.2.2 **FCC Output Power**

802.11a Ch0

СН	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	20	81.477	19.11	22.3	PASS
44	5220	6	20.5	77.274	18.88	22.3	PASS
48	5240	6	21	97.732	19.90	22.3	PASS
52	5260	6	20.5	78.711	18.96	21.86	PASS
60	5300	6	20.5	80.359	19.05	21.86	PASS
64	5320	6	20.5	82.420	19.16	21.86	PASS
100	5500	6	20	56.239	17.50	21.86	PASS
116	5580	6	20.5	70.475	18.48	21.86	PASS
140	5700	6	11.5	10.281	10.12	21.86	PASS
144	5720	6	20.5	136.155	21.34	21.86	PASS
149	5745	6	28	422.703	26.26	29.09	PASS
157	5785	6	28	412.131	26.15	29.09	PASS
165	5825	6	28	384.623	25.85	29.09	PASS
169	5845	6	18.5	55.595	17.45	29.09	PASS
СН	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	6	18.5	272.920	24.36	30	PASS
173	5865	6	18	253.533	24.04	30	PASS
177	5885	6	18	233.903	23.69	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 71 of 266

SGS

802.11a Ch1

СН	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	20	78.892	18.97	22.3	PASS
44	5220	6	20.5	75.168	18.76	22.3	PASS
48	5240	6	21	94.631	19.76	22.3	PASS
52	5260	6	20.5	76.742	18.85	21.86	PASS
60	5300	6	20.5	76.742	18.85	21.86	PASS
64	5320	6	20.5	80.174	19.04	21.86	PASS
100	5500	6	20	54.832	17.39	21.86	PASS
116	5580	6	20.5	68.239	18.34	21.86	PASS
140	5700	6	11.5	9.932	9.97	21.86	PASS
144	5720	6	11.5	131.231	21.18	21.86	PASS
149	5745	6	28	408.352	26.11	29.09	PASS
157	5785	6	28	400.899	26.03	29.09	PASS
165	5825	6	28	375.003	25.74	29.09	PASS
169	5845	6	28	53.338	17.27	29.09	PASS
СН	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	6	28	261.839	24.18	30	PASS
173	5865	6	18	245.491	23.90	30	PASS
177	5885	6	18	227.005	23.56	30	PASS

## 802.11n\_HT20\_2TX

СН	Frequency Data (MHz) Rate		Power Setting	` '		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
	(WITZ)	Rate	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	
36	5180	MCS0	14.5	13.20	12.32	37.946	15.79	22.3	PASS
44	5220	MCS0	15	14.10	13.12	46.206	16.65	22.3	PASS
48	5240	MCS0	16.5	15.21	13.70	56.620	17.53	22.3	PASS
52	5260	MCS0	16	15.87	14.35	65.850	18.19	21.86	PASS
60	5300	MCS0	15	16.16	14.48	69.344	18.41	21.86	PASS
64	5320	MCS0	17	16.10	14.42	68.393	18.35	21.86	PASS
100	5500	MCS0	18.5	15.84	14.74	68.141	18.33	21.86	PASS
116	5580	MCS0	17	15.36	14.07	59.870	17.77	21.86	PASS
140	5700	MCS0	11.5	10.21	9.10	18.620	12.70	21.86	PASS
144	5720	MCS0	20	19.36	17.81	146.661	21.66	21.86	PASS
149	5745	MCS0	28	25.76	23.96	625.455	27.96	29.09	PASS
157	5785	MCS0	28	25.59	24.24	627.569	27.98	29.09	PASS
165	5825	MCS0	28	25.51	24.34	627.141	27.97	29.09	PASS
169	5845	MCS0	13	12.51	11.21	31.030	14.92	26.08	PASS
СН	Frequency (MHz)	Data Rate	Power Setting	Avg. POW	/ER (dBm)	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT	RESULT
	` '			CH 0	CH 1	\/	()	(dBm)	
169	5845	MCS0	13	12.51	11.21	152.329	21.83	30	PASS
173	5865	MCS0	14	13.43	12.28	191.088	22.81	30	PASS
177	5885	MCS0	13	11.76	10.95	134.686	21.29	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生於軍權對關於之權是為書,同時此業是權度如何主。未報生主權未以司書而從可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 72 of 266

VZ. 1 1f1_F1 14	40_Z1X							1	
СН	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
	(WITIZ)	Nate	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	
38	5190	MCS0	14.5	13.12	12.19	37.100	15.69	22.3	PASS
46	5230	MCS0	19.5	18.27	16.61	113.051	20.53	22.3	PASS
54	5270	MCS0	20	18.92	17.26	131.303	21.18	21.86	PASS
62	5310	MCS0	11.5	10.20	8.75	17.985	12.55	21.86	PASS
102	5510	MCS0	13	10.92	10.13	22.682	13.56	21.86	PASS
110	5550	MCS0	20.5	18.42	17.07	120.536	20.81	21.86	PASS
134	5670	MCS0	18	18.06	15.75	101.642	20.07	21.86	PASS
142	5710	MCS0	17.5	16.77	14.99	79.149	18.98	21.86	PASS
151	5755	MCS0	25	24.31	21.94	426.442	26.30	29.09	PASS
159	5795	MCS0	25	24.00	21.94	407.842	26.10	29.09	PASS
167	5835	MCS0	16	14.70	13.63	52.623	17.21	26.08	PASS
СН	Frequency (MHz)	Data Rate	Power	Avg. POW	ÆR (dBm)	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT	RESULT
	(1411 12)	Rate Setting	Setting	CH 0	CH 1	(11144)	(ubili)	(dBm)	
167	5835	MCS0	16	14.70	13.63	258.332	24.12	30	PASS
175	5875	MCS0	16	14 98	13 84	273 603	24.37	30	PASS

802.11ac VHT80 2TX

002.11ac_v1									
СН	CH Frequency Data (MHz) Rate		Power Setting	, ,		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
	(WITIZ)	rate	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	
42	5210	MCS0	8	7.62	6.71	10.460	10.20	22.3	PASS
58	5290	MCS0	8	7.79	6.56	10.532	10.22	21.86	PASS
106	5530	MCS0	14	12.61	11.62	32.732	15.15	21.86	PASS
122	5610	MCS0	16.5	15.32	13.85	58.257	17.65	21.86	PASS
138	5690	MCS0	20	19.71	17.72	152.565	21.83	21.86	PASS
155	5775	MCS0	20	19.97	17.81	159.569	22.03	29.09	PASS
171	5855 (U-NII 3)	MCS0	20.5	16.96	16.06	90.049	19.54	26.08	PASS
СН	Frequency (MHz)	Data Rate	Power	Avg. POW	ÆR (dBm)	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT	RESULT
	(MHz) Rate Setting	Jenny	CH 0	CH 1	(11144)	(ubiii)	(dBm)		
171	5855 (U-NII 4)	MCS0	20.5	17.25	16.77	494.009	26.94	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 73 of 266



**Maximum Power Spectral Density** 

		POWER DEI	NSITY 802.11a M	ODE			
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd	Maxmum Corr'd PSD(dBm/MHz)		Margin (dB)
5180	9.139	-	0.14	9.	28	9.32 dBm/MHz	-0.04
5220	8.435	-	0.14	8.	58	9.32 dBm/MHz	-0.74
5240	9.156	-	0.14	9.	30	9.32 dBm/MHz	-0.02
5260	8.076	-	0.14	8.	22	8.88 dBm/MHz	-0.66
5300	7.995	-	0.14	8.	14	8.88 dBm/MHz	-0.74
5320	8.251	-	0.14	8.	39	8.88 dBm/MHz	-0.49
5500	7.870	-	0.14	8.	01	8.88 dBm/MHz	-0.87
5580	7.828	-	0.14	7.	97	8.88 dBm/MHz	-0.91
5700	-0.777	-	0.14	0.	0.14		-8.74
5720 (U-NII 2C)	8.366	-	0.14	8.	51	8.88 dBm/MHz	-0.37
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maxmum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	3.572	-	0.14	2.22	5.93	29.09 dBm/500kHz	-23.16
5745	10.405	-	0.14	2.22	12.77	29.09 dBm/500kHz	-16.33
5785	10.203	-	0.14	2.22	12.56	29.09 dBm/500kHz	-16.53
5825	10.922	-	0.14	2.22	13.28	29.09 dBm/500kHz	-15.81
5845 (U-NII 3)	1.233	-	0.14	2.22	3.59	29.09 dBm/500kHz	-25.50
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
			0.14	6.41	13.32	14.00 dBm/MHz	-0.68
5845 (U-NII4)	6.265	-	0.14	0.41	10.02	14.00 UDIT/IVITIZ	-0.00
5845 (U-NII4) 5865	6.265 6.151	-	0.14	6.29	13.20	14.00 dBm/MHz	-0.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



SGS

Page: 74 of 266

·		POWER DENSI	TY 802.11n HT20	MODE			
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd	I PSD(dBm/MHz)	Limit	Margin (dB)
5180	2.653	1.998	0.09	5.	44	6.31 dBm/MHz	-0.87
5220	2.806	2.032	0.09	5.	54	6.31 dBm/MHz	-0.77
5240	3.550	2.716	0.09	6.	25	6.31 dBm/MHz	-0.06
5260	2.613	1.875	0.09	5.	36	5.87 dBm/MHz	-0.51
5300	2.808	1.919	0.09	5.	49	5.87 dBm/MHz	-0.38
5320	3.125	1.652	0.09	5.	55	5.87 dBm/MHz	-0.32
5500	2.932	1.968	0.09	5.	58	5.87 dBm/MHz	-0.29
5580	3.049	2.199	0.09	5.	75	5.87 dBm/MHz	-0.12
5700	-1.984	-3.039	0.09	0.	62	5.87 dBm/MHz	-5.25
5720 (U-NII 2C)	3.098	1.981	0.09	5.	68	5.87 dBm/MHz	-0.19
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maxmum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-1.733	-3.058	0.09	2.22	2.98	26.08 dBm/500kHz	-23.10
5745	9.064	7.563	0.09	2.22	13.70	26.08 dBm/500kHz	-12.38
5785	8.754	7.511	0.09	2.22	13.50	26.08 dBm/500kHz	-12.58
5825	8.486	7.485	0.09	2.22	13.33	26.08 dBm/500kHz	-12.75
5845 (U-NII 3)	-4.414	-5.972	0.09	2.22	0.20	26.08 dBm/500kHz	-25.88
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	0.266	-0.819	0.09	2.86	12.78	14.00 dBm/MHz	-1.22
5865	1.163	0.638	0.09	4.01	13.93	14.00 dBm/MHz	-0.07
5885	0.090	0.398	0.09	3.35	13.27	14.00 dBm/MHz	-0.73
		POWER DENSI	TY 802.11n HT40	MODE			
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd	I PSD(dBm/MHz)	Limit	Margin (dB)
5190	-0.594	-0.834	0.19	2.	49	6.31 dBm/MHz	-3.82
5230	2.550	1.835	0.19	5.	41	6.31 dBm/MHz	-0.90
5270	3.109	1.547	0.19	5.	60	5.87 dBm/MHz	-0.27
5310	-3.964	-4.786	0.19	-1.	.16	5.87 dBm/MHz	-7.03
5510	-2.727	-3.392	0.19	0.	15	5.87 dBm/MHz	-5.72
5550	3.007	2.170	0.19	5.		5.87 dBm/MHz	-0.06
5670	2.607	2.006	0.19	5.	52	5.87 dBm/MHz	-0.35
5710 (U-NII 2C)	2.292	0.815	0.19	4.	82	5.87 dBm/MHz	-1.05
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maxmum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-2.412	-3.951	0.19	2.22	2.31	26.08 dBm/500kHz	-23.77
5755	4.529	2.726	0.19	2.22	9.14	26.08 dBm/500kHz	-16.94
5795	4.861	3.142	0.19	2.22	9.51	26.08 dBm/500kHz	-16.57
5835 (U-NII 3)	-5.068	-4.956	0.19	2.22	0.41	26.08 dBm/500kHz	-25.67
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	-0.184	0.194	0.19	3.21	13.13	14.00 dBm/MHz	-0.87
5875	0.688	0.598	0.19	3.84	13.76	14.00 dBm/MHz	-0.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 75 of 266



		POWER DENSI	TY 802.11ac VHT8	0 MODE			
Frequency (MHz)	Ch0 meas PSI (dBm/MHz	***	Duty Factor (dB)	Maxmum Corr'd	PSD(dBm/MHz)	Limit	Margin (dB)
5210	-11.839	-12.073	0.39	-8.	55	6.31 dBm/MHz	-14.86
5290	-10.269	-11.438	0.39	-7.	41	5.87 dBm/MHz	-13.28
5530	-5.178	-5.602	0.39	-1.	98	5.87 dBm/MHz	-7.85
5610	-2.576	-3.678	0.39	0.	31	5.87 dBm/MHz	-5.56
5690 (U-NII 2C)	1.874	0.032	0.39	4.	4.45		-1.42
Frequency (MHz)	Ch0 meas PSI (dBm/300kH		Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maxmum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-3.887	-5.339	0.39	2.22	1.07	26.08 dBm/500kHz	-25.01
5775	-3.507	-4.578	0.39	2.22	1.61	26.08 dBm/500kHz	-24.47
5855 (U-NII 3)	-4.852	-5.350	0.39	2.22	0.53	26.08 dBm/500kHz	-25.55
Frequency (MHz)	ch0 meas PSD (dBm/MHz	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	0.754	0.532	0.39	4.04	13.96	14.00 dBm/MHz	-0.04



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Page: 76 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.





Page: 77 of 266



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.