







Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~30000MHz-PASS




Band2-9400-2-3000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~30000MHz-PASS




Band2-9400-3-3000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~30000MHz-PASS




Band2-9400-4-3000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~30000MHz-PASS




Band2-9538-1-3000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~30000MHz-PASS




Band2-9538-2-3000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~30000MHz-PASS




Band2-9538-3-3000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~30000MHz-PASS




Band2-9538-4-3000~20000MHz-PASS




Band2-9262-1-0.009~0.15MHz-PASS




Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS




Band2-9262-1-1000~30000MHz-PASS




Band2-9262-1-3000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS




Band2-9262-2-1000~30000MHz-PASS




Band2-9262-2-3000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~30000MHz-PASS




Band2-9262-3-3000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~30000MHz-PASS




Band2-9262-4-3000~20000MHz-PASS




Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS




Band2-9262-5-30~1000MHz-PASS




Band2-9262-5-1000~30000MHz-PASS




Band2-9262-5-3000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~30000MHz-PASS




Band2-9400-1-3000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~30000MHz-PASS




Band2-9400-2-3000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~30000MHz-PASS




Band2-9400-3-3000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~30000MHz-PASS




Band2-9400-4-3000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~30000MHz-PASS




Band2-9400-5-3000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~30000MHz-PASS




Band2-9538-1-3000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~30000MHz-PASS




Band2-9538-2-3000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~30000MHz-PASS




Band2-9538-3-3000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~30000MHz-PASS




Band2-9538-4-3000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS




Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~30000MHz-PASS



Band2-9538-5-3000~20000MHz-PASS

AppendixF:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	7.06	0.003811	±2.5	PASS
Band2	9262	VL	NT	-8.91	-0.004810	±2.5	PASS
Band2	9262	VH	NT	2.65	0.001431	±2.5	PASS
Band2	9400	VN	NT	-4.84	-0.002574	±2.5	PASS
Band2	9400	VL	NT	0.82	0.000436	±2.5	PASS
Band2	9400	VH	NT	3.25	0.001729	±2.5	PASS
Band2	9538	VN	NT	7.10	0.003722	±2.5	PASS
Band2	9538	VL	NT	-3.25	-0.001704	±2.5	PASS
Band2	9538	VH	NT	5.43	0.002847	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-0.34	-0.000184	±2.5	PASS
Band2	9262	NV	-20	1.08	0.000583	±2.5	PASS
Band2	9262	NV	-10	-6.59	-0.003558	±2.5	PASS
Band2	9262	NV	0	1.72	0.000929	±2.5	PASS
Band2	9262	NV	10	0.67	0.000362	±2.5	PASS
Band2	9262	NV	20	-1.50	-0.000810	±2.5	PASS
Band2	9262	NV	30	-5.92	-0.003196	±2.5	PASS
Band2	9262	NV	40	0.97	0.000524	±2.5	PASS
Band2	9262	NV	50	-5.87	-0.003169	±2.5	PASS
Band2	9400	NV	-30	5.14	0.002734	±2.5	PASS
Band2	9400	NV	-20	-4.02	-0.002138	±2.5	PASS
Band2	9400	NV	-10	7.26	0.003862	±2.5	PASS
Band2	9400	NV	0	7.55	0.004016	±2.5	PASS
Band2	9400	NV	10	6.98	0.003713	±2.5	PASS
Band2	9400	NV	20	2.00	0.001064	±2.5	PASS
Band2	9400	NV	30	2.24	0.001191	±2.5	PASS
Band2	9400	NV	40	3.14	0.001670	±2.5	PASS
Band2	9400	NV	50	-4.23	-0.002250	±2.5	PASS
Band2	9538	NV	-30	3.52	0.001845	±2.5	PASS
Band2	9538	NV	-20	2.55	0.001337	±2.5	PASS
Band2	9538	NV	-10	-3.23	-0.001693	±2.5	PASS

Band2	9538	NV	0	7.31	0.003832	±2.5	PASS
Band2	9538	NV	10	-3.22	-0.001688	±2.5	PASS
Band2	9538	NV	20	0.16	0.000084	±2.5	PASS
Band2	9538	NV	30	1.30	0.000681	±2.5	PASS
Band2	9538	NV	40	5.13	0.002689	±2.5	PASS
Band2	9538	NV	50	-0.01	-0.000005	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.67	-0.001981	±2.5	PASS
Band2	9262	1	VL	NT	9.05	0.004886	±2.5	PASS
Band2	9262	1	VH	NT	-0.38	-0.000205	±2.5	PASS
Band2	9262	2	VN	NT	3.31	0.001787	±2.5	PASS
Band2	9262	2	VL	NT	6.12	0.003304	±2.5	PASS
Band2	9262	2	VH	NT	-2.21	-0.001193	±2.5	PASS
Band2	9262	3	VN	NT	4.64	0.002505	±2.5	PASS
Band2	9262	3	VL	NT	-3.73	-0.002014	±2.5	PASS
Band2	9262	3	VH	NT	0.86	0.000464	±2.5	PASS
Band2	9262	4	VN	NT	11.17	0.006030	±2.5	PASS
Band2	9262	4	VL	NT	6.63	0.003579	±2.5	PASS
Band2	9262	4	VH	NT	-0.45	-0.000243	±2.5	PASS
Band2	9400	1	VN	NT	7.58	0.004032	±2.5	PASS
Band2	9400	1	VL	NT	-3.03	-0.001612	±2.5	PASS
Band2	9400	1	VH	NT	0.99	0.000527	±2.5	PASS
Band2	9400	2	VN	NT	0.82	0.000436	±2.5	PASS
Band2	9400	2	VL	NT	7.75	0.004122	±2.5	PASS
Band2	9400	2	VH	NT	-3.45	-0.001835	±2.5	PASS
Band2	9400	3	VN	NT	3.23	0.001718	±2.5	PASS
Band2	9400	3	VL	NT	4.46	0.002372	±2.5	PASS
Band2	9400	3	VH	NT	-8.37	-0.004452	±2.5	PASS
Band2	9400	4	VN	NT	2.66	0.001415	±2.5	PASS
Band2	9400	4	VL	NT	0.72	0.000383	±2.5	PASS
Band2	9400	4	VH	NT	-1.25	-0.000665	±2.5	PASS
Band2	9538	1	VN	NT	7.42	0.003890	±2.5	PASS
Band2	9538	1	VL	NT	-3.40	-0.001782	±2.5	PASS
Band2	9538	1	VH	NT	-1.32	-0.000692	±2.5	PASS
Band2	9538	2	VN	NT	0.62	0.000325	±2.5	PASS
Band2	9538	2	VL	NT	-5.35	-0.002805	±2.5	PASS
Band2	9538	2	VH	NT	-1.29	-0.000676	±2.5	PASS
Band2	9538	3	VN	NT	7.59	0.003979	±2.5	PASS
Band2	9538	3	VL	NT	-8.88	-0.004655	±2.5	PASS
Band2	9538	3	VH	NT	2.20	0.001153	±2.5	PASS
Band2	9538	4	VN	NT	1.89	0.000991	±2.5	PASS
Band2	9538	4	VL	NT	6.69	0.003507	±2.5	PASS
Band2	9538	4	VH	NT	-8.16	-0.004278	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	2.49	0.001344	±2.5	PASS
Band2	9262	1	NV	-20	4.61	0.002489	±2.5	PASS
Band2	9262	1	NV	-10	-2.12	-0.001144	±2.5	PASS
Band2	9262	1	NV	0	-3.08	-0.001663	±2.5	PASS
Band2	9262	1	NV	10	-3.40	-0.001835	±2.5	PASS
Band2	9262	1	NV	20	-1.71	-0.000923	±2.5	PASS
Band2	9262	1	NV	30	0.66	0.000356	±2.5	PASS
Band2	9262	1	NV	40	-7.36	-0.003973	±2.5	PASS
Band2	9262	1	NV	50	4.10	0.002213	±2.5	PASS
Band2	9262	2	NV	-30	0.78	0.000421	±2.5	PASS
Band2	9262	2	NV	-20	11.99	0.006473	±2.5	PASS
Band2	9262	2	NV	-10	8.69	0.004691	±2.5	PASS
Band2	9262	2	NV	0	-3.20	-0.001727	±2.5	PASS
Band2	9262	2	NV	10	1.58	0.000853	±2.5	PASS
Band2	9262	2	NV	20	4.86	0.002624	±2.5	PASS
Band2	9262	2	NV	30	-0.27	-0.000146	±2.5	PASS
Band2	9262	2	NV	40	-2.50	-0.001350	±2.5	PASS
Band2	9262	2	NV	50	-4.31	-0.002327	±2.5	PASS
Band2	9262	3	NV	-30	11.02	0.005949	±2.5	PASS
Band2	9262	3	NV	-20	0.44	0.000238	±2.5	PASS
Band2	9262	3	NV	-10	1.70	0.000918	±2.5	PASS
Band2	9262	3	NV	0	0.00	0.000000	±2.5	PASS
Band2	9262	3	NV	10	0.36	0.000194	±2.5	PASS
Band2	9262	3	NV	20	4.21	0.002273	±2.5	PASS
Band2	9262	3	NV	30	-0.05	-0.000027	±2.5	PASS
Band2	9262	3	NV	40	-4.29	-0.002316	±2.5	PASS
Band2	9262	3	NV	50	-2.68	-0.001447	±2.5	PASS
Band2	9262	4	NV	-30	-4.49	-0.002424	±2.5	PASS
Band2	9262	4	NV	-20	3.18	0.001717	±2.5	PASS
Band2	9262	4	NV	-10	7.91	0.004270	±2.5	PASS
Band2	9262	4	NV	0	-3.86	-0.002084	±2.5	PASS
Band2	9262	4	NV	10	-9.95	-0.005371	±2.5	PASS
Band2	9262	4	NV	20	-8.09	-0.004367	±2.5	PASS
Band2	9262	4	NV	30	3.83	0.002068	±2.5	PASS
Band2	9262	4	NV	40	2.37	0.001279	±2.5	PASS
Band2	9262	4	NV	50	7.32	0.003952	±2.5	PASS
Band2	9400	1	NV	-30	-9.74	-0.005181	±2.5	PASS

Band2	9400	1	NV	-20	1.32	0.000702	±2.5	PASS
Band2	9400	1	NV	-10	-2.75	-0.001463	±2.5	PASS
Band2	9400	1	NV	0	-0.41	-0.000218	±2.5	PASS
Band2	9400	1	NV	10	-7.24	-0.003851	±2.5	PASS
Band2	9400	1	NV	20	-4.01	-0.002133	±2.5	PASS
Band2	9400	1	NV	30	2.32	0.001234	±2.5	PASS
Band2	9400	1	NV	40	-0.99	-0.000527	±2.5	PASS
Band2	9400	1	NV	50	-3.01	-0.001601	±2.5	PASS
Band2	9400	2	NV	-30	5.99	0.003186	±2.5	PASS
Band2	9400	2	NV	-20	-5.51	-0.002931	±2.5	PASS
Band2	9400	2	NV	-10	-3.19	-0.001697	±2.5	PASS
Band2	9400	2	NV	0	-4.88	-0.002596	±2.5	PASS
Band2	9400	2	NV	10	-2.47	-0.001314	±2.5	PASS
Band2	9400	2	NV	20	2.42	0.001287	±2.5	PASS
Band2	9400	2	NV	30	1.00	0.000532	±2.5	PASS
Band2	9400	2	NV	40	6.83	0.003633	±2.5	PASS
Band2	9400	2	NV	50	5.53	0.002941	±2.5	PASS
Band2	9400	3	NV	-30	-4.03	-0.002144	±2.5	PASS
Band2	9400	3	NV	-20	13.89	0.007388	±2.5	PASS
Band2	9400	3	NV	-10	5.94	0.003160	±2.5	PASS
Band2	9400	3	NV	0	5.44	0.002894	±2.5	PASS
Band2	9400	3	NV	10	0.26	0.000138	±2.5	PASS
Band2	9400	3	NV	20	-4.79	-0.002548	±2.5	PASS
Band2	9400	3	NV	30	-1.28	-0.000681	±2.5	PASS
Band2	9400	3	NV	40	2.11	0.001122	±2.5	PASS
Band2	9400	3	NV	50	-0.01	-0.000005	±2.5	PASS
Band2	9400	4	NV	-30	7.04	0.003745	±2.5	PASS
Band2	9400	4	NV	-20	3.65	0.001941	±2.5	PASS
Band2	9400	4	NV	-10	-2.85	-0.001516	±2.5	PASS
Band2	9400	4	NV	0	-1.24	-0.000660	±2.5	PASS
Band2	9400	4	NV	10	6.55	0.003484	±2.5	PASS
Band2	9400	4	NV	20	1.33	0.000707	±2.5	PASS
Band2	9400	4	NV	30	-3.69	-0.001963	±2.5	PASS
Band2	9400	4	NV	40	-0.73	-0.000388	±2.5	PASS
Band2	9400	4	NV	50	2.05	0.001090	±2.5	PASS
Band2	9538	1	NV	-30	-2.50	-0.001311	±2.5	PASS
Band2	9538	1	NV	-20	7.77	0.004073	±2.5	PASS
Band2	9538	1	NV	-10	-0.27	-0.000142	±2.5	PASS
Band2	9538	1	NV	0	-8.57	-0.004493	±2.5	PASS
Band2	9538	1	NV	10	4.31	0.002259	±2.5	PASS
Band2	9538	1	NV	20	2.91	0.001525	±2.5	PASS

Band2	9538	1	NV	30	6.39	0.003350	±2.5	PASS
Band2	9538	1	NV	40	8.60	0.004508	±2.5	PASS
Band2	9538	1	NV	50	2.62	0.001373	±2.5	PASS
Band2	9538	2	NV	-30	-2.80	-0.001468	±2.5	PASS
Band2	9538	2	NV	-20	-2.80	-0.001468	±2.5	PASS
Band2	9538	2	NV	-10	0.63	0.000330	±2.5	PASS
Band2	9538	2	NV	0	1.47	0.000771	±2.5	PASS
Band2	9538	2	NV	10	-8.02	-0.004204	±2.5	PASS
Band2	9538	2	NV	20	-8.38	-0.004393	±2.5	PASS
Band2	9538	2	NV	30	-10.94	-0.005735	±2.5	PASS
Band2	9538	2	NV	40	-10.19	-0.005342	±2.5	PASS
Band2	9538	2	NV	50	2.60	0.001363	±2.5	PASS
Band2	9538	3	NV	-30	-2.63	-0.001379	±2.5	PASS
Band2	9538	3	NV	-20	-6.33	-0.003318	±2.5	PASS
Band2	9538	3	NV	-10	-4.92	-0.002579	±2.5	PASS
Band2	9538	3	NV	0	1.70	0.000891	±2.5	PASS
Band2	9538	3	NV	10	0.14	0.000073	±2.5	PASS
Band2	9538	3	NV	20	10.12	0.005305	±2.5	PASS
Band2	9538	3	NV	30	-6.37	-0.003339	±2.5	PASS
Band2	9538	3	NV	40	-4.61	-0.002417	±2.5	PASS
Band2	9538	3	NV	50	2.52	0.001321	±2.5	PASS
Band2	9538	4	NV	-30	10.76	0.005641	±2.5	PASS
Band2	9538	4	NV	-20	-3.95	-0.002071	±2.5	PASS
Band2	9538	4	NV	-10	-0.58	-0.000304	±2.5	PASS
Band2	9538	4	NV	0	-1.58	-0.000828	±2.5	PASS
Band2	9538	4	NV	10	-6.00	-0.003145	±2.5	PASS
Band2	9538	4	NV	20	0.97	0.000508	±2.5	PASS
Band2	9538	4	NV	30	7.31	0.003832	±2.5	PASS
Band2	9538	4	NV	40	-6.77	-0.003549	±2.5	PASS
Band2	9538	4	NV	50	7.22	0.003785	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	2.37	0.001279	±2.5	PASS
Band2	9262	1	VL	NT	-11.77	-0.006354	±2.5	PASS
Band2	9262	1	VH	NT	-4.19	-0.002262	±2.5	PASS
Band2	9262	2	VN	NT	6.23	0.003363	±2.5	PASS
Band2	9262	2	VL	NT	-5.35	-0.002888	±2.5	PASS
Band2	9262	2	VH	NT	-0.08	-0.000043	±2.5	PASS
Band2	9262	3	VN	NT	6.28	0.003390	±2.5	PASS
Band2	9262	3	VL	NT	10.14	0.005474	±2.5	PASS
Band2	9262	3	VH	NT	8.43	0.004551	±2.5	PASS
Band2	9262	4	VN	NT	1.78	0.000961	±2.5	PASS
Band2	9262	4	VL	NT	-1.19	-0.000642	±2.5	PASS
Band2	9262	4	VH	NT	2.55	0.001377	±2.5	PASS
Band2	9262	5	VN	NT	3.12	0.001684	±2.5	PASS
Band2	9262	5	VL	NT	-2.15	-0.001161	±2.5	PASS
Band2	9262	5	VH	NT	-5.64	-0.003045	±2.5	PASS
Band2	9400	1	VN	NT	-3.60	-0.001915	±2.5	PASS
Band2	9400	1	VL	NT	-0.41	-0.000218	±2.5	PASS
Band2	9400	1	VH	NT	-14.73	-0.007835	±2.5	PASS
Band2	9400	2	VN	NT	-3.49	-0.001856	±2.5	PASS
Band2	9400	2	VL	NT	-11.26	-0.005989	±2.5	PASS
Band2	9400	2	VH	NT	-1.64	-0.000872	±2.5	PASS
Band2	9400	3	VN	NT	-9.31	-0.004952	±2.5	PASS
Band2	9400	3	VL	NT	-1.17	-0.000622	±2.5	PASS
Band2	9400	3	VH	NT	5.13	0.002729	±2.5	PASS
Band2	9400	4	VN	NT	1.37	0.000729	±2.5	PASS
Band2	9400	4	VL	NT	-13.05	-0.006941	±2.5	PASS
Band2	9400	4	VH	NT	-3.15	-0.001676	±2.5	PASS
Band2	9400	5	VN	NT	-7.70	-0.004096	±2.5	PASS
Band2	9400	5	VL	NT	-7.70	-0.004096	±2.5	PASS
Band2	9400	5	VH	NT	5.94	0.003160	±2.5	PASS
Band2	9538	1	VN	NT	-7.12	-0.003732	±2.5	PASS
Band2	9538	1	VL	NT	-12.62	-0.006616	±2.5	PASS
Band2	9538	1	VH	NT	-1.49	-0.000781	±2.5	PASS
Band2	9538	2	VN	NT	-5.89	-0.003088	±2.5	PASS
Band2	9538	2	VL	NT	-4.93	-0.002584	±2.5	PASS
Band2	9538	2	VH	NT	-2.10	-0.001101	±2.5	PASS
Band2	9538	3	VN	NT	5.05	0.002647	±2.5	PASS

Band2	9538	3	VL	NT	-6.93	-0.003633	±2.5	PASS
Band2	9538	3	VH	NT	-9.78	-0.005127	±2.5	PASS
Band2	9538	4	VN	NT	5.52	0.002894	±2.5	PASS
Band2	9538	4	VL	NT	12.47	0.006537	±2.5	PASS
Band2	9538	4	VH	NT	-0.72	-0.000377	±2.5	PASS
Band2	9538	5	VN	NT	-2.63	-0.001379	±2.5	PASS
Band2	9538	5	VL	NT	-2.78	-0.001457	±2.5	PASS
Band2	9538	5	VH	NT	-8.47	-0.004440	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	4.52	0.002440	±2.5	PASS
Band2	9262	1	NV	-20	2.34	0.001263	±2.5	PASS
Band2	9262	1	NV	-10	13.66	0.007374	±2.5	PASS
Band2	9262	1	NV	0	2.90	0.001566	±2.5	PASS
Band2	9262	1	NV	10	11.72	0.006327	±2.5	PASS
Band2	9262	1	NV	20	8.93	0.004821	±2.5	PASS
Band2	9262	1	NV	30	-1.13	-0.000610	±2.5	PASS
Band2	9262	1	NV	40	-6.72	-0.003628	±2.5	PASS
Band2	9262	1	NV	50	1.49	0.000804	±2.5	PASS
Band2	9262	2	NV	-30	9.22	0.004977	±2.5	PASS
Band2	9262	2	NV	-20	4.86	0.002624	±2.5	PASS
Band2	9262	2	NV	-10	4.56	0.002462	±2.5	PASS
Band2	9262	2	NV	0	-4.44	-0.002397	±2.5	PASS
Band2	9262	2	NV	10	-1.14	-0.000615	±2.5	PASS
Band2	9262	2	NV	20	-2.39	-0.001290	±2.5	PASS
Band2	9262	2	NV	30	3.50	0.001889	±2.5	PASS
Band2	9262	2	NV	40	-2.18	-0.001177	±2.5	PASS
Band2	9262	2	NV	50	7.22	0.003898	±2.5	PASS
Band2	9262	3	NV	-30	1.44	0.000777	±2.5	PASS
Band2	9262	3	NV	-20	4.08	0.002203	±2.5	PASS
Band2	9262	3	NV	-10	7.60	0.004103	±2.5	PASS
Band2	9262	3	NV	0	-0.38	-0.000205	±2.5	PASS
Band2	9262	3	NV	10	4.67	0.002521	±2.5	PASS
Band2	9262	3	NV	20	-8.45	-0.004562	±2.5	PASS
Band2	9262	3	NV	30	1.22	0.000659	±2.5	PASS
Band2	9262	3	NV	40	2.94	0.001587	±2.5	PASS
Band2	9262	3	NV	50	-2.42	-0.001306	±2.5	PASS
Band2	9262	4	NV	-30	-5.47	-0.002953	±2.5	PASS

Band2	9262	4	NV	-20	5.43	0.002931	±2.5	PASS
Band2	9262	4	NV	-10	-2.17	-0.001171	±2.5	PASS
Band2	9262	4	NV	0	-0.52	-0.000281	±2.5	PASS
Band2	9262	4	NV	10	-5.09	-0.002748	±2.5	PASS
Band2	9262	4	NV	20	-0.08	-0.000043	±2.5	PASS
Band2	9262	4	NV	30	8.04	0.004340	±2.5	PASS
Band2	9262	4	NV	40	4.25	0.002294	±2.5	PASS
Band2	9262	4	NV	50	-1.50	-0.000810	±2.5	PASS
Band2	9262	5	NV	-30	-6.90	-0.003725	±2.5	PASS
Band2	9262	5	NV	-20	5.79	0.003126	±2.5	PASS
Band2	9262	5	NV	-10	-0.80	-0.000432	±2.5	PASS
Band2	9262	5	NV	0	4.20	0.002267	±2.5	PASS
Band2	9262	5	NV	10	1.57	0.000848	±2.5	PASS
Band2	9262	5	NV	20	-8.46	-0.004567	±2.5	PASS
Band2	9262	5	NV	30	8.76	0.004729	±2.5	PASS
Band2	9262	5	NV	40	3.84	0.002073	±2.5	PASS
Band2	9262	5	NV	50	2.95	0.001593	±2.5	PASS
Band2	9400	1	NV	-30	-5.75	-0.003059	±2.5	PASS
Band2	9400	1	NV	-20	-5.28	-0.002809	±2.5	PASS
Band2	9400	1	NV	-10	-4.72	-0.002511	±2.5	PASS
Band2	9400	1	NV	0	1.34	0.000713	±2.5	PASS
Band2	9400	1	NV	10	0.93	0.000495	±2.5	PASS
Band2	9400	1	NV	20	5.88	0.003128	±2.5	PASS
Band2	9400	1	NV	30	13.18	0.007011	±2.5	PASS
Band2	9400	1	NV	40	-3.02	-0.001606	±2.5	PASS
Band2	9400	1	NV	50	6.25	0.003324	±2.5	PASS
Band2	9400	2	NV	-30	-7.82	-0.004160	±2.5	PASS
Band2	9400	2	NV	-20	6.04	0.003213	±2.5	PASS
Band2	9400	2	NV	-10	6.99	0.003718	±2.5	PASS
Band2	9400	2	NV	0	-3.64	-0.001936	±2.5	PASS
Band2	9400	2	NV	10	-7.80	-0.004149	±2.5	PASS
Band2	9400	2	NV	20	0.50	0.000266	±2.5	PASS
Band2	9400	2	NV	30	3.55	0.001888	±2.5	PASS
Band2	9400	2	NV	40	2.40	0.001277	±2.5	PASS
Band2	9400	2	NV	50	-5.77	-0.003069	±2.5	PASS
Band2	9400	3	NV	-30	-1.05	-0.000559	±2.5	PASS
Band2	9400	3	NV	-20	2.57	0.001367	±2.5	PASS
Band2	9400	3	NV	-10	-5.58	-0.002968	±2.5	PASS
Band2	9400	3	NV	0	5.37	0.002856	±2.5	PASS
Band2	9400	3	NV	10	-3.42	-0.001819	±2.5	PASS
Band2	9400	3	NV	20	-9.31	-0.004952	±2.5	PASS

Band2	9400	3	NV	30	-6.72	-0.003574	±2.5	PASS
Band2	9400	3	NV	40	-7.09	-0.003771	±2.5	PASS
Band2	9400	3	NV	50	10.31	0.005484	±2.5	PASS
Band2	9400	4	NV	-30	-2.50	-0.001330	±2.5	PASS
Band2	9400	4	NV	-20	-3.37	-0.001793	±2.5	PASS
Band2	9400	4	NV	-10	-7.53	-0.004005	±2.5	PASS
Band2	9400	4	NV	0	9.38	0.004989	±2.5	PASS
Band2	9400	4	NV	10	2.95	0.001569	±2.5	PASS
Band2	9400	4	NV	20	-1.03	-0.000548	±2.5	PASS
Band2	9400	4	NV	30	-5.27	-0.002803	±2.5	PASS
Band2	9400	4	NV	40	7.85	0.004176	±2.5	PASS
Band2	9400	4	NV	50	9.21	0.004899	±2.5	PASS
Band2	9400	5	NV	-30	0.67	0.000356	±2.5	PASS
Band2	9400	5	NV	-20	-1.67	-0.000888	±2.5	PASS
Band2	9400	5	NV	-10	-2.34	-0.001245	±2.5	PASS
Band2	9400	5	NV	0	9.26	0.004926	±2.5	PASS
Band2	9400	5	NV	10	2.85	0.001516	±2.5	PASS
Band2	9400	5	NV	20	-0.02	-0.000011	±2.5	PASS
Band2	9400	5	NV	30	1.05	0.000559	±2.5	PASS
Band2	9400	5	NV	40	-2.00	-0.001064	±2.5	PASS
Band2	9400	5	NV	50	0.59	0.000314	±2.5	PASS
Band2	9538	1	NV	-30	-4.48	-0.002349	±2.5	PASS
Band2	9538	1	NV	-20	4.58	0.002401	±2.5	PASS
Band2	9538	1	NV	-10	6.44	0.003376	±2.5	PASS
Band2	9538	1	NV	0	-0.67	-0.000351	±2.5	PASS
Band2	9538	1	NV	10	8.06	0.004225	±2.5	PASS
Band2	9538	1	NV	20	0.09	0.000047	±2.5	PASS
Band2	9538	1	NV	30	-14.08	-0.007381	±2.5	PASS
Band2	9538	1	NV	40	12.73	0.006673	±2.5	PASS
Band2	9538	1	NV	50	6.87	0.003601	±2.5	PASS
Band2	9538	2	NV	-30	2.86	0.001499	±2.5	PASS
Band2	9538	2	NV	-20	11.07	0.005803	±2.5	PASS
Band2	9538	2	NV	-10	3.48	0.001824	±2.5	PASS
Band2	9538	2	NV	0	7.14	0.003743	±2.5	PASS
Band2	9538	2	NV	10	10.31	0.005405	±2.5	PASS
Band2	9538	2	NV	20	7.14	0.003743	±2.5	PASS
Band2	9538	2	NV	30	7.21	0.003780	±2.5	PASS
Band2	9538	2	NV	40	2.73	0.001431	±2.5	PASS
Band2	9538	2	NV	50	-2.77	-0.001452	±2.5	PASS
Band2	9538	3	NV	-30	2.22	0.001164	±2.5	PASS
Band2	9538	3	NV	-20	-0.41	-0.000215	±2.5	PASS

Band2	9538	3	NV	-10	-3.58	-0.001877	±2.5	PASS
Band2	9538	3	NV	0	5.94	0.003114	±2.5	PASS
Band2	9538	3	NV	10	-4.39	-0.002301	±2.5	PASS
Band2	9538	3	NV	20	0.26	0.000136	±2.5	PASS
Band2	9538	3	NV	30	6.77	0.003549	±2.5	PASS
Band2	9538	3	NV	40	1.17	0.000613	±2.5	PASS
Band2	9538	3	NV	50	8.87	0.004650	±2.5	PASS
Band2	9538	4	NV	-30	-0.16	-0.000084	±2.5	PASS
Band2	9538	4	NV	-20	-0.06	-0.000031	±2.5	PASS
Band2	9538	4	NV	-10	0.59	0.000309	±2.5	PASS
Band2	9538	4	NV	0	2.30	0.001206	±2.5	PASS
Band2	9538	4	NV	10	-5.35	-0.002805	±2.5	PASS
Band2	9538	4	NV	20	-8.41	-0.004409	±2.5	PASS
Band2	9538	4	NV	30	-1.74	-0.000912	±2.5	PASS
Band2	9538	4	NV	40	-12.28	-0.006437	±2.5	PASS
Band2	9538	4	NV	50	2.97	0.001557	±2.5	PASS
Band2	9538	5	NV	-30	-0.31	-0.000163	±2.5	PASS
Band2	9538	5	NV	-20	0.99	0.000519	±2.5	PASS
Band2	9538	5	NV	-10	2.27	0.001190	±2.5	PASS
Band2	9538	5	NV	0	7.25	0.003801	±2.5	PASS
Band2	9538	5	NV	10	-5.36	-0.002810	±2.5	PASS
Band2	9538	5	NV	20	1.92	0.001007	±2.5	PASS
Band2	9538	5	NV	30	-0.34	-0.000178	±2.5	PASS
Band2	9538	5	NV	40	-2.19	-0.001148	±2.5	PASS
Band2	9538	5	NV	50	-15.66	-0.008209	±2.5	PASS