

User Manual



1. The Bluetooth code value is sent when the Bluetooth connection is connected, and the infrared is sent when the Bluetooth connection is not connected.
2. Remote control Bluetooth name: (Bluetooth remote)
3. Specific pairing operations:
 - a. Press the "Voice" key for the first time to pair the device with the remote control, and the indicator flashes. The name of the remote control's Bluetooth is displayed. At the same time, the Bluetooth pairing signal is broadcast. If the pairing fails for 60 seconds, stop broadcasting the signal, and the light is off. Continue to press the "Voice" key to pair again until the pairing is successful.
 - b. After the remote control is paired, it needs to be paired again. Please press and hold the "left button" + "right button" on the remote control for 3 seconds, and the indicator light starts to flash, displaying the remote control's Bluetooth name. At the same time, the Bluetooth pairing signal is broadcast, and the indicator light flashes. If the pairing fails for 60 seconds, stop broadcasting the signal, and the light goes off. Continue to press and hold the key combination for 3 seconds to pair again until the pairing is successful.
 - c. After the remote control is paired, it needs to be paired again. Please long press the "left button" + "right button" on the remote control for 3 seconds, and the indicator starts flashing. Unplug the battery to clear the pairing information, and then press the "voice" button to pair.
4. Voice function:
Press and hold the voice key to turn on the voice function, and release the voice key to turn off the voice function.

5. Remote control on/off:

Infrared power on, Bluetooth power off

6. Empty mouse function:

HYT-16C-001 is a remote controller integrated with Bluetooth voice infrared six axis gyroscope chip and integrated with air and mouse functions.

A After the remote control connects to the projector through Bluetooth, press the "mouse" button briefly to enter the empty mouse function, and the user can select

Within the range of tooth connection, holding the remote control at any angle can normally use the empty mouse function.

B Calibration of empty mouse function: This remote control can be calibrated by pressing the key at any time.

Operation method: long press OK + home key for 2 seconds, the LED is always on, and then place the remote control horizontally for 5 seconds (note that it must be placed horizontally).

After 5 seconds, the LED goes out, indicating that the empty mouse function has been calibrated successfully and can continue to be used normally.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example-use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Radiation Exposure Statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.