

ANNEX E TEST DATA

For

Project No.:	8330EU122130W
Client:	Shenzhen Ruheng Technology Co., Ltd.
Product Description:	Dash cam
Model No.:	D016
FCC ID:	2BPRI-D016
Technology:	WiFi 5G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2025-06-03

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass
Frequency Stability	Pass

1. Duty Cycle


1.1 Test Result


1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	1.398	1.567	89.22	0.50	3.18
		5200	1.399	1.576	88.77	0.52	3.69
		5240	1.398	1.607	86.99	0.61	5.17
		5745	1.398	1.576	88.71	0.52	3.69
		5785	1.399	1.625	86.09	0.65	6.11
		5825	1.398	1.531	91.31	0.39	1.09
802.11n (HT20)	SISO	5180	5.091	5.317	95.75	0.19	1.78
		5200	5.090	5.258	96.80	0.14	1.01
		5240	5.090	5.307	95.91	0.18	1.82
		5745	5.090	5.624	90.50	0.43	7.31
		5785	5.091	5.316	95.77	0.19	1.64
		5825	5.091	5.251	96.95	0.13	0.87
802.11n (HT40)	SISO	5190	4.898	5.076	96.49	0.16	1.25
		5230	4.897	5.074	96.51	0.15	1.18
		5755	4.897	5.013	97.69	0.10	0.04
		5795	4.897	5.124	95.57	0.20	2.09


1.2 Test Graph


1.2.1 Ant1




















2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	18.196	/	Pass
		5200	1	18.134	/	Pass
		5240	1	18.216	/	Pass
		5745	1	18.377	/	Pass
		5785	1	18.428	/	Pass
		5825	1	18.355	/	Pass
802.11n (HT20)	SISO	5180	1	19.316	/	Pass
		5200	1	19.199	/	Pass
		5240	1	19.345	/	Pass
		5745	1	19.619	/	Pass
		5785	1	19.610	/	Pass
		5825	1	19.560	/	Pass
802.11n (HT40)	SISO	5190	1	37.432	/	Pass
		5230	1	37.278	/	Pass
		5755	1	37.682	/	Pass
		5795	1	37.652	/	Pass

2.1.2 26dB BW


Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	23.334	/	Pass
		5200	1	23.307	/	Pass
		5240	1	23.255	/	Pass
802.11n (HT20)	SISO	5180	1	25.177	/	Pass
		5200	1	23.640	/	Pass
		5240	1	24.749	/	Pass
802.11n (HT40)	SISO	5190	1	46.587	/	Pass
		5230	1	46.094	/	Pass


2.1.3 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	16.400	≥ 0.5	Pass
		5785	1	16.412	≥ 0.5	Pass
		5825	1	16.398	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	17.679	≥ 0.5	Pass
		5785	1	17.685	≥ 0.5	Pass
		5825	1	17.675	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	36.475	≥ 0.5	Pass
		5795	1	36.419	≥ 0.5	Pass


2.2 Test Graph


2.2.1 OBW
























2.2.2 26dB BW









802.11n(HT40)_LCH_5190MHz_Ant1_NTNV





802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




2.2.3 6dB BW









3. Maximum Conducted Output Power


3.1 Test Result


3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	11.45	≤ 23.98	Pass
		5200	12.25	≤ 23.98	Pass
		5240	12.90	≤ 23.98	Pass
		5745	12.88	≤ 30	Pass
		5785	13.24	≤ 30	Pass
		5825	12.81	≤ 30	Pass
802.11n (HT20)	SISO	5180	11.49	≤ 23.98	Pass
		5200	12.35	≤ 23.98	Pass
		5240	12.86	≤ 23.98	Pass
		5745	13.08	≤ 30	Pass
		5785	13.38	≤ 30	Pass
		5825	13.20	≤ 30	Pass
802.11n (HT40)	SISO	5190	12.58	≤ 23.98	Pass
		5230	13.69	≤ 23.98	Pass
		5755	13.86	≤ 30	Pass
		5795	14.37	≤ 30	Pass


3.2 Test Graph


3.2.1 Power




















4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	0.20	<=11	Pass
		5200	1.12	<=11	Pass
		5240	1.77	<=11	Pass
802.11n (HT20)	SISO	5180	0.34	<=11	Pass
		5200	1.07	<=11	Pass
		5240	1.63	<=11	Pass
802.11n (HT40)	SISO	5190	-1.58	<=11	Pass
		5230	-0.39	<=11	Pass


4.1.2 PSD-Band3


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-1.66	<=30	Pass
		5785	-1.28	<=30	Pass
		5825	-1.26	<=30	Pass
802.11n (HT20)	SISO	5745	-1.53	<=30	Pass
		5785	-1.06	<=30	Pass
		5825	-1.51	<=30	Pass
802.11n (HT40)	SISO	5755	-3.80	<=30	Pass
		5795	-3.33	<=30	Pass


4.2 Test Graph

4.2.1 PSD













4.2.2 PSD-Band3









5. Unwanted Emissions In Restricted Frequency Bands


5.1 Test Result

5.1.1 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
Note: 1) EIRP[dBm]=E[dBuV/m]- 95.2, for d= 3 m; 2) Level[dBm] results have calculated the antenna gain; 3) Antenna gain= U-NII-1: 5150 MHz to 5250 MHz: -1.91 dBi and U-NII-3: 5725 MHz to 5850 MHz: -2.45 dBi						

5.2 Test Graph

5.2.1 CSE




802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-48.50	-27.00	21.50	Pass	Peak	3	5725.000	-31.02	27.00	58.02	Pass	Peak
2	5724.865	-29.72	26.69	56.41	Pass	Peak							

802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-40.14	27.00	67.14	Pass	Peak	3	5925.000	-45.38	-27.00	18.38	Pass	Peak
2	5901.120	-37.61	-9.33	28.28	Pass	Peak							

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4944.500	-49.99	-21.20	28.79	Pass	Peak	7	4944.500	-56.96	-41.20	15.76	Pass	AVG
2	5018.000	-51.04	-21.20	29.84	Pass	Peak	8	5018.000	-57.27	-41.20	16.07	Pass	AVG
3	5069.500	-48.99	-21.20	27.79	Pass	Peak	9	5069.500	-57.24	-41.20	16.04	Pass	AVG
4	5101.500	-50.20	-21.20	29.00	Pass	Peak	10	5101.500	-57.01	-41.20	15.81	Pass	AVG
5	5126.500	-48.96	-21.20	27.76	Pass	Peak	11	5126.500	-56.19	-41.20	14.99	Pass	AVG
6	5146.500	-45.21	-21.20	24.01	Pass	Peak	12	5146.500	-54.31	-41.20	13.11	Pass	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5400.960	-47.74	-21.20	26.54	Pass	Peak	7	5400.960	-53.81	-41.20	12.61	Pass	AVG
2	5416.320	-45.84	-21.20	24.64	Pass	Peak	8	5416.320	-53.68	-41.20	12.48	Pass	AVG
3	5427.840	-45.26	-21.20	24.06	Pass	Peak	9	5427.840	-53.81	-41.20	12.61	Pass	AVG
4	5436.720	-46.90	-21.20	25.70	Pass	Peak	10	5436.720	-53.63	-41.20	12.43	Pass	AVG
5	5449.680	-47.15	-21.20	25.95	Pass	Peak	11	5449.680	-53.56	-41.20	12.36	Pass	AVG
6	5458.560	-46.98	-21.20	25.78	Pass	Peak	12	5458.560	-53.73	-41.20	12.53	Pass	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-50.12	-27.00	23.12	Pass	Peak	3	5725.000	-31.55	27.00	58.55	Pass	Peak
2	5724.635	-29.11	26.17	55.28	Pass	Peak							

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-38.47	27.00	65.47	Pass	Peak	3	5925.000	-46.82	-27.00	19.82	Pass	Peak
2	5850.480	-36.20	25.91	62.11	Pass	Peak							

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4952.000	-47.30	-21.20	26.10	Pass	Peak	7	4952.000	-56.97	-41.20	15.77	Pass	AVG
2	5009.000	-48.89	-21.20	27.69	Pass	Peak	8	5009.000	-57.06	-41.20	15.86	Pass	AVG
3	5055.000	-50.47	-21.20	29.27	Pass	Peak	9	5055.000	-57.08	-41.20	15.88	Pass	AVG
4	5092.000	-50.07	-21.20	28.87	Pass	Peak	10	5092.000	-56.71	-41.20	15.51	Pass	AVG
5	5126.500	-49.57	-21.20	28.37	Pass	Peak	11	5126.500	-55.86	-41.20	14.66	Pass	AVG
6	5149.500	-46.07	-21.20	24.87	Pass	Peak	12	5149.500	-52.35	-41.20	11.15	Pass	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5381.970	-47.68	-21.20	26.48	Pass	Peak	7	5381.970	-53.92	-41.20	12.72	Pass	AVG
2	5400.330	-45.07	-21.20	23.87	Pass	Peak	8	5400.330	-53.91	-41.20	12.71	Pass	AVG
3	5415.450	-46.66	-21.20	25.46	Pass	Peak	9	5415.450	-53.75	-41.20	12.55	Pass	AVG
4	5428.140	-46.04	-21.20	24.84	Pass	Peak	10	5428.140	-53.68	-41.20	12.48	Pass	AVG
5	5444.610	-45.81	-21.20	24.61	Pass	Peak	11	5444.610	-53.20	-41.20	12.00	Pass	AVG
6	5458.920	-46.20	-21.20	25.00	Pass	Peak	12	5458.920	-52.81	-41.20	11.61	Pass	AVG

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.020	5150 to 5250	Pass
				120	5180.060	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5180.020	5150 to 5250	Pass
			-20	120	5179.960	5150 to 5250	Pass
			-10	120	5179.960	5150 to 5250	Pass
			0	120	5179.980	5150 to 5250	Pass
			10	120	5179.960	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5180.060	5150 to 5250	Pass
			50	120	5180.040	5150 to 5250	Pass
		5200	20	102	5200.000	5150 to 5250	Pass
				120	5200.000	5150 to 5250	Pass
				138	5200.020	5150 to 5250	Pass
			-30	120	5200.040	5150 to 5250	Pass
			-20	120	5200.020	5150 to 5250	Pass
			-10	120	5199.960	5150 to 5250	Pass
			0	120	5199.980	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5199.960	5150 to 5250	Pass
			40	120	5200.040	5150 to 5250	Pass
			50	120	5200.020	5150 to 5250	Pass
		5240	20	102	5240.000	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5239.960	5150 to 5250	Pass
			-30	120	5239.940	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass
			0	120	5239.960	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass
			30	120	5240.060	5150 to 5250	Pass
			40	120	5240.000	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5745	20	102	5745.040	5725 to 5850	Pass
				120	5744.980	5725 to 5850	Pass
				138	5745.000	5725 to 5850	Pass
			-30	120	5745.000	5725 to 5850	Pass
			-20	120	5745.020	5725 to 5850	Pass
			-10	120	5744.980	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5744.980	5725 to 5850	Pass

802.11n (HT20)	SISO		40	120	5744.980	5725 to 5850	Pass
			50	120	5745.040	5725 to 5850	Pass
		5785	20	102	5784.960	5725 to 5850	Pass
				120	5784.980	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.000	5725 to 5850	Pass
			-10	120	5784.960	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.040	5725 to 5850	Pass
			50	120	5784.980	5725 to 5850	Pass
		5825	20	102	5825.000	5725 to 5850	Pass
				120	5824.920	5725 to 5850	Pass
				138	5824.920	5725 to 5850	Pass
			-30	120	5824.960	5725 to 5850	Pass
			-20	120	5824.920	5725 to 5850	Pass
			-10	120	5824.920	5725 to 5850	Pass
			0	120	5824.960	5725 to 5850	Pass
			10	120	5824.920	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5825.020	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
		5180	20	102	5180.040	5150 to 5250	Pass
				120	5179.980	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5180.060	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
			-10	120	5180.020	5150 to 5250	Pass
			0	120	5180.040	5150 to 5250	Pass
			10	120	5180.000	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5179.960	5150 to 5250	Pass
			50	120	5179.960	5150 to 5250	Pass
		5200	20	102	5200.060	5150 to 5250	Pass
				120	5199.960	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass
			-30	120	5200.060	5150 to 5250	Pass
			-20	120	5199.960	5150 to 5250	Pass
			-10	120	5200.040	5150 to 5250	Pass
			0	120	5200.000	5150 to 5250	Pass
			10	120	5199.980	5150 to 5250	Pass
			30	120	5199.980	5150 to 5250	Pass
			40	120	5200.020	5150 to 5250	Pass
			50	120	5200.020	5150 to 5250	Pass
		5240	20	102	5240.020	5150 to 5250	Pass
				120	5239.980	5150 to 5250	Pass
				138	5239.980	5150 to 5250	Pass
			-30	120	5240.020	5150 to 5250	Pass
			-20	120	5240.040	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass

			0	120	5240.020	5150 to 5250	Pass
			10	120	5239.980	5150 to 5250	Pass
			30	120	5239.980	5150 to 5250	Pass
			40	120	5240.000	5150 to 5250	Pass
			50	120	5239.960	5150 to 5250	Pass
		5745	20	102	5745.040	5725 to 5850	Pass
				120	5744.980	5725 to 5850	Pass
				138	5745.000	5725 to 5850	Pass
			-30	120	5744.980	5725 to 5850	Pass
			-20	120	5744.980	5725 to 5850	Pass
			-10	120	5744.960	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5744.980	5725 to 5850	Pass
			30	120	5744.960	5725 to 5850	Pass
			40	120	5745.040	5725 to 5850	Pass
			50	120	5744.980	5725 to 5850	Pass
		5785	20	102	5785.000	5725 to 5850	Pass
				120	5784.980	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5785.040	5725 to 5850	Pass
			-20	120	5784.940	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5784.980	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5784.980	5725 to 5850	Pass
			50	120	5785.000	5725 to 5850	Pass
		5825	20	102	5824.980	5725 to 5850	Pass
				120	5824.960	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5824.960	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.040	5725 to 5850	Pass
			10	120	5825.000	5725 to 5850	Pass
			30	120	5824.960	5725 to 5850	Pass
			40	120	5824.880	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	102	5190.080	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
				138	5190.160	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.120	5150 to 5250	Pass
			-10	120	5190.080	5150 to 5250	Pass
			0	120	5190.040	5150 to 5250	Pass
			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.040	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.120	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.080	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass

			-30	120	5230.120	5150 to 5250	Pass
			-20	120	5230.040	5150 to 5250	Pass
			-10	120	5230.080	5150 to 5250	Pass
			0	120	5230.080	5150 to 5250	Pass
			10	120	5230.080	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5230.080	5150 to 5250	Pass
			50	120	5230.080	5150 to 5250	Pass
		5755	20	102	5755.120	5725 to 5850	Pass
				120	5755.040	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.080	5725 to 5850	Pass
			-10	120	5755.040	5725 to 5850	Pass
			0	120	5755.080	5725 to 5850	Pass
			10	120	5755.120	5725 to 5850	Pass
			30	120	5755.000	5725 to 5850	Pass
			40	120	5755.040	5725 to 5850	Pass
			50	120	5755.080	5725 to 5850	Pass
		5795	20	102	5795.040	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.080	5725 to 5850	Pass
			-30	120	5795.080	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.000	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass
			10	120	5795.040	5725 to 5850	Pass
			30	120	5795.080	5725 to 5850	Pass
			40	120	5795.120	5725 to 5850	Pass
			50	120	5795.040	5725 to 5850	Pass

----- End of Report -----