

Appendix: Bluetooth Classic

Contents

Dwell Time 3

Duty Cycle 13

Maximum Peak Conducted Output Power 19

-20dB Bandwidth 20

Occupied Channel Bandwidth 26

Carrier Frequencies Separation 32

Band Edge 38


Band Edge(Hopping) 45

Conducted RF Spurious Emission 52


Number of Hopping Channel 62

Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2402	Ant1	0.406	129.514	319	31600	400	Pass
NVNT	1-DH3	2402	Ant1	1.662	262.596	158	31600	400	Pass
NVNT	1-DH5	2402	Ant1	2.91	311.37	107	31600	400	Pass
NVNT	2-DH1	2402	Ant1	0.415	132.385	319	31600	400	Pass
NVNT	2-DH3	2402	Ant1	1.667	265.053	159	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.916	279.936	96	31600	400	Pass
NVNT	3-DH1	2402	Ant1	0.416	132.288	318	31600	400	Pass
NVNT	3-DH3	2402	Ant1	1.666	268.226	161	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.917	347.123	119	31600	400	Pass





Date: 25 JUL 2025 14:21:16





Date: 25 JUL 2025 14:21:48




















Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.65	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.71	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.76	1.09	0.34
NVNT	2-DH5	2402	Ant1	77.92	1.08	0.34
NVNT	2-DH5	2441	Ant1	77.87	1.09	0.34
NVNT	2-DH5	2480	Ant1	77.92	1.08	0.34
NVNT	3-DH5	2402	Ant1	77.92	1.08	0.34
NVNT	3-DH5	2441	Ant1	77.87	1.09	0.34
NVNT	3-DH5	2480	Ant1	77.93	1.08	0.34