







Date: 25.JUL.2025 14:52:04




Date: 25.JUL.2025 14:56:26







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.25	0	-9.25	8	Pass
NVNT	b	2437	Ant1	-9.9	0	-9.9	8	Pass
NVNT	b	2462	Ant1	-9.58	0	-9.58	8	Pass
NVNT	g	2412	Ant1	-12.08	0	-12.08	8	Pass
NVNT	g	2437	Ant1	-12.21	0	-12.21	8	Pass
NVNT	g	2462	Ant1	-11.6	0	-11.6	8	Pass
NVNT	n20	2412	Ant1	-12.13	0	-12.13	8	Pass
NVNT	n20	2437	Ant1	-11.7	0	-11.7	8	Pass
NVNT	n20	2462	Ant1	-11.62	0	-11.62	8	Pass







Date: 25.JUL.2025 14:45:54




Date: 25.JUL.2025 14:55:07




Date: 25.JUL.2025 14:53:09




Date: 25.JUL.2025 14:57:12



Date: 25.JUL.2025 14:59:42



Date: 25.JUL.2025 15:02:03



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-42.51	-20	Pass
NVNT	b	2462	Ant1	-56.51	-20	Pass
NVNT	g	2412	Ant1	-39.53	-20	Pass
NVNT	g	2462	Ant1	-52.8	-20	Pass
NVNT	n20	2412	Ant1	-39.1	-20	Pass
NVNT	n20	2462	Ant1	-53.17	-20	Pass

