

Test Data for E-UTRA Band 40_B

EUT: <u>Tablet PC</u> Test Model: <u>WO1</u>
Ambient Condition: <u>25 °C</u> , <u>45 %RH</u> , <u>101.325 kPa</u>
Test Engineer: <u>Jack Zhou</u>

Contents

Appendix A: Maximum Power Spectral Density Data3
 Test Result.....3
Appendix B: Peak-to-Average Ratio(CCDF).....6
 Test Result.....6
 Test Graphs7
Appendix C: 26dB Bandwidth and Occupied Bandwidth11
 Test Result.....11
 Test Graphs12
Appendix D: Band Edge14
 Test Result.....14
 Test Graphs15
Appendix E: Conducted Spurious Emission20
 Test Result.....20
 Test Graphs22
Appendix F: Frequency Stability32
 Test Result.....32

Appendix A: Maximum Power Spectral Density Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP(dBm)	Verdict
40(2350-2360)	5MHz	QPSK	39175	1RB#0	23.25	24.43	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	22.44	23.62	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#25	20.12	21.30	PASS
40(2350-2360)	5MHz	QPSK	39175	50RB#0	21.07	22.25	PASS
40(2350-2360)	5MHz	16QAM	39175	50RB#0	20.53	21.71	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	23.42	24.60	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	22.05	23.23	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#24	23.35	24.53	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#24	22.04	23.22	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#49	22.78	23.96	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#49	22.29	23.47	PASS
40(2350-2360)	5MHz	QPSK	39200	25RB#0	20.65	21.83	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#24	22.91	24.09	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#24	22.33	23.51	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#49	23.25	24.43	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#49	22.44	23.62	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	20.90	22.08	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	20.34	21.52	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#12	20.69	21.87	PASS

2360)							
40(2350-2360)	5MHz	16QAM	39175	25RB#12	20.24	21.42	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#25	21.05	22.23	PASS
40(2350-2360)	5MHz	16QAM	39200	25RB#0	20.61	21.79	PASS
40(2350-2360)	5MHz	QPSK	39200	25RB#12	20.85	22.03	PASS
40(2350-2360)	5MHz	16QAM	39200	25RB#12	19.43	20.61	PASS
40(2350-2360)	5MHz	QPSK	39200	25RB#25	20.25	21.43	PASS
40(2350-2360)	5MHz	16QAM	39200	25RB#25	19.70	20.88	PASS
40(2350-2360)	5MHz	QPSK	39200	50RB#0	20.41	21.59	PASS
40(2350-2360)	5MHz	16QAM	39200	50RB#0	20.70	21.88	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	22.99	24.17	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	22.44	23.62	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#24	22.76	23.94	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#24	22.09	23.27	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#49	22.82	24.00	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#49	22.17	23.35	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	20.80	21.98	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	20.17	21.35	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#12	20.99	22.17	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#12	19.69	20.87	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#25	21.01	22.19	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#25	20.44	21.62	PASS


40(2350-2360)	5MHz	QPSK	39225	50RB#0	20.98	22.16	PASS
40(2350-2360)	5MHz	16QAM	39225	50RB#0	20.38	21.56	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	23.41	24.59	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	22.19	23.37	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#24	22.89	24.07	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#24	22.42	23.60	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#49	23.60	24.78	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#49	22.19	23.37	PASS
40(2350-2360)	10MHz	QPSK	39200	25RB#0	20.98	22.16	PASS
40(2350-2360)	10MHz	16QAM	39200	25RB#0	19.49	20.67	PASS
40(2350-2360)	10MHz	QPSK	39200	25RB#12	20.27	21.45	PASS
40(2350-2360)	10MHz	16QAM	39200	25RB#12	20.02	21.20	PASS
40(2350-2360)	10MHz	QPSK	39200	25RB#25	20.41	21.59	PASS
40(2350-2360)	10MHz	16QAM	39200	25RB#25	20.06	21.24	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	18.76	19.94	PASS
40(2350-2360)	10MHz	16QAM	39200	50RB#0	17.78	18.96	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
40(2350-2360)	5MHz	QPSK	39175	1RB#0	9.78	13	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	10.89	13	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	10.18	13	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	10.99	13	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	10.61	13	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	11.24	13	PASS
40(2350-2360)	5MHz	QPSK	39200	25RB#0	10.02	13	PASS
40(2350-2360)	5MHz	16QAM	39200	25RB#0	11.19	13	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	10.17	13	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	11.15	13	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	10.35	13	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	10.97	13	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	9.98	13	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	11.06	13	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	9.71	13	PASS
40(2350-2360)	10MHz	16QAM	39200	50RB#0	11.11	13	PASS

Test Graphs











Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
40(2350-2360)	5MHz	QPSK	39175	25RB#0	4.5280	5.814	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	4.5207	7.022	PASS
40(2350-2360)	5MHz	QPSK	39200	25RB#0	4.5144	6.594	PASS
40(2350-2360)	5MHz	16QAM	39200	25RB#0	4.5236	6.600	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	4.5151	6.431	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	4.5463	6.473	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	9.0211	13.12	PASS
40(2350-2360)	10MHz	16QAM	39200	50RB#0	9.0129	14.44	PASS

Test Graphs







Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
40(2350-2360)	5MHz	QPSK	39175	1RB#0	-53.51	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	-53.45	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#24	-53.37	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#24	-53.48	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	-53.53	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	-53.55	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	-53.47	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	-53.54	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#24	-53.39	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#24	-53.48	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	-53.53	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	-53.53	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	-53.40	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	-53.57	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#49	-53.54	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#49	-53.51	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	-53.52	PASS
40(2350-2360)	10MHz	16QAM	39200	50RB#0	-53.56	PASS


Test Graphs












Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
40(2350-2360)	5MHz	QPSK	39175	1RB#0	0.009~0.15	-76.47	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#0	0.15~30	-64.75	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#0	30~1000	-59.93	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#0	1000~3000	-48.35	PASS
40(2350-2360)	5MHz	QPSK	39175	1RB#0	3000~26500	-42.09	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	0.009~0.15	-76.67	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	0.15~30	-61.78	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	30~1000	-62.88	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	1000~3000	-48.36	PASS
40(2350-2360)	5MHz	16QAM	39175	1RB#0	3000~26500	-41.97	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	0.009~0.15	-76.51	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	0.15~30	-64.66	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	30~1000	-58.65	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	1000~3000	-48.29	PASS
40(2350-2360)	5MHz	QPSK	39200	1RB#0	3000~26500	-42.13	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	0.009~0.15	-75.87	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	0.15~30	-62.93	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	30~1000	-63.71	PASS
40(2350-2360)	5MHz	16QAM	39200	1RB#0	1000~3000	-48.22	PASS


2360)							
40(2350-2360)	5MHz	16QAM	39200	1RB#0	3000~26500	-42.03	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	0.009~0.15	-76.71	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	0.15~30	-63.14	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	30~1000	-63.29	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	1000~3000	-48.42	PASS
40(2350-2360)	5MHz	QPSK	39225	1RB#0	3000~26500	-42.11	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	0.009~0.15	-74.97	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	0.15~30	-63.48	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	30~1000	-58.78	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	1000~3000	-48.28	PASS
40(2350-2360)	5MHz	16QAM	39225	1RB#0	3000~26500	-42.20	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	0.009~0.15	-76.37	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	0.15~30	-64.39	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	30~1000	-62.77	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	1000~3000	-48.35	PASS
40(2350-2360)	10MHz	QPSK	39200	1RB#0	3000~26500	-42.05	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	0.009~0.15	-77.40	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	0.15~30	-61.14	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	30~1000	-62.00	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	1000~3000	-48.44	PASS
40(2350-2360)	10MHz	16QAM	39200	1RB#0	3000~26500	-42.08	PASS


Test Graphs


























Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BandName	Bandwidth	Modulation	Channel	RBcfg	VolValue	TempValue	ValueHz	ValuePpm	Limit	Verdict

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	-30	-14.99	-0.006372	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	-20	-7.88	-0.003350	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	-10	-9.60	-0.004081	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	0	-6.92	-0.002942	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	10	-12.49	-0.005309	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	20	-12.14	-0.005160	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	30	4.83	0.002053	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	40	-15.29	-0.006499	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39175	25RB#0	NV	50	-11.70	-0.004973	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	-30	4.69	0.001994	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	-20	8.45	0.003592	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	-10	-4.04	-0.001717	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	0	9.41	0.004000	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	10	-7.68	-0.003265	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39175	25RB#0	NV	20	11.79	0.005012	±2.5	PASS

-2360)										
40(2350 -2360)	5MHz	16QAM	39175	25RB#0	NV	30	-10.05	-0.004272	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39175	25RB#0	NV	40	-10.98	-0.004667	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39175	25RB#0	NV	50	6.30	0.002678	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	-30	6.67	0.002832	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	-20	-17.80	-0.007558	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	-10	-15.17	-0.006442	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	0	2.14	0.000909	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	10	-19.56	-0.008306	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	20	-15.46	-0.006565	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	30	-9.19	-0.003902	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	40	-5.74	-0.002437	±2.5	PASS
40(2350 -2360)	5MHz	QPSK	39200	25RB#0	NV	50	-7.89	-0.003350	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	-30	-10.81	-0.004590	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	-20	-11.32	-0.004807	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	-10	-9.57	-0.004064	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	0	7.68	0.003261	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	10	6.62	0.002811	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	20	-6.12	-0.002599	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	30	-8.11	-0.003444	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	40	-8.10	-0.003439	±2.5	PASS
40(2350 -2360)	5MHz	16QAM	39200	25RB#0	NV	50	-5.46	-0.002318	±2.5	PASS

40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	-30	-10.70	-0.004539	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	-20	2.93	0.001243	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	-10	-15.61	-0.006621	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	0	-6.24	-0.002647	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	10	-13.85	-0.005875	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	20	-20.20	-0.008568	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	30	-13.10	-0.005557	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	40	-14.58	-0.006185	±2.5	PASS
40(2350-2360)	5MHz	QPSK	39225	25RB#0	NV	50	-13.39	-0.005680	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	-30	-8.90	-0.003775	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	-20	-7.15	-0.003033	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	-10	-17.21	-0.007300	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	0	-12.16	-0.005158	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	10	-15.53	-0.006587	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	20	-9.98	-0.004233	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	30	-3.58	-0.001519	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	40	-10.61	-0.004501	±2.5	PASS
40(2350-2360)	5MHz	16QAM	39225	25RB#0	NV	50	-8.55	-0.003627	±2.5	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	NV	-30	-12.48	-0.005299	±2.5	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	NV	-20	2.92	0.001240	±2.5	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	NV	-10	-10.48	-0.004450	±2.5	PASS
40(2350-2360)	10MHz	QPSK	39200	50RB#0	NV	0	-6.07	-0.002577	±2.5	PASS

-2360)										
40(2350 -2360)	10MHz	QPSK	39200	50RB#0	NV	10	-11.49	-0.004879	±2.5	PASS
40(2350 -2360)	10MHz	QPSK	39200	50RB#0	NV	20	-17.31	-0.007350	±2.5	PASS
40(2350 -2360)	10MHz	QPSK	39200	50RB#0	NV	30	7.13	0.003028	±2.5	PASS
40(2350 -2360)	10MHz	QPSK	39200	50RB#0	NV	40	6.76	0.002870	±2.5	PASS
40(2350 -2360)	10MHz	QPSK	39200	50RB#0	NV	50	2.86	0.001214	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	-30	-11.39	-0.004837	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	-20	-10.98	-0.004662	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	-10	-8.36	-0.003550	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	0	-11.35	-0.004820	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	10	-11.99	-0.005091	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	20	6.53	0.002773	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	30	-7.88	-0.003346	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	40	-10.73	-0.004556	±2.5	PASS
40(2350 -2360)	10MHz	16QAM	39200	50RB#0	NV	50	4.75	0.002017	±2.5	PASS