

Appendix-5.2G


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	18.28	16.34
NVNT	ANT1	802.11a	5200.00	18.22	16.33
NVNT	ANT1	802.11a	5240.00	18.38	16.35
NVNT	ANT1	802.11n(HT20)	5180.00	19.34	17.52
NVNT	ANT1	802.11n(HT20)	5200.00	19.15	17.53
NVNT	ANT1	802.11n(HT20)	5240.00	19.32	17.53
NVNT	ANT1	802.11n(HT40)	5190.00	40.79	36.13
NVNT	ANT1	802.11n(HT40)	5230.00	40.49	36.08

99%_OCB_NVNT_ANT1_802_11a_5180




-26BW_NVNT_ANT1_802_11a_5180



99%_OCB_NVNT_ANT1_802_11a_5200




-26BW_NVNT_ANT1_802_11a_5200



99%_OCB_NVNT_ANT1_802_11a_5240



-26BW_NVNT_ANT1_802_11a_5240




99%_OCB_NVNT_ANT1_802_11n(HT20)_5180



-26BW_NVNT_ANT1_802_11n(HT20)_5180




99%_OCB_NVNT_ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200



99%_OCB_NVNT_ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240



99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190



99%_OCB_NVNT_ANT1_802_11n(HT40)_5230



-26BW_NVNT_ANT1_802_11n(HT40)_5230




2. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5.75	23.98	Pass
NVNT	ANT1	802.11a	5200.00	7.14	23.98	Pass
NVNT	ANT1	802.11a	5240.00	7.22	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5.54	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	7.07	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	7.31	23.98	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5.34	23.98	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	6.03	23.98	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M



3. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	2.76	11	Pass
NVNT	ANT1	802.11a	5200.00	3.48	11	Pass
NVNT	ANT1	802.11a	5240.00	2.88	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	2.87	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	3.27	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	2.50	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	1.17	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	1.18	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230




4. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11n(HT20)	5180.00	5032.60	-41.35	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5410.60	-41.13	-27	Pass
NVNT	ANT1	802.11n(HT20)	5190.00	5149.10	-38.05	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5397.53	-41.05	-27	Pass
NVNT	ANT1	802.11n(HT40)	5210.00	5148.26	-37.74	-27	Pass

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11n(HT20)	5180.00	5032.60	-41.35	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5410.60	-41.13	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.10	-38.05	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5397.53	-41.05	-27	Pass


Bandedge_NVNT_ANT1_802_11n(HT20)_5180




Bandedge_NVNT_ANT1_802_11n(HT20)_5240



Bandedge_NVNT_ANT1_802_11n(HT40)_5190




Bandedge_NVNT_ANT1_802_11n(HT40)_5230



5. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11n(HT20)	5180.00	24991.21	-27.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25044.15	-27.34	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	26129.42	-27.17	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24938.27	-27.36	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25017.68	-27.80	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M



6. Frequency Stability


Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
HT&NV	ANT1	802.11a	5180.00	5180.074	5171.156	5188.992	5150~5250	Pass
LT&NV	ANT1	802.11a	5180.00	5180.080	5171.300	5188.860	5150~5250	Pass
NT&NV	ANT1	802.11a	5180.00	5180.080	5171.380	5188.780	5150~5250	Pass
NT&HV	ANT1	802.11a	5180.00	5180.084	5171.452	5188.716	5150~5250	Pass
NT&LV	ANT1	802.11a	5180.00	5180.084	5171.520	5188.648	5150~5250	Pass
HT&NV	ANT1	802.11a	5200.00	5200.086	5191.172	5209.000	5150~5250	Pass
LT&NV	ANT1	802.11a	5200.00	5200.096	5191.320	5208.872	5150~5250	Pass
NT&NV	ANT1	802.11a	5200.00	5200.098	5191.408	5208.788	5150~5250	Pass
NT&HV	ANT1	802.11a	5200.00	5200.108	5191.488	5208.728	5150~5250	Pass
NT&LV	ANT1	802.11a	5200.00	5200.112	5191.564	5208.660	5150~5250	Pass
HT&NV	ANT1	802.11a	5240.00	5240.064	5231.140	5248.988	5150~5250	Pass
LT&NV	ANT1	802.11a	5240.00	5240.066	5231.280	5248.852	5150~5250	Pass
NT&NV	ANT1	802.11a	5240.00	5240.066	5231.360	5248.772	5150~5250	Pass
NT&HV	ANT1	802.11a	5240.00	5240.062	5231.428	5248.696	5150~5250	Pass
NT&LV	ANT1	802.11a	5240.00	5240.074	5231.500	5248.648	5150~5250	Pass
HT&NV	ANT1	802.11n(HT20)	5180.00	5180.088	5171.580	5188.596	5150~5250	Pass
LT&NV	ANT1	802.11n(HT20)	5180.00	5180.078	5171.644	5188.512	5150~5250	Pass
NT&NV	ANT1	802.11n(HT20)	5180.00	5180.094	5171.720	5188.468	5150~5250	Pass
NT&HV	ANT1	802.11n(HT20)	5180.00	5180.110	5171.776	5188.444	5150~5250	Pass
NT&LV	ANT1	802.11n(HT20)	5180.00	5180.106	5171.840	5188.372	5150~5250	Pass
HT&NV	ANT1	802.11n(HT20)	5200.00	5200.136	5191.648	5208.624	5150~5250	Pass
LT&NV	ANT1	802.11n(HT20)	5200.00	5200.122	5191.700	5208.544	5150~5250	Pass
NT&NV	ANT1	802.11n(HT20)	5200.00	5200.154	5191.780	5208.528	5150~5250	Pass
NT&HV	ANT1	802.11n(HT20)	5200.00	5200.158	5191.844	5208.472	5150~5250	Pass
NT&LV	ANT1	802.11n(HT20)	5200.00	5200.166	5191.908	5208.424	5150~5250	Pass
HT&NV	ANT1	802.11n(HT20)	5240.00	5240.076	5231.572	5248.580	5150~5250	Pass
LT&NV	ANT1	802.11n(HT20)	5240.00	5240.070	5231.620	5248.520	5150~5250	Pass
NT&NV	ANT1	802.11n(HT20)	5240.00	5240.080	5231.676	5248.484	5150~5250	Pass
NT&HV	ANT1	802.11n(HT20)	5240.00	5240.052	5231.736	5248.368	5150~5250	Pass
NT&LV	ANT1	802.11n(HT20)	5240.00	5240.070	5231.800	5248.340	5150~5250	Pass
HT&NV	ANT1	802.11n(HT40)	5190.00	5190.080	5171.880	5208.280	5150~5250	Pass
LT&NV	ANT1	802.11n(HT40)	5190.00	5190.120	5172.104	5208.136	5150~5250	Pass
NT&NV	ANT1	802.11n(HT40)	5190.00	5190.132	5172.272	5207.992	5150~5250	Pass
NT&HV	ANT1	802.11n(HT40)	5190.00	5190.184	5172.472	5207.896	5150~5250	Pass
NT&LV	ANT1	802.11n(HT40)	5190.00	5190.168	5172.592	5207.744	5150~5250	Pass
HT&NV	ANT1	802.11n(HT40)	5230.00	5230.084	5211.896	5248.272	5150~5250	Pass
LT&NV	ANT1	802.11n(HT40)	5230.00	5230.068	5212.080	5248.056	5150~5250	Pass
NT&NV	ANT1	802.11n(HT40)	5230.00	5230.060	5212.232	5247.888	5150~5250	Pass
NT&HV	ANT1	802.11n(HT40)	5230.00	5230.064	5212.400	5247.728	5150~5250	Pass
NT&LV	ANT1	802.11n(HT40)	5230.00	5230.060	5212.520	5247.600	5150~5250	Pass

Appendix-5.8G

1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.331	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.349	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.339	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.562	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.590	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.563	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.210	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.133	0.500	Pass

-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5795_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT80)_5775_80M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	18.36	16.42
NVNT	ANT1	802.11a	5785.00	18.24	16.44
NVNT	ANT1	802.11a	5825.00	18.31	16.42
NVNT	ANT1	802.11n(HT20)	5745.00	19.32	17.59
NVNT	ANT1	802.11n(HT20)	5785.00	19.34	17.61
NVNT	ANT1	802.11n(HT20)	5825.00	19.46	17.61
NVNT	ANT1	802.11n(HT40)	5755.00	40.90	36.28
NVNT	ANT1	802.11n(HT40)	5795.00	41.10	36.23


99%_OCB_NVNT_ANT1_802_11a_5745




-26BW_NVNT_ANT1_802_11a_5745




99%_OCB_NVNT_ANT1_802_11a_5785




-26BW_NVNT_ANT1_802_11a_5785




99%_OCB_NVNT_ANT1_802_11a_5825




-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755



99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	9.33	30.00	Pass
NVNT	ANT1	802.11a	5785.00	9.53	30.00	Pass
NVNT	ANT1	802.11a	5825.00	10.30	30.00	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	7.98	30.00	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	8.46	30.00	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	9.14	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	6.95	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	7.47	30.00	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795



4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11n(HT20)	5745.00	3.08	-0.09	4.42	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	3.48	-0.09	4.82	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	4.03	-0.09	5.37	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	0.82	-0.09	3.24	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	1.41	-0.09	3.83	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795




Power_Spectral_Density_NVNT_ANT1_802_11n(HT80)_5775




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5653.290	-47.54	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5658.240	-48.02	-24.34	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5717.720	-44.99	14.96	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5720.700	-42.30	17.20	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.635	-43.86	16.43	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5873.260	-46.68	10.49	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5911.765	-47.49	-20.23	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5936.660	-43.67	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5643.600	-48.04	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5668.590	-47.59	-15.83	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5719.860	-38.99	15.56	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.295	-38.19	16.27	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.185	-46.12	19.74	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5864.880	-46.67	12.83	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5900.245	-47.42	-10.76	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5944.220	-44.21	-27.00	Pass


Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT1_802_11n(HT20)_5825



Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11n(HT20)	5745.00	25044.15	-36.95	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25107.68	-36.78	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25075.91	-36.88	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25015.03	-36.54	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25041.50	-36.38	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
HT&NV	ANT1	802.11a	5745.00	5745.050	5736.132	5753.968	5725~5850	Pass
LT&NV	ANT1	802.11a	5745.00	5745.064	5736.280	5753.848	5725~5850	Pass
NT&NV	ANT1	802.11a	5745.00	5745.058	5736.356	5753.760	5725~5850	Pass
NT&HV	ANT1	802.11a	5745.00	5745.060	5736.432	5753.688	5725~5850	Pass
NT&LV	ANT1	802.11a	5745.00	5745.060	5736.496	5753.624	5725~5850	Pass
HT&NV	ANT1	802.11a	5785.00	5785.074	5776.144	5794.004	5725~5850	Pass
LT&NV	ANT1	802.11a	5785.00	5785.080	5776.288	5793.872	5725~5850	Pass
NT&NV	ANT1	802.11a	5785.00	5785.078	5776.372	5793.784	5725~5850	Pass
NT&HV	ANT1	802.11a	5785.00	5785.080	5776.444	5793.716	5725~5850	Pass
NT&LV	ANT1	802.11a	5785.00	5785.080	5776.512	5793.648	5725~5850	Pass
HT&NV	ANT1	802.11a	5825.00	5825.068	5816.100	5834.036	5725~5850	Pass
LT&NV	ANT1	802.11a	5825.00	5825.078	5816.276	5833.880	5725~5850	Pass
NT&NV	ANT1	802.11a	5825.00	5825.076	5816.364	5833.788	5725~5850	Pass
NT&HV	ANT1	802.11a	5825.00	5825.086	5816.440	5833.732	5725~5850	Pass
NT&LV	ANT1	802.11a	5825.00	5825.080	5816.500	5833.660	5725~5850	Pass
HT&NV	ANT1	802.11n(HT20)	5745.00	5745.072	5736.560	5753.584	5725~5850	Pass
LT&NV	ANT1	802.11n(HT20)	5745.00	5745.072	5736.624	5753.520	5725~5850	Pass
NT&NV	ANT1	802.11n(HT20)	5745.00	5745.066	5736.680	5753.452	5725~5850	Pass
NT&HV	ANT1	802.11n(HT20)	5745.00	5745.070	5736.728	5753.412	5725~5850	Pass
NT&LV	ANT1	802.11n(HT20)	5745.00	5745.068	5736.784	5753.352	5725~5850	Pass
HT&NV	ANT1	802.11n(HT20)	5785.00	5785.092	5776.588	5793.596	5725~5850	Pass
LT&NV	ANT1	802.11n(HT20)	5785.00	5785.102	5776.648	5793.556	5725~5850	Pass
NT&NV	ANT1	802.11n(HT20)	5785.00	5785.112	5776.708	5793.516	5725~5850	Pass
NT&HV	ANT1	802.11n(HT20)	5785.00	5785.104	5776.760	5793.448	5725~5850	Pass
NT&LV	ANT1	802.11n(HT20)	5785.00	5785.104	5776.816	5793.392	5725~5850	Pass
HT&NV	ANT1	802.11n(HT20)	5825.00	5825.086	5816.568	5833.604	5725~5850	Pass
LT&NV	ANT1	802.11n(HT20)	5825.00	5825.084	5816.620	5833.548	5725~5850	Pass
NT&NV	ANT1	802.11n(HT20)	5825.00	5825.084	5816.676	5833.492	5725~5850	Pass
NT&HV	ANT1	802.11n(HT20)	5825.00	5825.080	5816.724	5833.436	5725~5850	Pass
NT&LV	ANT1	802.11n(HT20)	5825.00	5825.084	5816.776	5833.392	5725~5850	Pass
HT&NV	ANT1	802.11n(HT40)	5755.00	5755.096	5736.872	5773.320	5725~5850	Pass
LT&NV	ANT1	802.11n(HT40)	5755.00	5755.112	5737.096	5773.128	5725~5850	Pass
NT&NV	ANT1	802.11n(HT40)	5755.00	5755.112	5737.256	5772.968	5725~5850	Pass
NT&HV	ANT1	802.11n(HT40)	5755.00	5755.144	5737.456	5772.832	5725~5850	Pass
NT&LV	ANT1	802.11n(HT40)	5755.00	5755.140	5737.568	5772.712	5725~5850	Pass
HT&NV	ANT1	802.11n(HT40)	5795.00	5795.092	5776.864	5813.320	5725~5850	Pass
LT&NV	ANT1	802.11n(HT40)	5795.00	5795.096	5777.088	5813.104	5725~5850	Pass
NT&NV	ANT1	802.11n(HT40)	5795.00	5795.104	5777.264	5812.944	5725~5850	Pass
NT&HV	ANT1	802.11n(HT40)	5795.00	5795.124	5777.448	5812.800	5725~5850	Pass
NT&LV	ANT1	802.11n(HT40)	5795.00	5795.156	5777.576	5812.736	5725~5850	Pass

***** End of Report *****