

Fully automatic car umbrella

Instruction Manual




Thank you very much for purchasing our product, please read this instruction carefully before use, and operate strictly in accordance with the instructions. Please keep the instruction manual carefully for future reference.

1. Attention! ⚠

1. Please install the luggage bar and roof in strict accordance with the instructions and operation video, lock each screw, regularly check whether it is loose every month, if there is looseness, please lock it in time.
2. Do not hand the remote control to children for play while driving to prevent the car hood from being opened!



4. When opening the car umbrella in windy weather. Please pay attention to whether the center wind buckle is attached, if the lock is not closed, please withdraw the car umbrella and do not use it.



5. If the wind blows open the tarpaulin windproof buckle during use, wait for the wind to stop and manually buckle the button on the tarpaulin back to the bracket.
6. In case of failure, please press the emergency switch under the battery box to see if it can be put away, if not, please charge the battery, and then use the remote to put away the car umbrella, if it still can't be put away, please manually put away the car umbrella, for specific operation details, please refer to the sixth manual operation method below.
7. When you often need to put the battery box back in after charging, the hand tightening fixing screw must be tightened until it cannot be tightened, otherwise it may be loosened, causing the battery box to fall and produce potential safety hazards!
8. Please do not open and use in extreme weather such as windy days, heavy rain days, and heavy snow days.
9. It is normal for the tarpaulin to have a small amount of stagnant water when it rains, and it will be automatically discharged when put away.
10. If the occasional jam is normal, please go back to the previous step to start again, if not, please check the location of the jam, eliminate the problem point can operate normally.
11. If you find that the suction cup is loose, please clean the position of the suction cup and the suction cup placed in the canopy in time to ensure that the suction cup is stable.

2. Schematic diagram of the product

① Head(including master control+battery)	② Luggage rack
③ Magnetic suction module	④ Upper cover
⑤ Lower cover	⑥ Suction Cup
⑦ Support leg	⑧ Tail



3. Installation

1. Car luggage rack Installation

Luggage rack need purchase by your own, pls choose the suitable luggage for your car model.

- 1) Just need install 1 luggage rack.
- 2) Recommend install on "B" pillar, can according your car model to adjust position.
- 3) The Specific installation way pls take car luggage rack manual as reference.



2. Car Umbrella Installation

- 1) Clean the position of suction cup and support leg



2. Car Umbrella Installation

- 2) Put the car umbrella on the car roof, align the groove with luggage rack and adjust car umbrella to middle position.



- 3) Adjust the angle of support to make car umbrella level the car, then use wrench to tighten the screw and press the suction cup to make sure it is stable.




4. After confirming that the suction cup is pressed down and has adhered to the car roof, operate the suction cup knob as shown in the figure. Rotate it to the position in Figure 2. When the knob is in place, you will hear a "click" sound.



- 5) Install metal sheet to the luggage rack, use hand and wrench to tighten 4 screws, until you can't tight any more, installation done.



4. Car Umbrella operation



5. After remote control "open" or "fold", pls close the remote cover for prevent misoperation.

6. If ran out of battery electricity, pls full charge in time, the details of charge in the 5th instruction.

7. If sometimes have the occasional jam is normal, please go back to the previous step to start again, if not, please check the location of the jam, eliminate the problem point can operate normally.

8. In case of failure, please press the emergency switch under the battery box to see if it can be put away, if not, please charge the battery, and then use the remote to put away the car umbrella, if it still can't be put away, please manually put away the car umbrella, for specific operation details, please refer to the 6th manual operation method below.


5. Battery charge

1. Remove the battery box: Stand on the driver's side. Manually unscrew the fixing screw under the battery box counterclockwise. Hold the battery head with your left hand, open the cover with your right hand, and pull out the battery box from the front to remove it.


2. Use the officially configured charger to charge the convertible top battery. The full - charge time is 10 hours.

3. The red light flashes during charging and goes out when fully charged.

4. Install the battery box: Hold the battery head with your left hand, open the cover with your right hand, and push the battery head horizontally into the compartment until it fits perfectly. Insert the hand - tightened screw into the hole under the battery box and turn it clockwise. Make sure to tighten the hand - tightened screw firmly until it can no longer be turned. (Note: If not tightened firmly, the screw may loosen, causing the battery box to fall and creating a safety hazard!)




6. How to change car umbrella to manual style when it fault



7. Car umbrella Maintenance



1. Please check the install screws of luggage and car umbrella if they are tightly enough every month to make sure our safety.
2. We can use brush to clean the fabric when there some foreign matter such like falls,leaves.
3. If the fabric have juice,guano such stains,we can open car umbrella is rainy day and rinsing when we wash car.
4. if the occasional jam is normal, please go back to the previous step to start again, if not, please check the location of the jam, eliminate the problem point can operate normally.
5. If you find that the suction cup is loose, please clean the position of the suction cup and the suction cup placed in the canopy in time to ensure that the suction cup is stable.
6. We can take off car umbrella when we long time not to use.
7. When the fabric is aged,please contact our customer services to buy suitable fabric and change by yourself.

8. Product Configuration



Fold size	1350*200*180mm	Open size	3800*2600mm
N.W.	12KG	Battery capacity	5000mAh
Charging current	2A	Charging Voltage	5V

9. Standard Packing Configuration



M8 nut*4 Ratchet wrench*1 Luggage rack accessory*1 Hexagon wrench*1

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

* RF warning for Portable device:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.