

深圳市瑞通电子有限公司

Shenzhen Ruitong Electronics Co., Ltd.



深圳市大浪华旺路 23 号诚和德工业区 2 栋 313

Room 313, Building 2, Chenghede Industrial Zone, No. 23, Huawang
Road, Longhua New District, Shenzhen City

客户确认承认书

Customer Acknowledgement of Specification for approval

Project:Y2	Author: Hai.Zhu	File Name: Y2_APP_A.doc
Date: 2025-01-20		
Revision:	A	
CONFIDENTIAL		
Shenzhen Ruitong Electronics Co., Ltd. address: Room 313, Building 2, Chenghede Industrial Zone, No. 23, Huawang Road, Longhua New District, Shenzhen City		


APPROVAL			
OnePlusOne:			
RF Check	ME Check	QC Check	Confirm By
			
Customer:			
EE Check	PM Check	QC Check	Confirm By
			

技术指标


1、天线指标

Freq (MHz)	Effi (%)	Gain (dBi)
2400	59.43	1.41
2410	49.16	0.66
2420	44.9	0.44
2430	41.86	0.33
2440	47.53	1.15
2450	54.02	2
2460	56.14	2.43
2470	54.01	2.18
2480	37.13	0.48
2490	43.8	1.06
2500	40.28	0.67


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz




2500.000MHz H



2500.000MHz E1



2500.000MHz E2



		版本		修改内容		修改者		修改日期																																	
		T:B																																							
A																																									
B	25MM ø0.6MM 1.0																																								
C																																									
D	<table><tr><td colspan="4">深圳市瑞通电子有限公司</td></tr><tr><td></td><td>单位: mm</td><td>名称: stamping</td><td>日期: 2025-4-29</td></tr><tr><td colspan="2">一般公差:</td><td>蓝牙天线</td><td>设计: 汪学华</td></tr><tr><td>X</td><td>±0.5</td><td>材质: 铜芯线</td><td>RF: 朱海</td></tr><tr><td>.X</td><td>±0.25</td><td>表面处理: 清洁</td><td>确认:</td></tr><tr><td>.XX</td><td>±0.15</td><td>颜色:</td><td>比例: 1:1</td></tr><tr><td>.XXX</td><td>±0.05</td><td>版本: A</td><td></td></tr><tr><td>ANGULAR</td><td>≤ ± 0.5°</td><td></td><td></td></tr></table>									深圳市瑞通电子有限公司					单位: mm	名称: stamping	日期: 2025-4-29	一般公差:		蓝牙天线	设计: 汪学华	X	±0.5	材质: 铜芯线	RF: 朱海	.X	±0.25	表面处理: 清洁	确认:	.XX	±0.15	颜色:	比例: 1:1	.XXX	±0.05	版本: A		ANGULAR	≤ ± 0.5°		
深圳市瑞通电子有限公司																																									
	单位: mm	名称: stamping	日期: 2025-4-29																																						
一般公差:		蓝牙天线	设计: 汪学华																																						
X	±0.5	材质: 铜芯线	RF: 朱海																																						
.X	±0.25	表面处理: 清洁	确认:																																						
.XX	±0.15	颜色:	比例: 1:1																																						
.XXX	±0.05	版本: A																																							
ANGULAR	≤ ± 0.5°																																								
1		2		3		4																																			