


Product image



Manufacturer: ShenZhen TianDa Communication CO., LTD.
Address: 302 Building A, JinGang science and Technology Park, Qiaotou community, Fuhai Street, Bao'an District, Shenzhen


Application Information	
04Version	5.244.350
TotalTime	3m 43s 875ms
AdditionalInfor	NULL

Passive Test For 2.4g									
Freq (MHz)	Effi (%)	Gain (dBi)	Gain (dBd)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	AttH (dB)	AttV (dB)
2400	7.2	-1.46	-3.61	6.765	0.432	-1.46	-40.65	43	43
2410	7.98	-1.11	-3.26	7.55	0.435	-1.11	-38.48	43.06	43.09
2420	8.26	-1	-3.15	7.843	0.416	-1	-36.74	43.19	43.25
2430	8.04	-1.11	-3.26	7.635	0.401	-1.11	-36.49	43.18	43.2
2440	8.66	-0.78	-2.93	8.241	0.421	-0.78	-35.34	43.26	43.26
2450	9.17	-0.51	-2.66	8.729	0.444	-0.51	-35.76	43.34	43.32
2460	7.25	-1.59	-3.74	6.919	0.33	-1.59	-38.23	43.06	43.12
2470	7	-1.64	-3.79	6.642	0.355	-1.64	-34.46	43.03	43.1
2480	8.14	-0.94	-3.09	7.694	0.442	-0.94	-33.18	43.28	43.33
2490	8.69	-0.57	-2.72	8.224	0.468	-0.57	-34.42	43.34	43.38
2500	7.98	-0.79	-2.94	7.546	0.439	-0.79	-36.21	43.41	43.47

2400.00MHz - 2500.00MHz Gain





2400.00MHz - 2500.00MHz Efficiency





2400.000MHz

2400.000MHz H




2400.000MHz E1


2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

