

## OR2103 Ultra-thin Tablet All-in-One

- ❖ Precise adjustment of high and low power
- ❖ Ultra-thin, aesthetically pleasing, and durable
- ❖ Materials and design tested for reliability
- ❖ Widely verified and used by renowned domestic and international clients



❖ **INTRODUCTION:** The OR2103 Ultra-thin Tablet All-in-One is elegantly designed, durable, and offers excellent shielding. It adapts to complex and tight spaces with ease. With precise high/low power adjustment, it suits coding, binding, near-field data collection, small-batch inventory, stocktaking, and cashier tasks in stores, offices, etc.

❖ **Product Information:**

Item	Parameters
<b>Product Code</b>	OR2103_Ultra-thin Tablet
<b>Frequency</b>	902~928MHz (US Standard)
<b>UHF RFID Antenna</b>	GIME924
<b>Circuit Board</b>	R500 Motherboard
<b>Housing Material</b>	Black matte plastic (white silk-screen print), black aluminum-plastic bottom shell
<b>Dimensions</b>	297*210*13.5mm
<b>Reading/Writing Mode</b>	RFID short-range reading
<b>Reading Range</b>	30cm within A4 paper range
<b>Power Supply</b>	USB-powered
<b>Data Interface</b>	Mini USB T-type port
<b>Packaging Dimensions</b>	320*230*40mm
<b>Packaging Material</b>	Corrugated paper



## ❖ FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

### FCC Radiation Exposure Statement

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received.

including interference that may cause undesired operation.

