













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	2.15	0.17	2.32	30	Pass
NVNT	a	5785	Ant1	4.22	0.17	4.39	30	Pass
NVNT	a	5825	Ant1	2.54	0.17	2.71	30	Pass
NVNT	a	5745	Ant2	4.06	0.17	4.23	30	Pass
NVNT	a	5785	Ant2	3.99	0.17	4.16	30	Pass
NVNT	a	5825	Ant2	2.27	0.17	2.44	30	Pass
NVNT	n20	5745	Ant1	-0.4	0.18	-0.22	30	Pass
NVNT	n20	5785	Ant1	-0.29	0.18	-0.11	30	Pass
NVNT	n20	5825	Ant1	-0.17	0.18	0.01	30	Pass
NVNT	n20	5745	Ant2	0.98	0.19	1.17	30	Pass
NVNT	n20	5785	Ant2	1.53	0.18	1.71	30	Pass
NVNT	n20	5825	Ant2	-0.86	0.19	-0.67	30	Pass
NVNT	n20	5745	Ant1	-3.45	0.09	-3.36	27.99	Pass
NVNT	n20	5745	Ant2	-1.95	0.09	-1.86	27.99	Pass
NVNT	n20	5745	MIMO	0.37	0.09	0.46	27.99	Pass
NVNT	n20	5785	Ant1	-3.45	0.09	-3.36	27.99	Pass
NVNT	n20	5785	Ant2	-1.54	0.09	-1.45	27.99	Pass
NVNT	n20	5785	MIMO	0.62	0.09	0.71	27.99	Pass
NVNT	n20	5825	Ant1	-3.12	0.1	-3.02	27.99	Pass
NVNT	n20	5825	Ant2	-3.54	0.1	-3.44	27.99	Pass
NVNT	n20	5825	MIMO	-0.31	0.1	-0.21	27.99	Pass
NVNT	n40	5755	Ant1	-2.71	0.37	-2.34	30	Pass
NVNT	n40	5795	Ant1	-2.95	0.36	-2.59	30	Pass
NVNT	n40	5755	Ant2	-1.27	0.37	-0.9	30	Pass
NVNT	n40	5795	Ant2	-1.22	0.36	-0.86	30	Pass
NVNT	n40	5755	Ant1	-6.29	0.36	-5.93	27.99	Pass
NVNT	n40	5755	Ant2	-4.6	0.36	-4.24	27.99	Pass
NVNT	n40	5755	MIMO	-2.35	0.36	-1.99	27.99	Pass
NVNT	n40	5795	Ant1	-6.54	0.37	-6.17	27.99	Pass
NVNT	n40	5795	Ant2	-4.31	0.37	-3.94	27.99	Pass
NVNT	n40	5795	MIMO	-2.27	0.37	-1.9	27.99	Pass
NVNT	ac20	5745	Ant1	-0.47	0.48	0.01	30	Pass
NVNT	ac20	5785	Ant1	-0.29	0.49	0.2	30	Pass
NVNT	ac20	5825	Ant1	-0.57	0.48	-0.09	30	Pass
NVNT	ac20	5745	Ant2	1.1	0.49	1.59	30	Pass
NVNT	ac20	5785	Ant2	1.2	0.49	1.69	30	Pass
NVNT	ac20	5825	Ant2	-0.53	0.48	-0.05	30	Pass
NVNT	ac20	5745	Ant1	-3.85	0.49	-3.36	27.99	Pass
NVNT	ac20	5745	Ant2	-2.23	0.49	-1.74	27.99	Pass
NVNT	ac20	5745	MIMO	0.05	0.49	0.54	27.99	Pass
NVNT	ac20	5785	Ant1	-3.54	0.48	-3.06	27.99	Pass
NVNT	ac20	5785	Ant2	-1.99	0.48	-1.51	27.99	Pass
NVNT	ac20	5785	MIMO	0.31	0.48	0.79	27.99	Pass
NVNT	ac20	5825	Ant1	-3.36	0.48	-2.88	27.99	Pass
NVNT	ac20	5825	Ant2	-4.15	0.48	-3.67	27.99	Pass
NVNT	ac20	5825	MIMO	-0.73	0.48	-0.25	27.99	Pass
NVNT	ac40	5755	Ant1	-3.18	0.86	-2.32	30	Pass
NVNT	ac40	5795	Ant1	-2.85	0.86	-1.99	30	Pass
NVNT	ac40	5755	Ant2	-1.6	0.84	-0.76	30	Pass
NVNT	ac40	5795	Ant2	-1.63	0.86	-0.77	30	Pass



NVNT	ac40	5755	Ant1	-6.71	0.84	-5.87	27.99	Pass
NVNT	ac40	5755	Ant2	-4.97	0.84	-4.13	27.99	Pass
NVNT	ac40	5755	MIMO	-2.74	0.84	-1.9	27.99	Pass
NVNT	ac40	5795	Ant1	-7.08	0.85	-6.23	27.99	Pass
NVNT	ac40	5795	Ant2	-4.94	0.85	-4.09	27.99	Pass
NVNT	ac40	5795	MIMO	-2.87	0.85	-2.02	27.99	Pass
NVNT	ac80	5775	Ant1	-6.28	1.39	-4.89	27.99	Pass
NVNT	ac80	5775	Ant2	-5.28	1.41	-3.87	27.99	Pass
NVNT	ac80	5775	Ant1	-10.82	1.41	-9.41	27.99	Pass
NVNT	ac80	5775	Ant2	-8.57	1.41	-7.16	27.99	Pass
NVNT	ac80	5775	MIMO	-6.54	1.41	-5.13	27.99	Pass
NVNT	ax20	5745	Ant1	-0.49	0.53	0.04	30	Pass
NVNT	ax20	5785	Ant1	-0.43	0.54	0.11	30	Pass
NVNT	ax20	5825	Ant1	-0.46	0.54	0.08	30	Pass
NVNT	ax20	5745	Ant2	1.04	0.54	1.58	30	Pass
NVNT	ax20	5785	Ant2	1.12	0.53	1.65	30	Pass
NVNT	ax20	5825	Ant2	-0.92	0.53	-0.39	30	Pass
NVNT	ax20	5745	Ant1	-3.73	0.54	-3.19	27.99	Pass
NVNT	ax20	5745	Ant2	-2.16	0.54	-1.62	27.99	Pass
NVNT	ax20	5745	MIMO	0.14	0.54	0.68	27.99	Pass
NVNT	ax20	5785	Ant1	-3.72	0.53	-3.19	27.99	Pass
NVNT	ax20	5785	Ant2	-1.41	0.53	-0.88	27.99	Pass
NVNT	ax20	5785	MIMO	0.6	0.53	1.13	27.99	Pass
NVNT	ax20	5825	Ant1	-3.49	0.53	-2.96	27.99	Pass
NVNT	ax20	5825	Ant2	-4.13	0.53	-3.6	27.99	Pass
NVNT	ax20	5825	MIMO	-0.79	0.53	-0.26	27.99	Pass
NVNT	ax40	5755	Ant1	-2.65	0.54	-2.11	30	Pass
NVNT	ax40	5795	Ant1	-2.63	0.54	-2.09	30	Pass
NVNT	ax40	5755	Ant2	-1.37	0.55	-0.82	30	Pass
NVNT	ax40	5795	Ant2	-1.55	0.54	-1.01	30	Pass
NVNT	ax40	5755	Ant1	-6.08	0.54	-5.54	27.99	Pass
NVNT	ax40	5755	Ant2	-4.6	0.54	-4.06	27.99	Pass
NVNT	ax40	5755	MIMO	-2.27	0.54	-1.73	27.99	Pass
NVNT	ax40	5795	Ant1	-5.99	0.55	-5.44	27.99	Pass
NVNT	ax40	5795	Ant2	-3.93	0.55	-3.38	27.99	Pass
NVNT	ax40	5795	MIMO	-1.83	0.55	-1.28	27.99	Pass
NVNT	ax80	5775	Ant1	-5.8	0.55	-5.25	30	Pass
NVNT	ax80	5775	Ant2	-9.87	0.56	-9.31	30	Pass
NVNT	ax80	5775	Ant1	-9.96	0.56	-9.4	27.99	Pass
NVNT	ax80	5775	Ant2	-7.76	0.56	-7.2	27.99	Pass
NVNT	ax80	5775	MIMO	-5.71	0.56	-5.15	27.99	Pass



































































Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-32.34		Pass
NVNT	a	5825	Ant1	-36.62		Pass
NVNT	a	5745	Ant2	-22.98		Pass
NVNT	a	5825	Ant2	-35.09		Pass
NVNT	n20	5745	Ant1	-36.87		Pass
NVNT	n20	5825	Ant1	-36.62		Pass
NVNT	n20	5745	Ant2	-36.03		Pass
NVNT	n20	5825	Ant2	-36.06		Pass
NVNT	n40	5755	Ant1	-34.95		Pass
NVNT	n40	5795	Ant1	-36.61		Pass
NVNT	n40	5755	Ant2	-34.08		Pass
NVNT	n40	5795	Ant2	-35.53		Pass
NVNT	ac20	5745	Ant1	-36.62		Pass
NVNT	ac20	5825	Ant1	-36.84		Pass
NVNT	ac20	5745	Ant2	-35.98		Pass
NVNT	ac20	5825	Ant2	-36.53		Pass
NVNT	ac40	5755	Ant1	-33.86		Pass
NVNT	ac40	5795	Ant1	-36.7		Pass
NVNT	ac40	5755	Ant2	-33.83		Pass
NVNT	ac40	5795	Ant2	-36.17		Pass
NVNT	ac80	5775	Ant1	-34.21		Pass
NVNT	ac80	5775	Ant2	-30.69		Pass
NVNT	ax20	5745	Ant1	-37.11		Pass
NVNT	ax20	5825	Ant1	-35.38		Pass
NVNT	ax20	5745	Ant2	-35.58		Pass
NVNT	ax20	5825	Ant2	-35.76		Pass
NVNT	ax40	5755	Ant1	-35.82		Pass
NVNT	ax40	5795	Ant1	-36.42		Pass
NVNT	ax40	5755	Ant2	-33.23		Pass
NVNT	ax40	5795	Ant2	-35.5		Pass
NVNT	ax80	5775	Ant1	-32		Pass
NVNT	ax80	5775	Ant2	-30.66		Pass

