




Frequency: 802.11ax20 5200MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	36.74	---	74.00	37.26	200.0	H	323.0	-18.0
2449.781250	36.26	---	68.20	31.94	350.0	H	191.0	-11.6
3491.031250	40.09	---	68.20	28.11	200.0	H	250.0	-7.2
6504.812500	42.86	---	68.20	25.34	150.0	H	240.0	-0.6
10210.812500	47.62	---	68.20	20.58	250.0	H	177.0	2.9
17132.468750	49.88	---	68.20	18.32	150.0	H	265.0	6.3

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	32.35	---	74.00	41.65	300.0	V	305.0	-18.0
1887.187500	35.65	---	68.20	32.55	250.0	V	174.0	-13.9
3483.062500	38.68	---	68.20	29.52	150.0	V	352.0	-7.2
6624.875000	42.96	---	68.20	25.24	100.0	V	221.0	-0.4
10492.375000	47.05	---	68.20	21.15	250.0	V	47.0	3.1
17063.406250	49.52	---	68.20	18.68	220.0	V	251.0	6.2



Frequency: 802.11ax20 5240MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	35.74	---	74.00	38.26	300.0	H	215.0	-18.0
1931.812500	39.65	---	68.20	28.55	250.0	H	254.0	-13.4
3433.125000	39.04	---	68.20	29.16	150.0	H	263.0	-7.3
6599.375000	43.14	---	68.20	25.06	200.0	H	255.0	-0.4
10392.500000	47.52	---	68.20	20.68	150.0	H	239.0	3.1
17092.625000	49.34	---	68.20	18.86	200.0	H	95.0	6.3

Copy of RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	41.5	31.9	250.0	H	146.0	-2.6	32.50	74.00	22.10	54.00
5399.600000	42.6	33.2	200.0	H	239.0	-2.4	31.40	74.00	20.80	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.05	---	74.00	40.95	240.0	V	172.0	-18.0
2537.968750	35.79	---	68.20	32.41	150.0	V	275.0	-11.0
3429.406250	38.68	---	68.20	29.52	210.0	V	129.0	-7.3
5502.343750	42.83	---	68.20	25.37	150.0	V	24.0	-2.1
10156.625000	48.05	---	68.20	20.15	100.0	V	280.0	2.9
17179.750000	48.71	---	68.20	19.49	200.0	V	172.0	6.4

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	41.3	31.8	250.0	V	239.0	-2.6	32.70	74.00	22.20	54.00
5388.100000	43.8	32.2	150.0	V	328.0	-2.5	30.16	74.00	21.80	54.00



Frequency: 802.11n40 5190MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	36.24	---	74.00	37.76	300.0	H	309.0	-18.0
1920.656250	35.65	---	68.20	32.55	250.0	H	76.0	-13.5
3551.593750	39.82	---	68.20	28.38	200.0	H	159.0	-6.9
6550.500000	43.31	---	68.20	24.89	150.0	H	132.0	-0.5
10366.468750	47.74	---	68.20	20.46	100.0	H	213.0	3.1
17154.250000	49.15	---	68.20	19.05	300.0	H	22.0	6.3

RE_HF907_BRF_Pre




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5144.914286	53.3	40.9	200.0	H	146.0	-3.0	20.72	74.00	13.10	54.00
5150.000000	55.4	41.6	150.0	H	317.0	-3.0	18.60	74.00	12.40	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	32.88	---	74.00	41.12	140.0	V	332.0	-18.0
2504.500000	35.72	---	68.20	32.48	220.0	V	138.0	-11.2
3530.875000	38.43	---	68.20	29.77	250.0	V	138.0	-7.0
7784.593750	47.24	---	68.20	20.96	300.0	V	143.0	-0.3
10283.593750	47.37	---	68.20	20.83	100.0	V	59.0	2.9
17146.812500	49.23	---	68.20	18.97	150.0	V	264.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5146.457143	52.6	39.1	200.0	V	147.0	-3.0	21.38	74.00	14.90	54.00
5150.000000	54.0	42.8	150.0	V	269.0	-3.0	20.00	74.00	11.20	54.00



Frequency: 802.11n40 5230MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	36.00	---	74.00	38.00	300.0	H	108.0	-18.0
2531.062500	36.38	---	68.20	31.82	100.0	H	188.0	-11.1
3417.718750	39.69	---	68.20	28.51	250.0	H	147.0	-7.3
7421.750000	45.97	---	74.00	28.03	300.0	H	184.0	-0.6
10168.312500	47.26	---	68.20	20.94	150.0	H	289.0	2.9
17096.875000	50.37	---	68.20	17.83	200.0	H	203.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	42.1	32.1	200.0	H	158.0	-2.6	31.94	74.00	21.90	54.00
5384.200000	42.9	33.3	150.0	H	107.0	-2.5	31.10	74.00	20.70	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1227.375000	31.14	---	74.00	42.86	300.0	V	114.0	-18.0
2613.406250	35.98	---	68.20	32.22	150.0	V	217.0	-10.6
3530.343750	39.33	---	68.20	28.87	250.0	V	203.0	-7.0
6758.750000	42.83	---	68.20	25.37	100.0	V	183.0	-0.3
10278.281250	47.46	---	68.20	20.74	200.0	V	17.0	2.9
17177.093750	48.59	---	68.20	19.61	100.0	V	177.0	6.4

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	41.7	32.3	150.0	V	112.0	-2.6	32.30	74.00	21.70	54.00
5380.600000	43.5	32.4	150.0	V	246.0	-2.5	30.50	74.00	21.60	54.00



Frequency: 802.11ac40 5190MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.77	---	74.00	38.23	200.0	H	116.0	-18.0
1932.875000	36.16	---	68.20	32.04	300.0	H	97.0	-13.4
3455.968750	38.47	---	68.20	29.73	150.0	H	306.0	-7.2
6568.031250	42.76	---	68.20	25.44	200.0	H	223.0	-0.5
10369.656250	47.05	---	68.20	21.15	150.0	H	44.0	3.1
17154.250000	48.78	---	68.20	19.42	100.0	H	72.0	6.3

RE_HF907_BRF_Pre




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5145.400000	53.2	40.2	255.0	H	217.0	-3.0	20.80	74.00	13.80	54.00
5150.000000	50.6	39.6	190.0	H	146.0	-3.0	23.40	74.00	14.40	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.22	---	74.00	40.78	150.0	V	316.0	-18.0
2507.156250	34.98	---	68.20	33.22	150.0	V	209.0	-11.2
3413.468750	38.66	---	68.20	29.54	150.0	V	160.0	-7.3
6745.468750	43.10	---	68.20	25.10	150.0	V	204.0	-0.3
10495.562500	47.08	---	68.20	21.12	150.0	V	9.0	3.1
17114.937500	49.12	---	68.20	19.08	150.0	V	121.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5145.428571	51.2	38.4	200.0	V	144.0	-3.0	22.80	74.00	15.60	54.00
5150.000000	48.9	36.5	150.0	V	317.0	-3.0	25.10	74.00	17.50	54.00



Frequency: 802.11ac40 5230MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.82	---	74.00	38.18	300.0	H	219.0	-18.0
2598.000000	34.79	---	68.20	33.41	350.0	H	133.0	-10.7
3495.812500	39.21	---	68.20	28.99	200.0	H	219.0	-7.2
6555.812500	42.94	---	68.20	25.26	150.0	H	186.0	-0.5
10393.562500	47.49	---	68.20	20.71	100.0	H	194.0	3.1
17124.500000	49.35	---	68.20	18.85	200.0	H	118.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	43.1	32.1	260.0	H	289.0	-2.6	30.90	74.00	21.90	54.00
5367.700000	43.2	33.5	100.0	H	250.0	-2.5	30.79	74.00	20.50	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.35	---	74.00	40.65	250.0	V	99.0	-18.0
2135.281250	35.07	---	68.20	33.13	220.0	V	0.0	-12.5
3552.656250	39.25	---	68.20	28.95	100.0	V	103.0	-6.9
6627.000000	43.02	---	68.20	25.18	100.0	V	317.0	-0.4
10259.156250	47.50	---	68.20	20.70	150.0	V	108.0	2.9
17160.093750	48.72	---	68.20	19.48	150.0	V	327.0	6.4

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	42.0	31.9	220.0	V	195.0	-2.6	31.95	74.00	22.10	54.00
5393.266667	43.0	32.5	200.0	V	261.0	-2.4	30.95	74.00	21.50	54.00



Frequency: 802.11ax40 5190MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.44	---	74.00	38.56	300.0	H	159.0	-18.0
2445.531250	35.33	---	68.20	32.87	150.0	H	110.0	-11.6
3471.906250	38.08	---	68.20	30.12	200.0	H	105.0	-7.2
6661.000000	43.06	---	68.20	25.14	150.0	H	184.0	-0.3
10073.218750	47.08	---	68.20	21.12	200.0	H	30.0	2.8
17157.968750	48.83	---	68.20	19.37	100.0	H	139.0	6.3

RE_HF907_BRF_Pre




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5146.971429	53.7	41.2	255.0	H	321.0	-3.0	20.26	74.00	12.80	54.00
5150.000000	52.7	39.8	150.0	H	197.0	-3.0	21.30	74.00	14.20	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	33.05	---	74.00	40.95	100.0	V	254.0	-18.0
2017.343750	34.91	---	68.20	33.29	210.0	V	249.0	-12.6
3421.437500	38.60	---	68.20	29.60	250.0	V	205.0	-7.3
6675.343750	42.49	---	68.20	25.71	150.0	V	335.0	-0.3
10299.531250	47.44	---	68.20	20.76	150.0	V	141.0	3.0
17096.343750	48.90	---	68.20	19.30	300.0	V	0.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5141.200000	51.2	40.2	300.0	V	225.0	-3.0	22.80	74.00	13.80	54.00
5150.000000	52.3	42.3	100.0	V	124.0	-3.0	21.70	74.00	11.70	54.00

Frequency: 802.11ax40 5230MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.23	---	74.00	38.77	150.0	H	98.0	-18.0
2603.843750	35.96	---	68.20	32.24	250.0	H	143.0	-10.6
3522.906250	39.29	---	68.20	28.91	310.0	H	0.0	-7.0
6100.000000	42.76	---	68.20	25.44	250.0	H	103.0	-1.1
10223.031250	47.40	---	68.20	20.80	150.0	H	340.0	2.9
17121.312500	49.56	---	68.20	18.64	300.0	H	123.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	41.6	32.6	100.0	H	139.0	-2.6	32.40	74.00	21.40	54.00
5379.400000	43.0	31.9	250.0	H	251.0	-2.5	31.04	74.00	22.10	54.00




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	32.13	---	74.00	41.87	350.0	V	0.0	-18.0
2591.093750	35.64	---	68.20	32.56	200.0	V	310.0	-10.7
3503.781250	39.02	---	68.20	29.18	150.0	V	276.0	-7.2
6211.031250	43.37	---	68.20	24.83	200.0	V	174.0	-1.0
10343.625000	48.03	---	68.20	20.17	150.0	V	320.0	3.0
17101.656250	48.89	---	68.20	19.31	150.0	V	1.0	6.3

RE_HF907_BR_F_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - RMS (dB)	Limit - RMS (dBuV/m)
5350.000000	42.2	32.1	150.0	V	326.0	-2.6	31.80	74.00	21.90	54.00
5370.400000	43.0	33.6	150.0	V	207.0	-2.5	31.00	74.00	20.40	54.00

Frequency: 802.11a 5745MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.45	---	74.00	39.55	300.0	H	150.0	-18.0
2528.937500	35.35	---	68.20	32.85	150.0	H	228.0	-11.1
3423.562500	38.99	---	68.20	29.21	100.0	H	330.0	-7.3
7011.093750	44.37	---	68.20	23.83	250.0	H	291.0	-2.1
10161.406250	47.57	---	68.20	20.63	150.0	H	198.0	2.9
17096.875000	49.30	---	68.20	18.90	300.0	H	188.0	6.3


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5716.300000	66.9	---	150.0	H	214.0	-2.1	42.9	109.8
5725.000000	75.1	---	220.0	H	239.0	-2.1	74.9	150.0
5850.000000	41.5	---	100.0	H	250.0	-1.9	80.7	122.2
5860.600000	43.1	---	150.0	H	119.0	-1.8	66.1	109.2


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	32.66	---	74.00	41.34	350.0	V	252.0	-18.0
2101.812500	35.77	---	68.20	32.43	250.0	V	79.0	-12.4
3426.750000	39.16	---	68.20	29.04	100.0	V	295.0	-7.3
7542.875000	45.25	---	68.20	22.95	250.0	V	300.0	-2.1
10415.343750	47.04	---	68.20	21.16	150.0	V	211.0	3.1
17138.843750	49.88	---	68.20	18.32	200.0	V	320.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5710.900000	65.4	---	250.0	V	147.0	-2.1	42.9	108.3
5725.000000	70.2	---	100.0	V	236.0	-2.1	52.0	122.2
5850.000000	42.3	---	220.0	V	241.0	-2.0	79.9	122.2
5920.250000	43.4	---	100.0	V	189.0	-2.0	28.3	71.7

Frequency: 802.11a 5785MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.63	---	74.00	38.37	200.0	H	149.0	-18.0
2566.656250	35.64	---	68.20	32.56	150.0	H	95.0	-10.8
3454.375000	39.59	---	68.20	28.61	250.0	H	273.0	-7.2
6651.968750	42.97	---	68.20	25.23	300.0	H	219.0	-0.3
10148.656250	48.18	---	68.20	20.02	150.0	H	228.0	2.9
17117.593750	49.48	---	68.20	18.72	100.0	H	292.0	6.3

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	32.94	---	54.00	26.02	350.0	V	358.0	-18.0
2599.062500	35.50	---	68.20	32.70	220.0	V	213.0	-10.7
3275.343750	39.89	---	68.20	28.31	150.0	V	358.0	-7.7
6663.656250	44.09	---	68.20	24.11	200.0	V	238.0	-0.3
8677.625000	47.83	---	68.20	20.37	150.0	V	1.0	1.3
17121.312500	48.66	---	68.20	19.54	100.0	V	254.0	6.3



Frequency: 802.11a 5825MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.73	---	74.00	40.27	200.0	H	315.0	-18.0
2549.125000	35.05	---	68.20	33.15	150.0	H	174.0	-10.9
3329.000000	38.60	---	68.20	29.60	200.0	H	241.0	-7.5
6604.156250	43.79	---	68.20	24.41	250.0	H	156.0	-0.4
10301.656250	46.88	---	68.20	21.32	300.0	H	359.0	3.0
17098.468750	49.03	---	68.20	19.17	150.0	H	149.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5708.500000	42.4	---	150.0	H	359.0	-2.1	65.2	107.6
5725.000000	41.8	---	150.0	H	359.0	-2.1	108.2	150.0
5850.000000	65.8	---	150.0	H	359.0	-1.8	56.4	122.2
5899.000000	48.1	---	150.0	H	359.0	-1.7	39.3	87.4




Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.06	---	74.00	39.94	150.0	V	301.0	-18.0
2599.593750	35.02	---	68.20	33.18	100.0	V	220.0	-10.7
3445.343750	38.58	---	68.20	29.62	300.0	V	94.0	-7.3
8737.656250	48.50	---	68.20	19.70	350.0	V	138.0	-0.3
10153.437500	48.72	---	68.20	19.48	220.0	V	359.0	2.9
17119.187500	49.27	---	68.20	18.93	150.0	V	249.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5686.300000	43.5	---	250.0	V	211.0	-2.1	51.6	95.1
5725.000000	41.8	---	150.0	V	149.0	-2.0	108.2	150.0
5850.000000	67.3	---	100.0	V	237.0	-1.8	54.9	122.2
5890.600000	46.9	---	200.0	V	333.0	-1.7	46.7	93.6

Frequency: 802.11n20 5745MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	34.48	---	74.00	39.52	250.0	H	165.0	-18.0
2109.250000	35.45	---	68.20	32.75	150.0	H	336.0	-12.5
3492.093750	39.49	---	68.20	28.71	100.0	H	64.0	-7.2
6681.718750	42.44	---	68.20	25.76	300.0	H	281.0	-0.3
10314.406250	47.02	---	68.20	21.18	320.0	H	326.0	3.0
17173.906250	48.63	---	68.20	19.57	100.0	H	180.0	6.4


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5702.475000	60.4	---	250.0	H	211.0	-2.1	45.5	105.9
5725.000000	76.4	---	120.0	H	239.0	-2.1	73.6	150.0
5850.000000	42.2	---	150.0	H	178.0	-1.9	80.0	122.2
5863.900000	43.2	---	100.0	H	159.0	-1.8	65.1	108.3


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	32.64	---	74.00	41.36	150.0	V	118.0	-18.0
2618.718750	35.21	---	68.20	32.99	200.0	V	278.0	-10.6
3369.906250	39.10	---	68.20	29.10	220.0	V	288.0	-7.4
6663.656250	42.68	---	68.20	25.52	320.0	V	44.0	-0.3
10153.437500	46.56	---	68.20	21.64	100.0	V	236.0	2.9
17134.593750	48.85	---	68.20	19.35	150.0	V	312.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5703.900000	60.9	---	300.0	V	224.0	-2.1	45.4	106.3
5725.000000	72.4	---	250.0	V	158.0	-2.1	77.6	150.0
5850.000000	42.3	---	100.0	V	317.0	-2.0	79.9	122.2
5903.875000	43.9	---	150.0	V	207.0	-1.9	39.9	83.8

Frequency: 802.11n20 5785MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.78	---	74.00	39.22	350.0	H	286.0	-18.0
2482.718750	35.76	---	68.20	32.44	250.0	H	242.0	-11.4
3460.750000	38.44	---	68.20	29.76	150.0	H	155.0	-7.2
6365.625000	42.34	---	68.20	25.86	200.0	H	48.0	-0.9
10479.625000	47.60	---	68.20	20.60	150.0	H	256.0	3.1
17121.312500	49.82	---	68.20	18.38	100.0	H	281.0	6.3

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.16	---	74.00	40.84	300.0	V	146.0	-18.0
2609.156250	35.07	---	68.20	33.13	150.0	V	113.0	-10.6
3429.406250	38.71	---	68.20	29.49	200.0	V	281.0	-7.3
6549.968750	42.98	---	68.20	25.22	150.0	V	59.0	-0.5
10419.593750	47.28	---	68.20	20.92	220.0	V	349.0	3.1
17087.843750	49.31	---	68.20	18.89	100.0	V	28.0	6.3

Frequency: 802.11n20 5825MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.18	---	74.00	39.82	300.0	H	281.0	-18.0
2520.437500	35.25	---	68.20	32.95	150.0	H	160.0	-11.1
3596.218750	38.66	---	68.20	29.54	250.0	H	75.0	-6.9
6093.093750	42.84	---	68.20	25.36	200.0	H	276.0	-1.1
10301.656250	47.54	---	68.20	20.66	150.0	H	184.0	3.0
17121.312500	48.60	---	68.20	19.60	100.0	H	117.0	6.3


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5710.600000	43.5	---	250.0	H	211.0	-2.1	64.7	108.2
5725.000000	42.1	---	140.0	H	145.0	-2.1	107.9	150.0
5850.000000	69.5	---	100.0	H	319.0	-1.9	52.7	122.2
5863.000000	63.6	---	250.0	H	208.0	-1.8	45.0	108.6


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.26	---	74.00	40.76	330.0	V	273.0	-18.0
2531.062500	34.86	---	68.20	33.34	250.0	V	195.0	-11.1
3448.000000	39.10	---	68.20	29.10	150.0	V	253.0	-7.3
6562.187500	42.77	---	68.20	25.43	100.0	V	44.0	-0.5
8737.656250	47.87	---	68.20	20.33	150.0	V	336.0	1.5
17112.281250	49.33	---	68.20	18.87	200.0	V	223.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5700.700000	43.5	---	250.0	V	211.0	-2.1	61.9	105.4
5725.000000	41.4	---	100.0	V	315.0	-2.1	108.6	150.0
5850.000000	68.3	---	200.0	V	248.0	-1.9	53.9	122.2
5859.700000	65.9	---	150.0	V	309.0	-1.8	43.6	109.5

Frequency: 802.11ac20 5745MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	34.28	---	74.00	39.72	150.0	H	155.0	-18.0
2593.218750	36.04	---	68.20	32.16	200.0	H	126.0	-10.7
3576.031250	38.87	---	68.20	29.33	300.0	H	242.0	-6.9
6690.750000	42.23	---	68.20	25.97	150.0	H	306.0	-0.3
10495.031250	47.37	---	68.20	20.83	220.0	H	219.0	3.1
17051.718750	48.60	---	68.20	19.60	100.0	H	18.0	6.2


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5711.500000	65.2	---	250.0	H	154.0	-2.1	43.3	108.4
5725.000000	74.2	---	100.0	H	268.0	-2.1	75.8	150.0
5850.000000	42.4	---	150.0	H	237.0	-1.9	79.8	122.2
5868.100000	42.7	---	300.0	H	211.0	-1.8	64.4	107.1


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	33.86	---	74.00	40.14	250.0	V	144.0	-18.0
2543.281250	35.40	---	68.20	32.80	220.0	V	24.0	-11.0
3493.687500	38.67	---	68.20	29.53	150.0	V	148.0	-7.2
6798.593750	42.68	---	68.20	25.52	1000.0	V	98.0	-0.3
10285.187500	47.31	---	68.20	20.89	220.0	V	202.0	2.9
17147.343750	49.73	---	68.20	18.47	320.0	V	163.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5718.100000	66.9	---	300.0	V	228.0	-2.1	43.4	110.3
5725.000000	72.7	---	250.0	V	241.0	-2.1	77.3	150.0
5850.000000	42.8	---	180.0	V	169.0	-1.9	79.4	122.2
5902.000000	44.2	---	150.0	V	332.0	-1.7	41.0	85.2




Frequency: 802.11ac20 5785MHz



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.79	---	74.00	39.21	200.0	H	79.0	-18.0
2425.343750	35.68	---	68.20	32.52	150.0	H	69.0	-11.7
3503.781250	38.53	---	68.20	29.67	200.0	H	286.0	-7.2
6626.468750	42.55	---	68.20	25.65	300.0	H	276.0	-0.4
10308.031250	46.78	---	68.20	21.42	250.0	H	311.0	3.0
17100.593750	49.14	---	68.20	19.06	100.0	H	281.0	6.3




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.25	---	74.00	39.75	200.0	V	315.0	-18.0
2586.843750	35.00	---	68.20	33.20	150.0	V	296.0	-10.7
3496.875000	38.74	---	68.20	29.46	300.0	V	335.0	-7.2
6430.437500	43.25	---	68.20	24.95	200.0	V	345.0	-0.8
10382.406250	47.00	---	68.20	21.20	250.0	V	238.0	3.1
17096.875000	49.15	---	68.20	19.05	150.0	V	123.0	6.3

Frequency: 802.11ac20 5825MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.30	---	74.00	39.70	350.0	H	30.0	-18.0
2557.093750	35.56	---	68.20	32.64	250.0	H	261.0	-10.9
3469.250000	38.88	---	68.20	29.32	200.0	H	189.0	-7.2
6542.000000	42.64	---	68.20	25.56	150.0	H	199.0	-0.5
10136.437500	47.17	---	68.20	21.03	200.0	H	347.0	2.9
17161.156250	48.61	---	68.20	19.59	100.0	H	297.0	6.4


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5706.700000	43.8	---	200.0	H	148.0	-2.1	63.2	107.1
5725.000000	42.1	---	150.0	H	305.0	-2.1	107.9	150.0
5850.000000	68.4	---	250.0	H	216.0	-1.9	53.8	122.2
5857.325000	65.2	---	300.0	H	111.0	-1.8	45.0	110.1


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	33.74	---	74.00	40.26	300.0	V	296.0	-18.0
1935.531250	34.91	---	68.20	33.29	150.0	V	214.0	-13.3
3546.281250	38.58	---	68.20	29.62	150.0	V	104.0	-6.9
6650.375000	42.79	---	68.20	25.41	200.0	V	180.0	-0.3
8737.656250	48.36	---	68.20	19.84	150.0	V	315.0	1.5
17144.156250	49.39	---	68.20	18.81	220.0	V	216.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5713.900000	43.7	---	250.0	V	118.0	-2.1	65.4	109.1
5725.000000	42.3	---	300.0	V	241.0	-2.1	107.7	150.0
5850.000000	69.0	---	210.0	V	239.0	-1.9	53.2	122.2
5856.700000	65.6	---	150.0	V	158.0	-1.8	44.7	110.3

Frequency: 802.11ax20 5745MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.06	---	74.00	39.94	100.0	H	174.0	-18.0
2600.656250	35.04	---	68.20	33.16	100.0	H	212.0	-10.7
3365.125000	38.13	---	68.20	30.07	150.0	H	135.0	-7.4
6462.312500	42.82	---	68.20	25.38	220.0	H	306.0	-0.7
10304.843750	48.45	---	68.20	19.75	330.0	H	284.0	3.0
17100.062500	48.75	---	68.20	19.45	250.0	H	58.0	6.3


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5705.325000	63.4	---	250.0	H	149.0	-2.1	43.3	106.7
5725.000000	73.2	---	300.0	H	144.0	-2.1	76.8	150.0
5850.000000	42.1	---	220.0	H	219.0	-1.9	80.1	122.2
5891.525000	42.8	---	150.0	H	208.0	-2.0	50.1	92.9


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.59	---	74.00	38.41	300.0	V	256.0	-18.0
2307.406250	35.02	---	68.20	33.18	150.0	V	314.0	-12.3
3447.468750	39.00	---	68.20	29.20	150.0	V	328.0	-7.3
6424.062500	42.90	---	68.20	25.30	200.0	V	290.0	-0.8
10152.906250	46.92	---	68.20	21.28	220.0	V	165.0	2.9
17130.343750	49.05	---	68.20	19.15	310.0	V	146.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5705.325000	61.9	---	250.0	V	211.0	-2.1	44.8	106.7
5725.000000	73.4	---	300.0	V	209.0	-2.1	76.6	150.0
5850.000000	42.7	---	100.0	V	284.0	-2.0	79.5	122.2
5900.500000	42.9	---	150.0	V	153.0	-1.7	43.4	86.3




Frequency: 802.11ax20 5785MHz



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	35.13	---	74.00	38.87	200.0	H	281.0	-18.0
2599.062500	36.54	---	68.20	31.66	150.0	H	291.0	-10.7
3548.937500	39.17	---	68.20	29.03	300.0	H	296.0	-6.9
6102.125000	43.11	---	68.20	25.09	250.0	H	296.0	-1.1
10156.093750	47.39	---	68.20	20.81	150.0	H	286.0	2.9
17100.593750	49.34	---	68.20	18.86	200.0	H	243.0	6.3




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.93	---	74.00	39.07	200.0	V	304.0	-18.0
2430.656250	35.63	---	68.20	32.57	150.0	V	274.0	-11.7
3509.093750	38.37	---	68.20	29.83	220.0	V	170.0	-7.1
6421.937500	43.12	---	68.20	25.08	150.0	V	359.0	-0.8
8677.625000	48.53	---	68.20	19.67	300.0	V	304.0	1.3
17101.125000	49.71	---	68.20	18.49	350.0	V	224.0	6.3

Frequency: 802.11ax20 5825MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.68	---	74.00	40.32	100.0	H	112.0	-18.0
1938.718750	35.28	---	68.20	32.92	150.0	H	193.0	-13.3
3426.750000	38.73	---	68.20	29.47	100.0	H	263.0	-7.3
6587.687500	43.82	---	68.20	24.38	250.0	H	323.0	-0.4
10382.937500	47.05	---	68.20	21.15	220.0	H	298.0	3.1
17138.312500	49.51	---	68.20	18.69	320.0	H	98.0	6.3


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5708.500000	42.0	---	200.0	H	145.0	-2.1	65.6	107.6
5725.000000	42.1	---	150.0	H	216.0	-2.1	107.9	150.0
5850.000000	69.6	---	300.0	H	315.0	-1.9	52.6	122.2
5861.200000	63.7	---	250.0	H	220.0	-1.8	45.4	109.1


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	32.76	---	74.00	41.24	320.0	V	221.0	-18.0
2544.343750	34.80	---	68.20	33.40	250.0	V	291.0	-11.0
3442.156250	39.40	---	68.20	28.80	100.0	V	267.0	-7.3
6515.437500	42.97	---	68.20	25.23	150.0	V	230.0	-0.6
8737.656250	48.71	---	68.20	19.49	200.0	V	320.0	1.5
17140.968750	48.96	---	68.20	19.24	200.0	V	153.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5714.200000	42.4	---	200.0	V	145.0	-2.1	66.8	109.2
5725.000000	41.6	---	350.0	V	218.0	-2.1	108.4	150.0
5850.000000	73.1	---	150.0	V	329.0	-1.8	49.2	122.2
5863.025000	63.2	---	200.0	V	167.0	-1.6	45.3	108.6

Frequency: 802.11n40 5755MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.27	---	74.00	39.73	150.0	H	131.0	-18.0
2565.593750	34.89	---	68.20	33.31	200.0	H	86.0	-10.8
3480.406250	38.78	---	68.20	29.42	100.0	H	62.0	-7.2
6553.156250	42.40	---	68.20	25.80	100.0	H	332.0	-0.5
10161.406250	47.55	---	68.20	20.65	320.0	H	239.0	2.9
17113.343750	49.11	---	68.20	19.09	200.0	H	164.0	6.3


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5702.500000	54.6	---	250.0	H	211.0	-2.1	51.3	105.9
5725.000000	70.5	---	150.0	H	249.0	-2.1	79.5	150.0
5850.000000	44.6	---	100.0	H	138.0	-1.9	77.6	122.2
5867.800000	44.2	---	300.0	H	247.0	-1.8	63.0	107.2


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.33	---	74.00	40.67	350.0	V	233.0	-18.0
2454.031250	35.20	---	68.20	33.00	200.0	V	238.0	-11.6
3397.531250	38.54	---	68.20	29.66	150.0	V	82.0	-7.4
6404.937500	43.11	---	68.20	25.09	220.0	V	152.0	-0.8
10160.875000	47.59	---	68.20	20.61	150.0	V	32.0	2.9
17127.687500	50.15	---	68.20	18.05	100.0	V	248.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5688.100000	50.6	---	300.0	V	145.0	-2.1	45.8	96.4
5725.000000	67.6	---	250.0	V	129.0	-2.1	82.4	150.0
5850.000000	45.8	---	220.0	V	284.0	-1.9	76.4	122.2
5866.900000	45.1	---	150.0	V	302.0	-1.8	62.3	107.5

Frequency: 802.11n40 5795MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	34.65	---	74.00	39.35	300.0	H	291.0	-18.0
2430.125000	35.18	---	68.20	33.02	250.0	H	311.0	-11.7
3379.468750	39.04	---	68.20	29.16	150.0	H	232.0	-7.4
6633.906250	43.45	---	68.20	24.75	200.0	H	284.0	-0.3
10458.375000	48.63	---	68.20	19.57	100.0	H	78.0	3.1
17147.875000	48.65	---	68.20	19.55	150.0	H	271.0	6.3


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5717.200000	48.5	---	200.0	H	225.0	-2.1	61.5	110.0
5725.000000	47.3	---	150.0	H	148.0	-2.1	102.7	150.0
5850.000000	50.9	---	300.0	H	297.0	-1.9	71.3	122.2
5868.100000	50.1	---	150.0	H	304.0	-1.8	57.0	107.1


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.59	---	74.00	40.41	300.0	V	39.0	-18.0
2517.781250	34.57	---	68.20	33.63	250.0	V	142.0	-11.2
3518.125000	39.23	---	68.20	28.97	150.0	V	249.0	-7.1
6846.406250	43.13	---	68.20	25.07	200.0	V	340.0	-0.2
10150.781250	46.85	---	68.20	21.35	150.0	V	258.0	2.9
17091.031250	48.74	---	68.20	19.46	300.0	V	326.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5692.600000	45.0	---	200.0	V	241.0	-2.1	54.7	99.7
5725.000000	46.0	---	200.0	V	156.0	-2.1	104.0	150.0
5850.000000	50.4	---	150.0	V	238.0	-1.8	71.8	122.2
5868.100000	50.5	---	100.0	V	99.0	-1.8	56.7	107.1

Frequency: 802.11ac40 5755MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	34.23	---	74.00	39.77	200.0	H	301.0	-18.0
2590.562500	35.51	---	68.20	32.69	250.0	H	73.0	-10.7
3482.531250	39.08	---	68.20	29.12	300.0	H	321.0	-7.2
6144.625000	42.87	---	68.20	25.33	150.0	H	293.0	-1.1
10345.218750	48.05	---	68.20	20.15	150.0	H	192.0	3.0
17116.000000	49.15	---	68.20	19.05	250.0	H	59.0	6.3


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5700.700000	54.8	---	250.0	H	250.0	-2.1	50.6	105.4
5725.000000	70.7	---	220.0	H	142.0	-2.1	79.3	150.0
5850.000000	45.8	---	150.0	H	250.0	-1.9	76.4	122.2
5854.900000	47.4	---	300.0	H	139.0	-1.8	63.6	111.0


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	33.20	---	74.00	40.80	300.0	V	194.0	-18.0
2578.875000	35.57	---	68.20	32.63	250.0	V	277.0	-10.8
3426.750000	38.62	---	68.20	29.58	150.0	V	96.0	-7.3
6656.218750	43.40	---	68.20	24.80	200.0	V	239.0	-0.3
10175.750000	47.02	---	68.20	21.18	150.0	V	77.0	2.9
17115.468750	49.23	---	68.20	18.97	220.0	V	224.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5701.600000	54.2	---	250.0	V	142.0	-2.1	51.4	105.6
5725.000000	67.6	---	120.0	V	251.0	-2.1	82.4	150.0
5850.000000	45.1	---	300.0	V	239.0	-1.9	77.1	122.2
5873.800000	43.6	---	150.0	V	285.0	-1.8	61.9	105.5

Frequency: 802.11ac40 5795MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.562500	34.20	---	74.00	39.80	300.0	H	252.0	-18.0
2597.468750	35.94	---	68.20	32.26	250.0	H	213.0	-10.7
3189.812500	38.88	---	68.20	29.32	150.0	H	62.0	-8.0
6756.093750	42.74	---	68.20	25.46	200.0	H	174.0	-0.3
10410.562500	47.81	---	68.20	20.39	150.0	H	358.0	3.1
17083.593750	49.03	---	68.20	19.17	250.0	H	71.0	6.3


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5705.800000	46.9	---	250.0	H	142.0	-2.1	59.9	106.8
5725.000000	48.2	---	100.0	H	256.0	-2.1	101.8	150.0
5850.000000	56.3	---	250.0	H	318.0	-1.9	65.9	122.2
5862.400000	53.8	---	300.0	H	205.0	-1.8	54.9	108.7


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.19	---	74.00	40.81	150.0	V	149.0	-18.0
2572.500000	34.86	---	68.20	33.34	200.0	V	93.0	-10.8
3440.562500	40.20	---	68.20	28.00	150.0	V	103.0	-7.3
6656.218750	42.82	---	68.20	25.38	220.0	V	312.0	-0.3
8692.500000	47.34	---	68.20	20.86	250.0	V	341.0	1.4
17155.312500	49.53	---	68.20	18.67	300.0	V	317.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5708.650000	46.9	---	300.0	V	224.0	-2.1	60.7	107.6
5725.000000	46.2	---	150.0	V	158.0	-2.0	103.8	150.0
5850.000000	57.8	---	100.0	V	237.0	-1.9	64.4	122.2
5860.300000	54.6	---	150.0	V	241.0	-1.8	54.7	109.3

Frequency: 802.11ax40 5755MHz


Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.45	---	74.00	38.55	100.0	H	206.0	-18.0
2551.781250	35.02	---	68.20	33.18	320.0	H	358.0	-10.9
3479.343750	38.47	---	68.20	29.73	200.0	H	76.0	-7.2
6576.000000	42.98	---	68.20	25.22	200.0	H	90.0	-0.4
10278.812500	47.61	---	68.20	20.59	150.0	H	230.0	2.9
17148.937500	49.18	---	68.20	19.02	100.0	H	206.0	6.3


RE_HF907_BRF_Pre



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5692.900000	52.6	---	300.0	H	245.0	-2.1	47.4	100.0
5725.000000	67.9	---	250.0	H	158.0	-2.1	82.1	150.0
5850.000000	45.9	---	100.0	H	269.0	-1.9	76.3	122.2
5875.900000	44.4	---	220.0	H	317.0	-1.8	60.1	104.5


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	33.85	---	74.00	40.15	330.0	V	74.0	-18.0
2414.187500	34.72	---	68.20	33.48	250.0	V	301.0	-11.8
3534.062500	38.79	---	68.20	29.41	100.0	V	148.0	-7.0
6682.781250	42.65	---	68.20	25.55	150.0	V	4.0	-0.3
10446.156250	47.34	---	68.20	20.86	220.0	V	196.0	3.1
17123.968750	49.72	---	68.20	18.48	250.0	V	281.0	6.3

RE_HF907_BRF_Pre




Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5717.200000	64.1	---	250.0	V	244.0	-2.1	45.9	110.0
5725.000000	66.3	---	300.0	V	125.0	-2.1	83.7	150.0
5850.000000	44.6	---	250.0	V	239.0	-1.8	77.6	122.2
5872.900000	44.6	---	150.0	V	241.0	-1.8	61.2	105.8

Frequency: 802.11ax40 5795MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	35.02	---	74.00	38.98	300.0	H	114.0	-18.0
2595.875000	35.28	---	68.20	32.92	220.0	H	152.0	-10.7
3217.437500	38.66	---	68.20	29.54	350.0	H	220.0	-7.9
6323.125000	42.49	---	68.20	25.71	150.0	H	326.0	-1.0
10395.687500	47.38	---	68.20	20.82	210.0	H	146.0	3.1
17084.656250	49.08	---	68.20	19.12	100.0	H	312.0	6.3


RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5700.100000	46.8	---	250.0	H	128.0	-2.1	58.4	105.2
5725.000000	47.8	---	100.0	H	246.0	-2.1	102.2	150.0
5850.000000	52.1	---	100.0	H	237.0	-1.9	70.1	122.2
5886.400000	47.8	---	150.0	H	208.0	-1.8	48.9	96.7


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1332.031250	34.13	---	74.00	39.87	100.0	V	333.0	-18.0
2617.125000	35.17	---	68.20	33.03	150.0	V	314.0	-10.6
3450.656250	38.91	---	68.20	29.29	230.0	V	300.0	-7.3
6521.281250	42.92	---	68.20	25.28	250.0	V	179.0	-0.5
8692.500000	48.33	---	68.20	19.87	150.0	V	249.0	1.4
17059.156250	49.00	---	68.20	19.20	300.0	V	347.0	6.2

RE_HF907_BRF_Pre



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)
5698.200000	45.7	---	200.0	V	236.0	-2.1	58.2	103.9
5725.000000	45.8	---	220.0	V	287.0	-2.1	104.2	150.0
5850.000000	50.8	---	250.0	V	146.0	-1.9	71.4	122.2
5875.000000	47.3	---	150.0	V	180.0	-1.8	58.0	105.2


Remark:

- (1) Emission level= Original Receiver Reading + Correct Factor
- (2) Correct Factor = Antenna Factor + Cable Loss -Amplifier gain
- (3) Margin = limit – Corrected Reading

The worst case of Radiated Emission Above 18GHz

Frequency: 802.11g 2462MHz


Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18157.437500	45.90	---	74.00	28.10	100.0	H	78.0	8.1
20887.500000	43.46	---	74.00	30.54	100.0	H	216.0	8.5
25127.312500	44.96	---	74.00	29.04	100.0	H	67.0	9.1
30241.625000	42.74	---	74.00	31.26	100.0	H	161.0	10.2
34923.500000	46.97	---	74.00	27.03	100.0	H	343.0	12.3
38899.312500	49.40	---	74.00	24.60	100.0	H	0.0	13.4

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18454.437500	45.28	---	74.00	28.72	100.0	V	269.0	8.1
20895.750000	43.84	---	74.00	30.16	100.0	V	351.0	8.5
25146.562500	45.15	---	74.00	28.85	100.0	V	110.0	9.1
29591.937500	43.16	---	74.00	30.84	100.0	V	274.0	9.9
35015.625000	46.13	---	74.00	27.87	100.0	V	169.0	12.4
39689.937500	49.09	---	74.00	24.91	100.0	V	214.0	13.8

Remark:

- (1) Emission level= Original Receiver Reading + Correct Factor
- (2) Correct Factor = Antenna Factor + Cable Loss -Amplifier gain
- (3) Margin = limit – Corrected Reading

11 Test Equipment List

List of Test Instruments
Test Site1

	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE	CAL. DUE DATE
C	Signal spectrum analyzer	Agilent	N9020B	MY59050168	2025-2-19	2026-2-18
	RF automatic control unit	MWRFTest	MW100-RFCB	S2110418b-YQ-EMC	2024-10-8	2025-10-7
	Temperature Chamber	Shanghai HUCAN	HTT-100AP	S2201430b-YQ-EMC	2025-2-28	2026-2-27
RE	EMI Test Receiver	Rohde & Schwarz	ESR3	101906	2025-8-1	2026-7-31
	Signal Analyzer	Rohde & Schwarz	FSV40	101091	2025-8-1	2026-7-31
	Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	961	2025-6-25	2026-6-24
	Double-ridged waveguide horn antenna	Rohde & Schwarz	HF907	102393	2025-4-14	2026-4-13
	Pre-amplifier	Shenzhen HzEMC	HPA-081843	HYP A23026	2025-4-14	2026-4-13
	Loop antenna	Rohde & Schwarz	HFH2-Z2	100443	2024-6-26	2025-6-25
	Double Ridged Horn Antenna	ETS-Lindgren	3116C	000222727	2023-7-7	2026-7-6
	RE_Cable_01 Coaxial Cable	JUNFLON	MWX221	1906S057	2025-8-1	2026-7-31
	RE_Cable_02 Coaxial Cable	HUBER+SUHNER	RG214	1358176	2025-8-1	2026-7-31
	RE_Cable_03 Coaxial Cable	JUNFLON	MWX221	J12J102482	2025-8-1	2026-7-31
	RE_Cable_04 Coaxial Cable	PASTERNAK	PE360	2233	2025-8-1	2026-7-31
	3m Semi-anechoic chamber	TDK	9X6X6	----	2024-5-8	2027-5-7
CE	EMI Test Receiver	Rohde & Schwarz	ESR3	101907	2025-8-1	2026-7-31
	LISN	Rohde & Schwarz	ENV216	101924	2025-8-1	2026-7-31
	CE_Cable_01 Coaxial Cable	HUBER+SUHNER	RG400	1002115055	2025-8-1	2026-7-31

Measurement Software Information			
Test Item	Software	Manufacturer	Version
C	MTS 8310	MWRFTest	3.0.0.0
RE	EMC 32	Rohde & Schwarz	V10.50.40
CE	EMC 32	Rohde & Schwarz	V9.15.03

C - Conducted RF tests

- Conducted peak output power
- 6dB Occupied Bandwidth
- Power spectral density*



12 System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

Items	Extended Uncertainty
Conducted Disturbance at Mains Terminals	150kHz to 30MHz, LISN, 3.16dB
Radiated Disturbance	9kHz to 30MHz, 3.52dB 30MHz to 1GHz, 5.03dB (Horizontal) 5.12dB (Vertical) 1GHz to 18GHz, 5.49dB 18GHz to 40GHz, 5.63dB
RF Conducted Measurement	Power related: 1.16dB Frequency related: 6.00×10 ⁻³

Measurement Uncertainty Decision Rule:

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2023, clause 4.3.3.



13 Photographs of Test Set-ups

Refer to the < Test Setup photos >.



14 Photographs of EUT

Refer to the < External Photos > & < Internal Photos >.

THE END