




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 135 of 275

802.11n40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4903.875	52.47	31.25	-45.53	38.18	74.00	35.82	Vertical
2	6213.75	50.93	33.13	-44.73	39.33	74.00	34.67	Vertical
3	7353.375	50.42	35.99	-43.57	42.84	74.00	31.16	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 136 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824	51.88	31.12	-45.54	37.46	74.00	36.54	Horizontal
2	7048.5	49.65	35.14	-43.87	40.92	74.00	33.08	Horizontal
3	8041.125	47.88	37.08	-41.94	43.01	74.00	30.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 137 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4828.5	52.62	31.13	-45.54	38.21	74.00	35.79	Vertical
2	7242.375	51.22	35.68	-43.56	43.34	74.00	30.66	Vertical
3	9514.5	45.97	37.53	-40.15	43.35	74.00	30.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 138 of 275

802.11ax20_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4880.625	53.42	31.21	-45.53	39.10	74.00	34.90	Horizontal
2	6146.625	50.48	32.90	-44.59	38.78	74.00	35.22	Horizontal
3	7572.75	49.30	36.50	-42.99	42.81	74.00	31.19	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 139 of 275

802.11ax20_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4887.75	53.85	31.22	-45.53	39.54	74.00	34.46	Vertical
2	6164.625	50.79	32.96	-44.65	39.10	74.00	34.90	Vertical
3	7317	51.26	35.89	-43.69	43.46	74.00	30.54	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 140 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.875	55.04	31.28	-45.56	40.76	74.00	33.24	Horizontal
2	4930.875	46.93	31.29	-45.56	32.66	54.00	21.34	Horizontal
3	6034.125	49.65	32.52	-44.70	37.47	74.00	36.53	Horizontal
4	7403.625	51.13	36.13	-43.40	43.86	74.00	30.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 141 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4918.125	54.23	31.27	-45.55	39.95	74.00	34.05	Vertical
2	4925.25	46.59	31.28	-45.56	32.31	54.00	21.69	Vertical
3	5547.375	51.66	32.31	-45.16	38.81	74.00	35.19	Vertical
4	7386.75	52.07	36.08	-43.46	44.70	74.00	29.30	Vertical
5	7387.125	45.05	36.08	-43.45	37.68	54.00	16.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 142 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4691.25	51.19	30.91	-45.61	36.49	74.00	37.51	Horizontal
2	6280.5	50.47	33.35	-44.58	39.24	74.00	34.76	Horizontal
3	7866	48.97	36.91	-42.65	43.24	74.00	30.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 143 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4838.25	51.26	31.14	-45.54	36.87	74.00	37.13	Vertical
2	6172.125	50.10	32.99	-44.67	38.41	74.00	35.59	Vertical
3	8027.625	48.34	37.08	-42.08	43.35	74.00	30.65	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 144 of 275

802.11ax40_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4873.875	53.17	31.20	-45.53	38.84	74.00	35.16	Horizontal
2	6039.75	50.89	32.54	-44.68	38.75	74.00	35.25	Horizontal
3	8487	46.84	36.81	-41.60	42.05	74.00	31.95	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 145 of 275

802.11ax40_Channel 06




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4880.625	53.82	31.21	-45.53	39.50	74.00	34.50	Vertical
2	6141.375	50.31	32.88	-44.58	38.61	74.00	35.39	Vertical
3	7866.75	49.33	36.91	-42.65	43.59	74.00	30.41	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 146 of 275

802.11ax40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4897.875	51.63	31.24	-45.53	37.34	74.00	36.66	Horizontal
2	6271.125	50.37	33.32	-44.60	39.09	74.00	34.91	Horizontal
3	8430	46.95	36.84	-41.50	42.29	74.00	31.71	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503

Rev.: 01

Page: 147 of 275

802.11ax40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4905.375	52.85	31.25	-45.54	38.56	74.00	35.44	Vertical
2	6172.5	50.35	32.99	-44.67	38.66	74.00	35.34	Vertical
3	8101.125	46.76	37.04	-41.37	42.43	74.00	31.57	Vertical

Remark:


- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 148 of 275

Restricted bands around fundamental frequency
MQM744-0-50-0B
802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.71	37.50	26.97	-23.57	40.90	54.00	13.10	Horizontal
2	2386.18	38.80	26.97	-23.57	42.20	54.00	11.80	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 149 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.72	34.66	26.96	-23.57	38.05	54.00	15.95	Vertical
2	2386.31	36.81	26.97	-23.57	40.21	54.00	13.79	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 150 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2382.28	46.53	26.96	-23.57	49.92	74.00	24.08	Horizontal
2	2386.18	47.90	26.97	-23.57	51.30	74.00	22.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 151 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.58	46.59	26.97	-23.57	49.99	74.00	24.01	Vertical
2	2387.74	47.26	26.98	-23.57	50.66	74.00	23.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 152 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2486.98	36.84	27.17	-23.54	40.47	54.00	13.53	Horizontal
2	2487.7	37.48	27.18	-23.54	41.11	54.00	12.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 153 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2487.76	36.02	27.18	-23.54	39.65	54.00	14.35	Vertical
2	2498.02	34.38	27.20	-23.54	38.04	54.00	15.96	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 154 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.46	47.16	27.17	-23.54	50.78	74.00	23.22	Horizontal
2	2490.82	47.20	27.18	-23.54	50.84	74.00	23.16	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 155 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.3	47.21	27.17	-23.54	50.84	74.00	23.16	Vertical
2	2487.88	47.06	27.18	-23.54	50.69	74.00	23.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 156 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.61	44.32	26.98	-23.57	47.72	54.00	6.28	Horizontal
2	2389.3	46.37	26.98	-23.57	49.78	54.00	4.22	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 157 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.74	39.64	26.98	-23.57	43.04	54.00	10.96	Vertical
2	2389.3	41.17	26.98	-23.57	44.58	54.00	9.42	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 158 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.36	58.16	26.97	-23.57	61.56	74.00	12.44	Horizontal
2	2387.61	59.71	26.98	-23.57	63.11	74.00	10.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 159 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.62	52.37	26.97	-23.57	55.77	74.00	18.23	Vertical
2	2387.61	53.14	26.98	-23.57	56.54	74.00	17.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 160 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	40.78	27.17	-23.54	44.40	54.00	9.60	Horizontal
2	2485.72	39.41	27.17	-23.54	43.04	54.00	10.96	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 161 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	36.98	27.17	-23.54	40.60	54.00	13.40	Vertical
2	2486.26	36.19	27.17	-23.54	39.82	54.00	14.18	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 162 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.12	56.42	27.17	-23.54	60.05	74.00	13.95	Horizontal
2	2487.34	52.23	27.17	-23.54	55.86	74.00	18.14	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 163 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.48	50.66	27.17	-23.54	54.29	74.00	19.71	Vertical
2	2487.1	47.75	27.17	-23.54	51.38	74.00	22.62	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 164 of 275

802.11n40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.43	46.77	26.98	-23.57	50.18	54.00	3.82	Horizontal
2	2483.98	34.68	27.17	-23.54	38.30	54.00	15.70	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 165 of 275

802.11n40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.3	43.89	26.98	-23.57	47.30	54.00	6.70	Vertical
2	2491.42	34.22	27.18	-23.54	37.86	54.00	16.14	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 166 of 275

802.11n40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.6933	58.77	26.98	-23.57	62.18	74.00	11.82	Horizontal
2	2489.08	46.81	27.18	-23.54	50.44	74.00	23.56	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 167 of 275

802.11n40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.6967	55.18	26.98	-23.57	58.58	74.00	15.42	Vertical
2	2487.22	47.10	27.17	-23.54	50.73	74.00	23.27	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 168 of 275

802.11n40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.87	37.08	26.98	-23.57	40.48	54.00	13.52	Horizontal
2	2484.46	40.63	27.17	-23.54	44.25	54.00	9.75	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 169 of 275

802.11n40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.69	36.21	26.98	-23.57	39.62	54.00	14.38	Vertical
2	2483.68	38.98	27.17	-23.54	42.60	54.00	11.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 170 of 275

802.11n40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.9667	49.04	26.97	-23.57	52.44	74.00	21.56	Horizontal
2	2484.1	54.93	27.17	-23.54	58.55	74.00	15.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 171 of 275

802.11n40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.78	48.09	26.98	-23.57	51.50	74.00	22.50	Vertical
2	2494.42	52.54	27.19	-23.54	56.19	74.00	17.81	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 172 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.52	46.32	26.98	-23.57	49.73	54.00	4.27	Horizontal
2	2389.95	47.17	26.98	-23.57	50.58	54.00	3.42	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 173 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.83	42.48	26.97	-23.57	45.88	54.00	8.12	Vertical
2	2389.69	44.25	26.98	-23.57	47.66	54.00	6.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 174 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.92	57.10	26.97	-23.57	60.50	74.00	13.50	Horizontal
2	2387.22	59.60	26.97	-23.57	63.00	74.00	11.00	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 175 of 275

802.11ax20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.96	57.86	26.97	-23.57	61.26	74.00	12.74	Vertical
2	2389.04	57.79	26.98	-23.57	61.20	74.00	12.80	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 176 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.27	33.99	26.97	-23.57	37.39	54.00	16.61	Horizontal
2	2484.34	41.78	27.17	-23.54	45.40	54.00	8.60	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 177 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.98	33.74	26.96	-23.57	37.13	54.00	16.87	Vertical
2	2484.16	40.08	27.17	-23.54	43.70	54.00	10.30	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 178 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2378.3367	46.31	26.96	-23.57	49.69	74.00	24.31	Horizontal
2	2484.94	58.97	27.17	-23.54	62.60	74.00	11.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 179 of 275

802.11ax20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2375.5633	46.69	26.95	-23.57	50.07	74.00	23.93	Vertical
2	2485.24	56.06	27.17	-23.54	59.69	74.00	14.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 180 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.95	47.37	26.98	-23.57	50.78	54.00	3.22	Horizontal
2	2484.82	34.53	27.17	-23.54	38.16	54.00	15.84	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 181 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.82	44.54	26.98	-23.57	47.95	54.00	6.05	Vertical
2	2488.9	34.37	27.18	-23.54	38.00	54.00	16.00	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 182 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.1733	58.47	26.98	-23.57	61.88	74.00	12.12	Horizontal
2	2492.62	46.46	27.19	-23.54	50.10	74.00	23.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 183 of 275

802.11ax40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.5267	55.64	26.97	-23.57	59.04	74.00	14.96	Vertical
2	2487.22	47.40	27.17	-23.54	51.03	74.00	22.97	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 184 of 275

802.11ax40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.71	37.71	26.97	-23.57	41.11	54.00	12.89	Horizontal
2	2388.39	38.76	26.98	-23.57	42.17	54.00	11.83	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 185 of 275

802.11ax40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2375.91	35.22	26.95	-23.57	38.60	54.00	15.40	Vertical
2	2387.09	36.78	26.97	-23.57	40.18	54.00	13.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 186 of 275

802.11ax40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.5433	52.43	26.96	-23.57	55.82	74.00	18.18	Horizontal
2	2386.6567	53.70	26.97	-23.57	57.10	74.00	16.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 187 of 275

802.11ax40_Channel 09




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.11	47.37	26.96	-23.57	50.76	74.00	23.24	Vertical
2	2387.3933	49.71	26.97	-23.57	53.11	74.00	20.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 188 of 275

802.11ax20 26RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.15	42.94	26.94	-23.57	46.31	54.00	7.69	Horizontal
2	2369.93	43.46	26.94	-23.57	46.83	54.00	7.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 189 of 275

802.11ax20 26RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.93	41.78	26.94	-23.57	45.15	54.00	8.85	Vertical
2	2370.32	41.48	26.94	-23.57	44.85	54.00	9.15	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 190 of 275

802.11ax20 26RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2368.63	60.02	26.94	-23.57	63.38	74.00	10.62	Horizontal
2	2370.71	60.02	26.94	-23.57	63.39	74.00	10.61	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 191 of 275

802.11ax20 26RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.28	60.79	26.94	-23.57	64.16	74.00	9.84	Vertical
2	2370.58	57.37	26.94	-23.57	60.74	74.00	13.26	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 192 of 275

802.11ax20 26RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2486.98	34.77	27.17	-23.54	38.40	54.00	15.60	Horizontal
2	2491.6	34.47	27.18	-23.54	38.11	54.00	15.89	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 193 of 275

802.11ax20 26RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485	34.39	27.17	-23.54	38.02	54.00	15.98	Vertical
2	2487.82	34.33	27.18	-23.54	37.96	54.00	16.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 194 of 275

802.11ax20 26RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	59.95	27.17	-23.54	63.57	74.00	10.43	Horizontal
2	2484.82	57.69	27.17	-23.54	61.32	74.00	12.68	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 195 of 275

802.11ax20 26RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	57.08	27.17	-23.54	60.70	74.00	13.30	Vertical
2	2484.76	55.32	27.17	-23.54	58.94	74.00	15.06	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 196 of 275

802.11ax20 52RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2373.96	42.16	26.95	-23.57	45.54	54.00	8.46	Horizontal
2	2374.87	42.57	26.95	-23.57	45.95	54.00	8.05	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 197 of 275

802.11ax20 52RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2374.61	40.55	26.95	-23.57	43.93	54.00	10.07	Vertical
2	2375.78	40.57	26.95	-23.57	43.95	54.00	10.05	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 198 of 275

802.11ax20 52RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.79	60.04	26.97	-23.57	63.44	74.00	10.56	Horizontal
2	2388.13	62.42	26.98	-23.57	65.83	74.00	8.17	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 199 of 275

802.11ax20 52RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.75	57.56	26.97	-23.57	60.96	74.00	13.04	Vertical
2	2388	60.41	26.98	-23.57	63.81	74.00	10.19	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 200 of 275

802.11ax20 52RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.84	34.75	27.17	-23.54	38.38	54.00	15.62	Horizontal
2	2491.42	34.88	27.18	-23.54	38.52	54.00	15.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 201 of 275

802.11ax20 52RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2486.14	34.27	27.17	-23.54	37.90	54.00	16.10	Vertical
2	2489.08	34.27	27.18	-23.54	37.90	54.00	16.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 202 of 275

802.11ax20 52RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.86	59.50	27.17	-23.54	63.12	74.00	10.88	Horizontal
2	2485.6	55.56	27.17	-23.54	59.19	74.00	14.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 203 of 275

802.11ax20 52RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.12	54.76	27.17	-23.54	58.39	74.00	15.61	Vertical
2	2486.08	53.53	27.17	-23.54	57.16	74.00	16.84	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 204 of 275

802.11ax20 106RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.22	42.60	26.97	-23.57	46.00	54.00	8.00	Horizontal
2	2388.91	42.81	26.98	-23.57	46.22	54.00	7.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 205 of 275

802.11ax20 106RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.58	36.37	26.97	-23.57	39.77	54.00	14.23	Vertical
2	2387.48	37.05	26.97	-23.57	40.45	54.00	13.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 206 of 275

802.11ax20 106RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.7	63.18	26.97	-23.57	66.58	74.00	7.42	Horizontal
2	2388.78	61.73	26.98	-23.57	65.14	74.00	8.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 207 of 275

802.11ax20 106RU_LEFT_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.1	53.10	26.97	-23.57	56.50	74.00	17.50	Vertical
2	2388.39	54.48	26.98	-23.57	57.89	74.00	16.11	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 208 of 275

802.11ax20 106RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.16	38.12	27.17	-23.54	41.74	54.00	12.26	Horizontal
2	2485.78	37.63	27.17	-23.54	41.26	54.00	12.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 209 of 275

802.11ax20 106RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.98	35.18	27.17	-23.54	38.80	54.00	15.20	Vertical
2	2487.22	35.13	27.17	-23.54	38.76	54.00	15.24	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 210 of 275

802.11ax20 106RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.22	57.64	27.17	-23.54	61.26	74.00	12.74	Horizontal
2	2486.44	55.06	27.17	-23.54	58.69	74.00	15.31	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 211 of 275

802.11ax20 106RU_RIGHT_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.6	49.33	27.17	-23.54	52.96	74.00	21.04	Vertical
2	2486.44	49.17	27.17	-23.54	52.80	74.00	21.20	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 212 of 275

MQM744-0-50-0U
802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.66	37.43	26.97	-23.57	40.83	54.00	13.17	Horizontal
2	2389.95	39.55	26.98	-23.57	42.96	54.00	11.04	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 213 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.4	34.56	26.97	-23.57	37.96	54.00	16.04	Vertical
2	2389.43	34.65	26.98	-23.57	38.06	54.00	15.94	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 214 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.85	47.22	26.96	-23.57	50.61	74.00	23.39	Horizontal
2	2387.48	47.36	26.97	-23.57	50.76	74.00	23.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 215 of 275

802.11b_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2373.31	45.39	26.95	-23.57	48.76	74.00	25.24	Vertical
2	2384.1	46.69	26.97	-23.57	50.09	74.00	23.91	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 216 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.34	35.22	27.17	-23.54	38.84	54.00	15.16	Horizontal
2	2488.96	35.44	27.18	-23.54	39.07	54.00	14.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 217 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.42	33.92	27.17	-23.54	37.55	54.00	16.45	Vertical
2	2489.92	34.08	27.18	-23.54	37.72	54.00	16.28	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 218 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	46.72	27.17	-23.54	50.34	74.00	23.66	Horizontal
2	2489.08	47.31	27.18	-23.54	50.94	74.00	23.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 219 of 275

802.11b_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.98	46.64	27.17	-23.54	50.26	74.00	23.74	Vertical
2	2492.86	46.15	27.19	-23.54	49.79	74.00	24.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 220 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388	42.86	26.98	-23.57	46.26	54.00	7.74	Horizontal
2	2389.56	44.53	26.98	-23.57	47.94	54.00	6.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 221 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.61	36.88	26.98	-23.57	40.28	54.00	13.72	Vertical
2	2389.95	38.70	26.98	-23.57	42.11	54.00	11.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 222 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.04	60.20	26.98	-23.57	63.61	74.00	10.39	Horizontal
2	2389.69	62.69	26.98	-23.57	66.10	74.00	7.90	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 223 of 275

802.11n20_Channel 01




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.3	53.46	26.98	-23.57	56.87	74.00	17.13	Vertical
2	2389.56	54.69	26.98	-23.57	58.10	74.00	15.90	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 224 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	40.74	27.17	-23.54	44.36	54.00	9.64	Horizontal
2	2484.94	40.10	27.17	-23.54	43.73	54.00	10.27	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 225 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.1	36.48	27.17	-23.54	40.10	54.00	13.90	Vertical
2	2485.48	35.93	27.17	-23.54	39.56	54.00	14.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 226 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.76	58.15	27.17	-23.54	61.77	74.00	12.23	Horizontal
2	2485.84	57.70	27.17	-23.54	61.33	74.00	12.67	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 227 of 275

802.11n20_Channel 11




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.7	51.54	27.17	-23.54	55.16	74.00	18.84	Vertical
2	2486.56	49.64	27.17	-23.54	53.27	74.00	20.73	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 228 of 275

802.11n40_Channel 03




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.17	45.97	26.98	-23.57	49.38	54.00	4.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400035503
Rev.: 01
Page: 229 of 275

802.11n40_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.04	39.71	26.98	-23.57	43.12	54.00	10.88	Vertical
2	2484.22	34.24	27.17	-23.54	37.86	54.00	16.14	Vertical