

A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.74	-13	Pass	401
0.15	30	0.01	Peak	0.32	-53.92	-13	Pass	2986
30	500	0.1	Peak	455.3	-43.3	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.83	-13	N/A	5001
1000	10000	1	Peak	7018	-20.06	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.74	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.24	-13	Pass	2986
30	500	0.1	Peak	339.6	-43.71	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.83	-13	N/A	5001
1000	10000	1	Peak	8612	-19.97	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.11	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.24	-13	Pass	2986
30	500	0.1	Peak	465.8	-42.32	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.59	-13	N/A	5001
1000	10000	1	Peak	7173	-20.01	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.95	-13	Pass	401
0.15	30	0.01	Peak	0.44	-60.31	-13	Pass	2986
30	1000	0.1	Peak	848.5	-48.6	-13	Pass	9701
1000	3000	1	Peak	1850	29.65	-13	N/A	2001
3000	20000	1	Peak	19744	-37.94	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.44	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.94	-13	Pass	2986
30	1000	0.1	Peak	813.7	-48.43	-13	Pass	9701
1000	3000	1	Peak	1880	29.64	-13	N/A	2001
3000	20000	1	Peak	19859	-38.23	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.17	-13	Pass	2986
30	1000	0.1	Peak	756.5	-48.45	-13	Pass	9701
1000	3000	1	Peak	1910	26.44	-13	N/A	2001
3000	20000	1	Peak	19716	-38.28	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.24	-13	Pass	401
0.15	30	0.01	Peak	0.47	-53.79	-13	Pass	2986
30	500	0.1	Peak	343.3	-43.71	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.07	-13	N/A	5001
1000	10000	1	Peak	6697	-19.69	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.53	-13	Pass	2986
30	500	0.1	Peak	483.4	-43.22	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.39	-13	N/A	5001
1000	10000	1	Peak	7711	-19.49	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-52.92	-13	Pass	401
0.15	30	0.01	Peak	0.27	-53.48	-13	Pass	2986
30	500	0.1	Peak	415.4	-43.2	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.66	-13	N/A	5001
1000	10000	1	Peak	7308	-20.02	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-54.7	-13	Pass	401
0.15	30	0.01	Peak	0.2	-58.62	-13	Pass	2986
30	1000	0.1	Peak	985.29	-48.84	-13	Pass	9701
1000	3000	1	Peak	1850	29.75	-13	N/A	2001
3000	20000	1	Peak	19361	-37.67	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.31	-13	Pass	2986
30	1000	0.1	Peak	961.975	-48.68	-13	Pass	9701
1000	3000	1	Peak	1880	29.42	-13	N/A	2001
3000	20000	1	Peak	19749	-37.62	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.042	-52.88	-13	Pass	401
0.15	30	0.01	Peak	0.4	-60.01	-13	Pass	2986
30	1000	0.1	Peak	950.667	-48.57	-13	Pass	9701
1000	3000	1	Peak	1910	28.46	-13	N/A	2001
3000	20000	1	Peak	19776	-37.52	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.83	-13	Pass	401
0.15	30	0.01	Peak	0.43	-64.78	-13	Pass	2986
30	1000	0.1	Peak	876.018	-52.5	-13	Pass	9701
1000	3000	1	Peak	1854	22.99	-13	N/A	2001
3000	20000	1	Peak	19870	-18.91	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.72	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.62	-13	Pass	2986
30	1000	0.1	Peak	820.3	-53.08	-13	Pass	9701
1000	3000	1	Peak	1881	22.91	-13	N/A	2001
3000	20000	1	Peak	19988	-19.11	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.36	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.82	-13	Pass	2986
30	1000	0.1	Peak	725.3	-52.57	-13	Pass	9701
1000	3000	1	Peak	1906	23.23	-13	N/A	2001
3000	20000	1	Peak	19149	-19.08	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.72	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.13	-13	Pass	2986
30	1000	0.1	Peak	802.8	-52.96	-13	Pass	9701
1000	3000	1	Peak	1714	22.96	-13	N/A	2001
3000	20000	1	Peak	19719	-19.01	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.3	-13	Pass	2986
30	1000	0.1	Peak	997.698	-52.53	-13	Pass	9701
1000	3000	1	Peak	1731	22.88	-13	N/A	2001
3000	20000	1	Peak	19880	-19.39	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.04	-13	Pass	401
0.15	30	0.01	Peak	0.43	-63.86	-13	Pass	2986
30	1000	0.1	Peak	807.4	-52.93	-13	Pass	9701
1000	3000	1	Peak	1754	23.04	-13	N/A	2001
3000	20000	1	Peak	19393	-19.33	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.67	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.95	-13	Pass	2986
30	500	0.1	Peak	386.1	-53.47	-13	Pass	4701
500	1000	0.1	Peak	827	17.28	-13	N/A	5001
1000	10000	1	Peak	7162	-30.18	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.22	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.33	-13	Pass	2986
30	500	0.1	Peak	228.1	-53.71	-13	Pass	4701
500	1000	0.1	Peak	837	17.67	-13	N/A	5001
1000	10000	1	Peak	7229	-29.17	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.88	-13	Pass	2986
30	500	0.1	Peak	396.5	-53.3	-13	Pass	4701
500	1000	0.1	Peak	845.7	19.62	-13	N/A	5001
1000	10000	1	Peak	9394	-29.54	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.45	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.56	-13	Pass	9701
1000	1840	1	RMS	1840	-51.04	-13	Pass	841
1840	1920	1	RMS	1850.2	22.91	60	Pass	401
1920	3000	1	RMS	2955	-48.62	-13	Pass	1081
3000	12000	1	RMS	11844	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.09	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-46.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-58.29	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.84	-13	Pass	841
1840	1920	1	RMS	1850.2	23.19	60	Pass	401
1920	3000	1	RMS	2963	-48.66	-13	Pass	1081
3000	12000	1	RMS	11951	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-44.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.37	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.71	-13	Pass	9701
1000	1840	1	RMS	1807	-52.13	-13	Pass	841
1840	1920	1	RMS	1879.4	22.8	60	Pass	401
1920	3000	1	RMS	2957	-48.63	-13	Pass	1081
3000	12000	1	RMS	3759	-38.78	-13	Pass	9002
12000	20000	1	RMS	19399	-30.91	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-42.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.96	-13	Pass	2986
30	1000	0.1	RMS	873.916	-63.75	-13	Pass	9701
1000	1840	1	RMS	1800	-52.09	-13	Pass	841
1840	1920	1	RMS	1879.4	22.79	60	Pass	401
1920	3000	1	RMS	2960	-48.64	-13	Pass	1081
3000	12000	1	RMS	3759	-38.98	-13	Pass	9002
12000	20000	1	RMS	19409	-31.07	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-13	Pass	2986
30	1000	0.1	RMS	860.508	-63.58	-13	Pass	9701
1000	1840	1	RMS	1813	-52.11	-13	Pass	841
1840	1920	1	RMS	1908.8	22.92	60	Pass	401
1920	3000	1	RMS	2960	-48.68	-13	Pass	1081
3000	12000	1	RMS	3818	-35.44	-13	Pass	9002
12000	20000	1	RMS	19405	-30.98	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-47.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2986
30	1000	0.1	RMS	840.1	-63.51	-13	Pass	9701
1000	1840	1	RMS	1838	-52.14	-13	Pass	841
1840	1920	1	RMS	1908.8	22.41	60	Pass	401
1920	3000	1	RMS	2956	-48.61	-13	Pass	1081
3000	12000	1	RMS	3818	-35.99	-13	Pass	9002
12000	20000	1	RMS	19398	-31.03	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.57	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1850.2	22.98	60	Pass	401
1920	3000	1	RMS	2950	-48.65	-13	Pass	1081
3000	12000	1	RMS	11843	-40.11	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-42.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-48.79	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1850.2	22.34	60	Pass	401
1920	3000	1	RMS	2955	-48.64	-13	Pass	1081
3000	12000	1	RMS	11950	-40.05	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-45.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	1000	0.1	RMS	862.109	-63.75	-13	Pass	9701
1000	1840	1	RMS	1808	-52.11	-13	Pass	841
1840	1920	1	RMS	1878.6	22.87	60	Pass	401
1920	3000	1	RMS	2950	-48.65	-13	Pass	1081
3000	12000	1	RMS	11950	-40.08	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-42.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.74	-13	Pass	9701
1000	1840	1	RMS	1838	-52.09	-13	Pass	841
1840	1920	1	RMS	1878.6	22.84	60	Pass	401
1920	3000	1	RMS	2948	-48.64	-13	Pass	1081
3000	12000	1	RMS	11851	-40.04	-13	Pass	9002
12000	20000	1	RMS	19398	-31	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.92	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.63	-13	Pass	9701
1000	1840	1	RMS	1812	-52.12	-13	Pass	841
1840	1920	1	RMS	1907.2	22.87	60	Pass	401
1920	3000	1	RMS	2957	-48.63	-13	Pass	1081
3000	12000	1	RMS	3814	-37.58	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-46.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.21	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.72	-13	Pass	9701
1000	1840	1	RMS	1813	-52.14	-13	Pass	841
1840	1920	1	RMS	1907.2	22.42	60	Pass	401
1920	3000	1	RMS	2946	-48.63	-13	Pass	1081
3000	12000	1	RMS	3814	-38.21	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.81	-13	Pass	2986
30	1000	0.1	RMS	828.8	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1850.2	22.86	60	Pass	401
1920	3000	1	RMS	2952	-48.66	-13	Pass	1081
3000	12000	1	RMS	11945	-40.05	-13	Pass	9002
12000	20000	1	RMS	19408	-30.99	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-41.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.69	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-50.82	-13	Pass	841
1840	1920	1	RMS	1850.2	21.78	60	Pass	401
1920	3000	1	RMS	2954	-48.65	-13	Pass	1081
3000	12000	1	RMS	11948	-40.1	-13	Pass	9002
12000	20000	1	RMS	19403	-30.95	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-44.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	861.908	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-52.09	-13	Pass	841
1840	1920	1	RMS	1877.8	22.94	60	Pass	401
1920	3000	1	RMS	2952	-48.61	-13	Pass	1081
3000	12000	1	RMS	3756	-39.25	-13	Pass	9002
12000	20000	1	RMS	19400	-30.98	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-42.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-52.1	-13	Pass	841
1840	1920	1	RMS	1877.8	22.44	60	Pass	401
1920	3000	1	RMS	2953	-48.65	-13	Pass	1081
3000	12000	1	RMS	3756	-40	-13	Pass	9002
12000	20000	1	RMS	19405	-31.04	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.01	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.5	-13	Pass	9701
1000	1840	1	RMS	1807	-52.08	-13	Pass	841
1840	1920	1	RMS	1905.2	22.97	60	Pass	401
1920	3000	1	RMS	2951	-48.69	-13	Pass	1081
3000	12000	1	RMS	3811	-36.81	-13	Pass	9002
12000	20000	1	RMS	19408	-30.97	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-44.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.97	-13	Pass	2986
30	1000	0.1	RMS	841.8	-63.59	-13	Pass	9701
1000	1840	1	RMS	1780	-52.13	-13	Pass	841
1840	1920	1	RMS	1905.2	22.47	60	Pass	401
1920	3000	1	RMS	2951	-48.66	-13	Pass	1081
3000	12000	1	RMS	3811	-37.35	-13	Pass	9002
12000	20000	1	RMS	19404	-30.99	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.35	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1850.4	22.8	60	Pass	401
1920	3000	1	RMS	2957	-48.61	-13	Pass	1081
3000	12000	1	RMS	3701	-39.76	-13	Pass	9002
12000	20000	1	RMS	19407	-31.08	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-40.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-50.69	-13	Pass	2986
30	1000	0.1	RMS	836.3	-63.67	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1850.4	22.16	60	Pass	401
1920	3000	1	RMS	2958	-48.68	-13	Pass	1081
3000	12000	1	RMS	11951	-40.07	-13	Pass	9002
12000	20000	1	RMS	19399	-30.99	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.49	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.46	-13	Pass	9701
1000	1840	1	RMS	1840	-52.11	-13	Pass	841
1840	1920	1	RMS	1875.4	23.13	60	Pass	401
1920	3000	1	RMS	2962	-48.65	-13	Pass	1081
3000	12000	1	RMS	3751	-38.83	-13	Pass	9002
12000	20000	1	RMS	19400	-31.06	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.079	-42.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.94	-13	Pass	2986
30	1000	0.1	RMS	823.4	-63.59	-13	Pass	9701
1000	1840	1	RMS	1794	-52.15	-13	Pass	841
1840	1920	1	RMS	1875.4	22.47	60	Pass	401
1920	3000	1	RMS	2948	-48.66	-13	Pass	1081
3000	12000	1	RMS	3751	-39.4	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.75	-13	Pass	2986
30	1000	0.1	RMS	873.016	-63.59	-13	Pass	9701
1000	1840	1	RMS	1838	-52.13	-13	Pass	841
1840	1920	1	RMS	1900.4	22.91	60	Pass	401
1920	3000	1	RMS	2954	-48.67	-13	Pass	1081
3000	12000	1	RMS	3801	-37.06	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.02	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.62	-13	Pass	9701
1000	1840	1	RMS	1808	-52.18	-13	Pass	841
1840	1920	1	RMS	1900.4	22.04	60	Pass	401
1920	3000	1	RMS	2946	-48.68	-13	Pass	1081
3000	12000	1	RMS	3801	-38.2	-13	Pass	9002
12000	20000	1	RMS	19400	-30.98	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-47.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.49	-13	Pass	9701
1000	1840	1	RMS	1838	-48.43	-13	Pass	841
1840	1920	1	RMS	1850.8	22.85	60	Pass	401
1920	3000	1	RMS	2956	-48.62	-13	Pass	1081
3000	12000	1	RMS	11948	-40.03	-13	Pass	9002
12000	20000	1	RMS	19411	-31	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-41.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	838	-63.64	-13	Pass	9701
1000	1840	1	RMS	1837	-48.48	-13	Pass	841
1840	1920	1	RMS	1850.8	22.23	60	Pass	401
1920	3000	1	RMS	2953	-48.66	-13	Pass	1081
3000	12000	1	RMS	11955	-40.15	-13	Pass	9002
12000	20000	1	RMS	19402	-30.98	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-45.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.46	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.61	-13	Pass	9701
1000	1840	1	RMS	1839	-52.09	-13	Pass	841
1840	1920	1	RMS	1873.2	23.06	60	Pass	401
1920	3000	1	RMS	2958	-48.64	-13	Pass	1081
3000	12000	1	RMS	3747	-39.32	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-41.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.93	-13	Pass	2986
30	1000	0.1	RMS	834	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-52.09	-13	Pass	841
1840	1920	1	RMS	1873.2	22.45	60	Pass	401
1920	3000	1	RMS	2957	-48.65	-13	Pass	1081
3000	12000	1	RMS	3747	-40.02	-13	Pass	9002
12000	20000	1	RMS	19703	-31.02	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-47.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.38	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.59	-13	Pass	9701
1000	1840	1	RMS	1809	-52.11	-13	Pass	841
1840	1920	1	RMS	1895.8	22.85	60	Pass	401
1920	3000	1	RMS	2953	-48.68	-13	Pass	1081
3000	12000	1	RMS	3792	-38.23	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-42.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-52.13	-13	Pass	841
1840	1920	1	RMS	1895.8	22.46	60	Pass	401
1920	3000	1	RMS	2953	-48.67	-13	Pass	1081
3000	12000	1	RMS	3792	-38.66	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.18	-13	Pass	2986
30	1000	0.1	RMS	864.01	-63.69	-13	Pass	9701
1000	1840	1	RMS	1833	-49.23	-13	Pass	841
1840	1920	1	RMS	1851	23	60	Pass	401
1920	3000	1	RMS	2957	-48.63	-13	Pass	1081
3000	12000	1	RMS	3702	-39.89	-13	Pass	9002
12000	20000	1	RMS	19402	-31.01	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-43.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.41	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.74	-13	Pass	9701
1000	1840	1	RMS	1833	-49.07	-13	Pass	841
1840	1920	1	RMS	1851	22.51	60	Pass	401
1920	3000	1	RMS	2955	-48.71	-13	Pass	1081
3000	12000	1	RMS	11849	-40.15	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-45.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.44	-13	Pass	2986
30	1000	0.1	RMS	861.208	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-51.8	-13	Pass	841
1840	1920	1	RMS	1871	23.04	60	Pass	401
1920	3000	1	RMS	2946	-48.67	-13	Pass	1081
3000	12000	1	RMS	3742	-38.94	-13	Pass	9002
12000	20000	1	RMS	19404	-31.03	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-41.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-41.42	-13	Pass	2986
30	1000	0.1	RMS	842.5	-63.67	-13	Pass	9701
1000	1840	1	RMS	1840	-51.88	-13	Pass	841
1840	1920	1	RMS	1871	22.28	60	Pass	401
1920	3000	1	RMS	2945	-48.66	-13	Pass	1081
3000	12000	1	RMS	3742	-39.88	-13	Pass	9002
12000	20000	1	RMS	19409	-31.04	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.47	-13	Pass	2986
30	1000	0.1	RMS	853.903	-63.61	-13	Pass	9701
1000	1840	1	RMS	1830	-52.09	-13	Pass	841
1840	1920	1	RMS	1891	23.11	60	Pass	401
1920	3000	1	RMS	2957	-48.66	-13	Pass	1081
3000	12000	1	RMS	3782	-37.88	-13	Pass	9002
12000	20000	1	RMS	19402	-31.06	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.99	-13	Pass	2986
30	1000	0.1	RMS	863.71	-63.68	-13	Pass	9701
1000	1840	1	RMS	1814	-52.14	-13	Pass	841
1840	1920	1	RMS	1891	22.63	60	Pass	401
1920	3000	1	RMS	2955	-48.69	-13	Pass	1081
3000	12000	1	RMS	3782	-37.88	-13	Pass	9002
12000	20000	1	RMS	19397	-31.05	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.02	-13	Pass	2986
30	1000	0.1	RMS	865.411	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1710.238	22.96	60	Pass	401
1765	3000	1	RMS	2953	-48.69	-13	Pass	1236
3000	12000	1	RMS	11951	-40.09	-13	Pass	9002
12000	20000	1	RMS	19404	-31.02	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.17	-13	Pass	2986
30	1000	0.1	RMS	874.517	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1765	1	RMS	1710.238	23.27	60	Pass	401
1765	3000	1	RMS	2953	-48.69	-13	Pass	1236
3000	12000	1	RMS	11848	-40.1	-13	Pass	9002
12000	20000	1	RMS	19404	-31.02	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1765	1	RMS	1732.013	23	60	Pass	401
1765	3000	1	RMS	2957	-48.63	-13	Pass	1236
3000	12000	1	RMS	11949	-40.15	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.09	-13	Pass	2986
30	1000	0.1	RMS	833.1	-63.69	-13	Pass	9701
1000	1700	1	RMS	1699	-52.35	-13	Pass	701
1700	1765	1	RMS	1732.013	23.09	60	Pass	401
1765	3000	1	RMS	2957	-48.61	-13	Pass	1236
3000	12000	1	RMS	11950	-40.14	-13	Pass	9002
12000	20000	1	RMS	19406	-31.01	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.43	-13	Pass	2986
30	1000	0.1	RMS	871.215	-63.72	-13	Pass	9701
1000	1700	1	RMS	1699	-52.41	-13	Pass	701
1700	1765	1	RMS	1753.788	23.28	60	Pass	401
1765	3000	1	RMS	2958	-48.66	-13	Pass	1236
3000	12000	1	RMS	11952	-40.1	-13	Pass	9002
12000	20000	1	RMS	19411	-31.01	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.39	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.62	-13	Pass	9701
1000	1700	1	RMS	1698	-52.45	-13	Pass	701
1700	1765	1	RMS	1753.788	22.53	60	Pass	401
1765	3000	1	RMS	2957	-48.68	-13	Pass	1236
3000	12000	1	RMS	11950	-40.13	-13	Pass	9002
12000	20000	1	RMS	19397	-30.97	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.99	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	Pass	701
1700	1765	1	RMS	1710.238	22.91	60	Pass	401
1765	3000	1	RMS	2955	-48.63	-13	Pass	1236
3000	12000	1	RMS	11948	-40.11	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.53	-13	Pass	2986
30	1000	0.1	RMS	859.307	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-50.21	-13	Pass	701
1700	1765	1	RMS	1710.075	22.53	60	Pass	401
1765	3000	1	RMS	2946	-48.64	-13	Pass	1236
3000	12000	1	RMS	11951	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.67	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.58	-13	Pass	9701
1000	1700	1	RMS	1699	-52.18	-13	Pass	701
1700	1765	1	RMS	1731.2	22.99	60	Pass	401
1765	3000	1	RMS	2956	-48.66	-13	Pass	1236
3000	12000	1	RMS	11854	-40.13	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.02	-13	Pass	2986
30	1000	0.1	RMS	845.1	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.17	-13	Pass	701
1700	1765	1	RMS	1731.2	23.26	60	Pass	401
1765	3000	1	RMS	2953	-48.7	-13	Pass	1236
3000	12000	1	RMS	11840	-40.09	-13	Pass	9002
12000	20000	1	RMS	19404	-31.06	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.59	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-52.38	-13	Pass	701
1700	1765	1	RMS	1752.163	23.27	60	Pass	401
1765	3000	1	RMS	2959	-48.67	-13	Pass	1236
3000	12000	1	RMS	11845	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-30.96	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.5	-13	Pass	2986
30	1000	0.1	RMS	829.6	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1765	1	RMS	1752.163	22.52	60	Pass	401
1765	3000	1	RMS	2952	-48.61	-13	Pass	1236
3000	12000	1	RMS	11846	-40.09	-13	Pass	9002
12000	20000	1	RMS	19404	-31.06	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.58	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-50.24	-13	Pass	701
1700	1765	1	RMS	1710.238	23.04	60	Pass	401
1765	3000	1	RMS	2956	-48.64	-13	Pass	1236
3000	12000	1	RMS	11951	-40.08	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-47.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.31	-13	Pass	2986
30	1000	0.1	RMS	817.7	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.238	21.86	60	Pass	401
1765	3000	1	RMS	2951	-48.61	-13	Pass	1236
3000	12000	1	RMS	11835	-40.15	-13	Pass	9002
12000	20000	1	RMS	19395	-31.04	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.97	-13	Pass	2986
30	1000	0.1	RMS	860.608	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-52.21	-13	Pass	701
1700	1765	1	RMS	1730.225	22.95	60	Pass	401
1765	3000	1	RMS	2962	-48.71	-13	Pass	1236
3000	12000	1	RMS	11951	-40.1	-13	Pass	9002
12000	20000	1	RMS	19392	-31.08	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.01	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-52.18	-13	Pass	701
1700	1765	1	RMS	1730.225	22.57	60	Pass	401
1765	3000	1	RMS	2957	-48.63	-13	Pass	1236
3000	12000	1	RMS	11853	-40.07	-13	Pass	9002
12000	20000	1	RMS	19411	-31.03	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.97	-13	Pass	2986
30	1000	0.1	RMS	831	-63.71	-13	Pass	9701
1000	1700	1	RMS	1693	-52.42	-13	Pass	701
1700	1765	1	RMS	1750.213	22.93	60	Pass	401
1765	3000	1	RMS	2958	-48.63	-13	Pass	1236
3000	12000	1	RMS	11846	-40.11	-13	Pass	9002
12000	20000	1	RMS	19405	-30.99	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.35	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.63	-13	Pass	9701
1000	1700	1	RMS	1698	-52.36	-13	Pass	701
1700	1765	1	RMS	1750.213	22.34	60	Pass	401
1765	3000	1	RMS	2961	-48.64	-13	Pass	1236
3000	12000	1	RMS	11948	-40.15	-13	Pass	9002
12000	20000	1	RMS	19414	-31.01	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.64	-13	Pass	2986
30	1000	0.1	RMS	870.614	-63.76	-13	Pass	9701
1000	1700	1	RMS	1693	-48.43	-13	Pass	701
1700	1765	1	RMS	1710.563	22.98	60	Pass	401
1765	3000	1	RMS	2960	-48.59	-13	Pass	1236
3000	12000	1	RMS	11850	-40.1	-13	Pass	9002
12000	20000	1	RMS	19406	-31.01	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.19	-13	Pass	2986
30	1000	0.1	RMS	854.504	-63.71	-13	Pass	9701
1000	1700	1	RMS	1693	-48.35	-13	Pass	701
1700	1765	1	RMS	1710.563	22.38	60	Pass	401
1765	3000	1	RMS	2948	-48.67	-13	Pass	1236
3000	12000	1	RMS	11855	-40.15	-13	Pass	9002
12000	20000	1	RMS	19399	-31.07	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.76	-13	Pass	2986
30	1000	0.1	RMS	856.005	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-52.19	-13	Pass	701
1700	1765	1	RMS	1728.113	23.1	60	Pass	401
1765	3000	1	RMS	2961	-48.64	-13	Pass	1236
3000	12000	1	RMS	11948	-40.14	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.13	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-52.19	-13	Pass	701
1700	1765	1	RMS	1727.95	22.51	60	Pass	401
1765	3000	1	RMS	2951	-48.66	-13	Pass	1236
3000	12000	1	RMS	11949	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-53.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.6	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.73	-13	Pass	9701
1000	1700	1	RMS	1693	-52.4	-13	Pass	701
1700	1765	1	RMS	1745.5	23.17	60	Pass	401
1765	3000	1	RMS	2955	-48.71	-13	Pass	1236
3000	12000	1	RMS	11950	-40.17	-13	Pass	9002
12000	20000	1	RMS	19416	-31.02	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.1	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1745.5	22.2	60	Pass	401
1765	3000	1	RMS	2957	-48.66	-13	Pass	1236
3000	12000	1	RMS	11850	-40.16	-13	Pass	9002
12000	20000	1	RMS	19701	-31	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-13	Pass	2986
30	1000	0.1	RMS	859.807	-63.6	-13	Pass	9701
1000	1700	1	RMS	1697	-42.1	-13	Pass	701
1700	1765	1	RMS	1710.725	22.99	60	Pass	401
1765	3000	1	RMS	2948	-48.66	-13	Pass	1236
3000	12000	1	RMS	11948	-40.01	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.96	-13	Pass	2986
30	1000	0.1	RMS	856.005	-63.63	-13	Pass	9701
1000	1700	1	RMS	1698	-42.15	-13	Pass	701
1700	1765	1	RMS	1710.725	22.44	60	Pass	401
1765	3000	1	RMS	2953	-48.66	-13	Pass	1236
3000	12000	1	RMS	11846	-40.11	-13	Pass	9002
12000	20000	1	RMS	19403	-31.08	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-54.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.89	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-46.46	-13	Pass	701
1700	1765	1	RMS	1725.838	22.99	60	Pass	401
1765	3000	1	RMS	2955	-48.63	-13	Pass	1236
3000	12000	1	RMS	11952	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-31.03	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-13	Pass	2986
30	1000	0.1	RMS	985.39	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-47.08	-13	Pass	701
1700	1765	1	RMS	1725.675	22.48	60	Pass	401
1765	3000	1	RMS	2945	-48.69	-13	Pass	1236
3000	12000	1	RMS	11845	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.34	-13	Pass	2986
30	1000	0.1	RMS	838.4	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-52.32	-13	Pass	701
1700	1765	1	RMS	1740.788	23.14	60	Pass	401
1765	3000	1	RMS	1767	-29.64	-13	Pass	1236
3000	12000	1	RMS	11850	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.01	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.08	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-52.28	-13	Pass	701
1700	1765	1	RMS	1740.788	22.72	60	Pass	401
1765	3000	1	RMS	1767	-30.13	-13	Pass	1236
3000	12000	1	RMS	11951	-40.15	-13	Pass	9002
12000	20000	1	RMS	19398	-31.04	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.31	-13	Pass	2986
30	1000	0.1	RMS	829.1	-63.55	-13	Pass	9701
1000	1700	1	RMS	1693	-41.13	-13	Pass	701
1700	1765	1	RMS	1711.05	23.13	60	Pass	401
1765	3000	1	RMS	1773	-42.58	-13	Pass	1236
3000	12000	1	RMS	11852	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-30.95	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.39	-13	Pass	2986
30	1000	0.1	RMS	832	-63.72	-13	Pass	9701
1000	1700	1	RMS	1693	-42.1	-13	Pass	701
1700	1765	1	RMS	1711.05	22.41	60	Pass	401
1765	3000	1	RMS	1773	-43.44	-13	Pass	1236
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19408	-31.06	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.57	-13	Pass	9701
1000	1700	1	RMS	1688	-49.02	-13	Pass	701
1700	1765	1	RMS	1723.563	23.12	60	Pass	401
1765	3000	1	RMS	1785	-41.98	-13	Pass	1236
3000	12000	1	RMS	11949	-40.02	-13	Pass	9002
12000	20000	1	RMS	19400	-30.99	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.63	-13	Pass	2986
30	1000	0.1	RMS	813.4	-63.66	-13	Pass	9701
1000	1700	1	RMS	1688	-49.81	-13	Pass	701
1700	1765	1	RMS	1723.563	22.36	60	Pass	401
1765	3000	1	RMS	1785	-42.77	-13	Pass	1236
3000	12000	1	RMS	11848	-40.11	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.27	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-45.17	-13	Pass	701
1700	1765	1	RMS	1736.075	23.15	60	Pass	401
1765	3000	1	RMS	1772	-27.48	-13	Pass	1236
3000	12000	1	RMS	11853	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.64	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-44.96	-13	Pass	701
1700	1765	1	RMS	1735.913	22.84	60	Pass	401
1765	3000	1	RMS	1772	-27.4	-13	Pass	1236
3000	12000	1	RMS	11844	-40.14	-13	Pass	9002
12000	20000	1	RMS	19413	-31.06	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-46.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.87	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.2	19.84	60	Pass	461
860	1000	0.1	RMS	862.2	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-46.2	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-38.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.2	19.83	60	Pass	461
860	1000	0.1	RMS	869.9	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-45.9	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.61	-13	Pass	2986
30	814	0.1	RMS	808.7	-63.89	-13	Pass	7841
814	860	0.1	RMS	836	19.93	60	Pass	461
860	1000	0.1	RMS	862.6	-63.89	-13	Pass	1401
1000	3000	1	RMS	1672	-45.19	-13	Pass	2001
3000	10000	1	RMS	6961	-41.31	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.49	-13	Pass	2986
30	814	0.1	RMS	810	-63.92	-13	Pass	7841
814	860	0.1	RMS	836.1	19.82	60	Pass	461
860	1000	0.1	RMS	935.8	-63.86	-13	Pass	1401
1000	3000	1	RMS	1672	-45.04	-13	Pass	2001
3000	10000	1	RMS	6964	-41.38	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.21	-13	Pass	2986
30	814	0.1	RMS	430.8	-58.44	-13	Pass	7841
814	860	0.1	RMS	847.9	19.46	60	Pass	461
860	1000	0.1	RMS	864.3	-63.9	-13	Pass	1401
1000	3000	1	RMS	1695	-45.68	-13	Pass	2001
3000	10000	1	RMS	6964	-41.42	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-46.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.24	-13	Pass	2986
30	814	0.1	RMS	430.8	-59.2	-13	Pass	7841
814	860	0.1	RMS	847.9	18.53	60	Pass	461
860	1000	0.1	RMS	861.2	-63.87	-13	Pass	1401
1000	3000	1	RMS	1695	-46.71	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.6	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.58	-13	Pass	7841
814	860	0.1	RMS	824.2	20.04	60	Pass	461
860	1000	0.1	RMS	879.7	-63.91	-13	Pass	1401
1000	3000	1	RMS	1648	-46.29	-13	Pass	2001
3000	10000	1	RMS	6959	-41.47	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-39.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.91	-13	Pass	2986
30	814	0.1	RMS	814	-61.91	-13	Pass	7841
814	860	0.1	RMS	824.2	19.25	60	Pass	461
860	1000	0.1	RMS	861.3	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-47.02	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.13	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.46	-13	Pass	7841
814	860	0.1	RMS	835.2	20.01	60	Pass	461
860	1000	0.1	RMS	980.9	-63.85	-13	Pass	1401
1000	3000	1	RMS	1670	-44.58	-13	Pass	2001
3000	10000	1	RMS	6959	-41.4	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-41.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.39	-13	Pass	7841
814	860	0.1	RMS	835.2	20.08	60	Pass	461
860	1000	0.1	RMS	861.7	-63.84	-13	Pass	1401
1000	3000	1	RMS	1670	-44.19	-13	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.52	-13	Pass	2986
30	814	0.1	RMS	417.6	-62.3	-13	Pass	7841
814	860	0.1	RMS	846.2	19.85	60	Pass	461
860	1000	0.1	RMS	958.6	-63.95	-13	Pass	1401
1000	3000	1	RMS	1692	-48.16	-13	Pass	2001
3000	10000	1	RMS	6959	-41.38	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-40.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	814	0.1	RMS	428.6	-62.57	-13	Pass	7841
814	860	0.1	RMS	846.2	18.81	60	Pass	461
860	1000	0.1	RMS	872.6	-63.81	-13	Pass	1401
1000	3000	1	RMS	2952	-48.7	-13	Pass	2001
3000	10000	1	RMS	6961	-41.41	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-46.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.61	-13	Pass	7841
814	860	0.1	RMS	824.3	20	60	Pass	461
860	1000	0.1	RMS	871.7	-63.82	-13	Pass	1401
1000	3000	1	RMS	1648	-46.54	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-39.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.3	18.91	60	Pass	461
860	1000	0.1	RMS	861.5	-63.88	-13	Pass	1401
1000	3000	1	RMS	1648	-47.48	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.93	-13	Pass	2986
30	814	0.1	RMS	814	-63.16	-13	Pass	7841
814	860	0.1	RMS	834.3	20.04	60	Pass	461
860	1000	0.1	RMS	864.9	-63.89	-13	Pass	1401
1000	3000	1	RMS	1668	-44.98	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-40.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-49.37	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.4	-13	Pass	7841
814	860	0.1	RMS	834.3	19.35	60	Pass	461
860	1000	0.1	RMS	952.6	-63.84	-13	Pass	1401
1000	3000	1	RMS	1668	-45.82	-13	Pass	2001
3000	10000	1	RMS	6963	-41.29	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.99	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.39	-13	Pass	7841
814	860	0.1	RMS	844.3	19.82	60	Pass	461
860	1000	0.1	RMS	862.4	-63.81	-13	Pass	1401
1000	3000	1	RMS	2955	-48.68	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-41.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.3	-13	Pass	7841
814	860	0.1	RMS	844.3	19.08	60	Pass	461
860	1000	0.1	RMS	861.4	-63.88	-13	Pass	1401
1000	3000	1	RMS	2961	-48.67	-13	Pass	2001
3000	10000	1	RMS	6958	-41.35	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.11	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.29	-13	Pass	7841
814	860	0.1	RMS	824.6	20.48	60	Pass	461
860	1000	0.1	RMS	860.5	-63.75	-13	Pass	1401
1000	3000	1	RMS	1649	-47.23	-13	Pass	2001
3000	10000	1	RMS	6961	-41.3	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-40.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.59	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.81	-13	Pass	7841
814	860	0.1	RMS	824.6	20.03	60	Pass	461
860	1000	0.1	RMS	861.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	1649	-47.67	-13	Pass	2001
3000	10000	1	RMS	6962	-41.39	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.55	-13	Pass	2986
30	814	0.1	RMS	491.5	-62.94	-13	Pass	7841
814	860	0.1	RMS	832.1	20.51	60	Pass	461
860	1000	0.1	RMS	934.4	-63.9	-13	Pass	1401
1000	3000	1	RMS	1664	-46.5	-13	Pass	2001
3000	10000	1	RMS	6962	-41.35	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-40.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.18	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.44	-13	Pass	7841
814	860	0.1	RMS	832.1	19.88	60	Pass	461
860	1000	0.1	RMS	863	-63.92	-13	Pass	1401
1000	3000	1	RMS	1664	-47.1	-13	Pass	2001
3000	10000	1	RMS	6961	-41.39	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.22	-13	Pass	2986
30	814	0.1	RMS	491.5	-62.94	-13	Pass	7841
814	860	0.1	RMS	839.6	20.19	60	Pass	461
860	1000	0.1	RMS	869.3	-63.86	-13	Pass	1401
1000	3000	1	RMS	1679	-46.29	-13	Pass	2001
3000	10000	1	RMS	6959	-41.37	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-43.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.39	-13	Pass	7841
814	860	0.1	RMS	839.6	19.72	60	Pass	461
860	1000	0.1	RMS	861.1	-63.8	-13	Pass	1401
1000	3000	1	RMS	1679	-46.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.54	-25	Pass	2986
30	1000	0.1	RMS	841.4	-63.77	-25	Pass	9701
1000	2490	1	RMS	2490	-49.17	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.55	60	Pass	401
2580	3000	1	RMS	2956	-48.71	-25	Pass	421
3000	12000	1	RMS	11850	-59.91	-25	Pass	9002
12000	26000	1	RMS	25996	-44.01	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.35	-25	Pass	2986
30	1000	0.1	RMS	829.6	-63.72	-25	Pass	9701
1000	2490	1	RMS	2490	-49.5	-25	Pass	1491
2490	2580	1	RMS	2500.125	20.49	60	Pass	401
2580	3000	1	RMS	2950	-48.7	-25	Pass	421
3000	12000	1	RMS	11848	-59.93	-25	Pass	9002
12000	26000	1	RMS	25988	-43.68	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.27	-25	Pass	2986
30	1000	0.1	RMS	849.4	-63.78	-25	Pass	9701
1000	2490	1	RMS	2489	-50.35	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.65	60	Pass	401
2580	3000	1	RMS	2957	-48.7	-25	Pass	421
3000	12000	1	RMS	11850	-59.91	-25	Pass	9002
12000	26000	1	RMS	25997	-43.66	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.64	-25	Pass	2986
30	1000	0.1	RMS	845.2	-63.62	-25	Pass	9701
1000	2490	1	RMS	2490	-50.39	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.85	60	Pass	401
2580	3000	1	RMS	2956	-48.72	-25	Pass	421
3000	12000	1	RMS	11844	-59.78	-25	Pass	9002
12000	26000	1	RMS	25998	-43.65	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.51	-25	Pass	2986
30	1000	0.1	RMS	842.6	-63.68	-25	Pass	9701
1000	2490	1	RMS	2482	-50.41	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.82	60	Pass	401
2580	3000	1	RMS	2953	-48.72	-25	Pass	421
3000	12000	1	RMS	7696	-57.8	-25	Pass	9002
12000	26000	1	RMS	25993	-43.61	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.78	-25	Pass	2986
30	1000	0.1	RMS	857.606	-63.67	-25	Pass	9701
1000	2490	1	RMS	2490	-50.4	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.12	60	Pass	401
2580	3000	1	RMS	2957	-48.71	-25	Pass	421
3000	12000	1	RMS	7696	-58.39	-25	Pass	9002
12000	26000	1	RMS	25994	-43.68	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.41	-25	Pass	2986
30	1000	0.1	RMS	855.304	-63.77	-25	Pass	9701
1000	2490	1	RMS	2483	-49.36	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.47	60	Pass	401
2580	3000	1	RMS	2955	-48.72	-25	Pass	421
3000	12000	1	RMS	11849	-59.92	-25	Pass	9002
12000	26000	1	RMS	26000	-43.6	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.39	-25	Pass	2986
30	1000	0.1	RMS	847.4	-63.74	-25	Pass	9701
1000	2490	1	RMS	2483	-48.49	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.7	60	Pass	401
2580	3000	1	RMS	2945	-48.69	-25	Pass	421
3000	12000	1	RMS	11847	-59.74	-25	Pass	9002
12000	26000	1	RMS	25997	-43.66	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-64.2	-25	Pass	2986
30	1000	0.1	RMS	861.808	-63.74	-25	Pass	9701
1000	2490	1	RMS	2486	-50.35	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.69	60	Pass	401
2580	3000	1	RMS	2952	-48.69	-25	Pass	421
3000	12000	1	RMS	11845	-59.82	-25	Pass	9002
12000	26000	1	RMS	25993	-43.7	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.2	-25	Pass	2986
30	1000	0.1	RMS	849.7	-63.61	-25	Pass	9701
1000	2490	1	RMS	2478	-50.43	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.81	60	Pass	401
2580	3000	1	RMS	2957	-48.7	-25	Pass	421
3000	12000	1	RMS	11847	-59.86	-25	Pass	9002
12000	26000	1	RMS	25995	-43.61	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.42	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.32	-25	Pass	9701
1000	2490	1	RMS	2489	-50.36	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.91	60	Pass	401
2580	3000	1	RMS	2952	-48.66	-25	Pass	421
3000	12000	1	RMS	7682	-58.43	-25	Pass	9002
12000	26000	1	RMS	25995	-43.64	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.28	-25	Pass	2986
30	1000	0.1	RMS	826	-63.64	-25	Pass	9701
1000	2490	1	RMS	2490	-50.36	-25	Pass	1491
2490	2580	1	RMS	2560.425	20.93	60	Pass	401
2580	3000	1	RMS	2956	-48.66	-25	Pass	421
3000	12000	1	RMS	7682	-58.95	-25	Pass	9002
12000	26000	1	RMS	25996	-43.59	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.05	-25	Pass	2986
30	1000	0.1	RMS	853.803	-63.72	-25	Pass	9701
1000	2490	1	RMS	2488	-42.73	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.43	60	Pass	401
2580	3000	1	RMS	2954	-48.69	-25	Pass	421
3000	12000	1	RMS	11848	-59.81	-25	Pass	9002
12000	26000	1	RMS	25998	-43.72	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.11	-25	Pass	2986
30	1000	0.1	RMS	841	-63.61	-25	Pass	9701
1000	2490	1	RMS	2488	-41.34	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.79	60	Pass	401
2580	3000	1	RMS	2956	-48.71	-25	Pass	421
3000	12000	1	RMS	11851	-59.83	-25	Pass	9002
12000	26000	1	RMS	25992	-43.59	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.27	-25	Pass	2986
30	1000	0.1	RMS	841.5	-63.76	-25	Pass	9701
1000	2490	1	RMS	2482	-50.31	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.72	60	Pass	401
2580	3000	1	RMS	2957	-48.72	-25	Pass	421
3000	12000	1	RMS	11848	-59.86	-25	Pass	9002
12000	26000	1	RMS	25982	-43.64	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-64.23	-25	Pass	2986
30	1000	0.1	RMS	844.4	-63.74	-25	Pass	9701
1000	2490	1	RMS	2481	-50.37	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.21	60	Pass	401
2580	3000	1	RMS	2960	-48.71	-25	Pass	421
3000	12000	1	RMS	11851	-59.78	-25	Pass	9002
12000	26000	1	RMS	25993	-43.66	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-62.84	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.66	-25	Pass	9701
1000	2490	1	RMS	2489	-50.25	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.8	60	Pass	401
2580	3000	1	RMS	2582	-43.11	-25	Pass	421
3000	12000	1	RMS	7668	-59.7	-25	Pass	9002
12000	26000	1	RMS	25985	-43.62	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.51	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.4	-25	Pass	9701
1000	2490	1	RMS	2488	-50.27	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.51	60	Pass	401
2580	3000	1	RMS	2582	-37.34	-25	Pass	421
3000	12000	1	RMS	7668	-59.52	-25	Pass	9002
12000	26000	1	RMS	25989	-43.63	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63	-25	Pass	2986
30	1000	0.1	RMS	847.9	-63.61	-25	Pass	9701
1000	2490	1	RMS	2483	-41.14	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.55	60	Pass	401
2580	3000	1	RMS	2957	-48.69	-25	Pass	421
3000	12000	1	RMS	11852	-59.77	-25	Pass	9002
12000	26000	1	RMS	25998	-43.56	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.3	-25	Pass	2986
30	1000	0.1	RMS	858.706	-63.78	-25	Pass	9701
1000	2490	1	RMS	2483	-40.36	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.91	60	Pass	401
2580	3000	1	RMS	2953	-48.71	-25	Pass	421
3000	12000	1	RMS	11846	-59.87	-25	Pass	9002
12000	26000	1	RMS	25989	-43.64	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.53	-25	Pass	2986
30	1000	0.1	RMS	843.9	-63.81	-25	Pass	9701
1000	2490	1	RMS	2490	-48.65	-25	Pass	1491
2490	2580	1	RMS	2526	21.63	60	Pass	401
2580	3000	1	RMS	2954	-48.71	-25	Pass	421
3000	12000	1	RMS	11846	-59.83	-25	Pass	9002
12000	26000	1	RMS	25988	-43.57	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.52	-25	Pass	2986
30	1000	0.1	RMS	854.804	-63.73	-25	Pass	9701
1000	2490	1	RMS	2490	-47.22	-25	Pass	1491
2490	2580	1	RMS	2526	21.42	60	Pass	401
2580	3000	1	RMS	2946	-48.71	-25	Pass	421
3000	12000	1	RMS	11849	-59.82	-25	Pass	9002
12000	26000	1	RMS	25994	-43.64	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.88	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.11	-25	Pass	9701
1000	2490	1	RMS	2481	-49.98	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.81	60	Pass	401
2580	3000	1	RMS	2586	-41.66	-25	Pass	421
3000	12000	1	RMS	7653	-59.71	-25	Pass	9002
12000	26000	1	RMS	26000	-43.66	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-63.23	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.9	-25	Pass	9701
1000	2490	1	RMS	2482	-50.09	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.28	60	Pass	401
2580	3000	1	RMS	2586	-38.04	-25	Pass	421
3000	12000	1	RMS	7653	-59.84	-25	Pass	9002
12000	26000	1	RMS	25987	-43.68	-25	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.95	-13	Pass	2986
30	767	0.1	RMS	766.6	-63.26	-13	Pass	7371
767	797	0.1	RMS	777.35	20.16	60	Pass	401
797	1000	0.1	RMS	798.7	-63.14	-13	Pass	2031
1000	3000	1	RMS	1554	-48.03	-13	Pass	2001
3000	10000	1	RMS	6963	-41.41	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.03	-13	Pass	2986
30	767	0.1	RMS	766.6	-63.62	-13	Pass	7371
767	797	0.1	RMS	777.35	19.29	60	Pass	401
797	1000	0.1	RMS	797.3	-63.24	-13	Pass	2031
1000	3000	1	RMS	2953	-48.66	-13	Pass	2001
3000	10000	1	RMS	6959	-41.42	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.35	-13	Pass	2986
30	767	0.1	RMS	743.9	-64.12	-13	Pass	7371
767	797	0.1	RMS	779.825	20.31	60	Pass	401
797	1000	0.1	RMS	797.1	-62.08	-13	Pass	2031
1000	3000	1	RMS	1559	-47.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.45	-13	Pass	2986
30	767	0.1	RMS	732.2	-64.22	-13	Pass	7371
767	797	0.1	RMS	779.825	19.96	60	Pass	401
797	1000	0.1	RMS	797.3	-62.53	-13	Pass	2031
1000	3000	1	RMS	1559	-47.6	-13	Pass	2001
3000	10000	1	RMS	6961	-41.36	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.29	-13	Pass	2986
30	767	0.1	RMS	744.2	-64.19	-13	Pass	7371
767	797	0.1	RMS	782.3	20.01	60	Pass	401
797	1000	0.1	RMS	797.7	-62.19	-13	Pass	2031
1000	3000	1	RMS	1564	-47.65	-13	Pass	2001
3000	10000	1	RMS	6963	-41.45	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.91	-13	Pass	2986
30	767	0.1	RMS	723.5	-64.13	-13	Pass	7371
767	797	0.1	RMS	782.3	19.42	60	Pass	401
797	1000	0.1	RMS	797.7	-62.81	-13	Pass	2031
1000	3000	1	RMS	1564	-48.14	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.72	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.67	-13	Pass	7371
767	797	0.1	RMS	777.575	20.43	60	Pass	401
797	1000	0.1	RMS	803.6	-62.84	-13	Pass	2031
1000	3000	1	RMS	1555	-48.15	-13	Pass	2001
3000	10000	1	RMS	6962	-41.37	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.59	-13	Pass	2986
30	767	0.1	RMS	766.9	-63.06	-13	Pass	7371
767	797	0.1	RMS	777.575	19.79	60	Pass	401
797	1000	0.1	RMS	803.9	-62.64	-13	Pass	2031
1000	3000	1	RMS	1555	-48.53	-13	Pass	2001
3000	10000	1	RMS	6961	-41.31	-13	Pass	7001



6. LTE_Band26(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.3	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.47	-13	Pass	7841
814	860	0.1	RMS	824.2	19.88	60	Pass	461
860	1000	0.1	RMS	913	-63.9	-13	Pass	1401
1000	3000	1	RMS	1648	-46.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.96	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.79	-13	Pass	7841
814	860	0.1	RMS	824.3	19.46	60	Pass	461
860	1000	0.1	RMS	958.9	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-46.42	-13	Pass	2001
3000	10000	1	RMS	6961	-41.29	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.31	-13	Pass	2986
30	814	0.1	RMS	810	-63.84	-13	Pass	7841
814	860	0.1	RMS	836.1	19.79	60	Pass	461
860	1000	0.1	RMS	861.9	-63.78	-13	Pass	1401
1000	3000	1	RMS	1672	-45.3	-13	Pass	2001
3000	10000	1	RMS	6962	-41.43	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.68	-13	Pass	2986
30	814	0.1	RMS	810	-63.79	-13	Pass	7841
814	860	0.1	RMS	836.1	19.21	60	Pass	461
860	1000	0.1	RMS	991	-63.79	-13	Pass	1401
1000	3000	1	RMS	1672	-45.88	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.72	-13	Pass	2986
30	814	0.1	RMS	430.8	-58.5	-13	Pass	7841
814	860	0.1	RMS	847.9	19.53	60	Pass	461
860	1000	0.1	RMS	860.7	-63.75	-13	Pass	1401
1000	3000	1	RMS	1695	-45.72	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.53	-13	Pass	2986
30	814	0.1	RMS	430.8	-59.39	-13	Pass	7841
814	860	0.1	RMS	847.8	18.69	60	Pass	461
860	1000	0.1	RMS	867.8	-63.79	-13	Pass	1401
1000	3000	1	RMS	1695	-46.53	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.16	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.46	-13	Pass	7841
814	860	0.1	RMS	824.2	20.14	60	Pass	461
860	1000	0.1	RMS	869.3	-63.73	-13	Pass	1401
1000	3000	1	RMS	1648	-46.26	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.69	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.2	19.11	60	Pass	461
860	1000	0.1	RMS	861.4	-63.69	-13	Pass	1401
1000	3000	1	RMS	1648	-47.03	-13	Pass	2001
3000	10000	1	RMS	6960	-41.36	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.07	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.44	-13	Pass	7841
814	860	0.1	RMS	835.2	19.98	60	Pass	461
860	1000	0.1	RMS	960.3	-63.76	-13	Pass	1401
1000	3000	1	RMS	1670	-44.57	-13	Pass	2001
3000	10000	1	RMS	6959	-41.41	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.07	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.39	-13	Pass	7841
814	860	0.1	RMS	835.2	19.98	60	Pass	461
860	1000	0.1	RMS	860	-63.84	-13	Pass	1401
1000	3000	1	RMS	1670	-44.28	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.39	-13	Pass	2986
30	814	0.1	RMS	417.6	-62.15	-13	Pass	7841
814	860	0.1	RMS	846.2	19.79	60	Pass	461
860	1000	0.1	RMS	941.6	-63.87	-13	Pass	1401
1000	3000	1	RMS	1692	-48.51	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.14	-13	Pass	2986
30	814	0.1	RMS	417.6	-62.57	-13	Pass	7841
814	860	0.1	RMS	846.2	18.87	60	Pass	461
860	1000	0.1	RMS	906.4	-63.78	-13	Pass	1401
1000	3000	1	RMS	2955	-48.66	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.8	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.78	-13	Pass	7841
814	860	0.1	RMS	824.3	19.86	60	Pass	461
860	1000	0.1	RMS	871.2	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-46.66	-13	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.32	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.52	-13	Pass	7841
814	860	0.1	RMS	824.3	18.9	60	Pass	461
860	1000	0.1	RMS	976.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	1648	-47.36	-13	Pass	2001
3000	10000	1	RMS	6963	-41.29	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.73	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.28	-13	Pass	7841
814	860	0.1	RMS	834.3	19.96	60	Pass	461
860	1000	0.1	RMS	863	-63.87	-13	Pass	1401
1000	3000	1	RMS	1668	-45.14	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.28	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.35	-13	Pass	7841
814	860	0.1	RMS	834.3	19.37	60	Pass	461
860	1000	0.1	RMS	862.8	-63.82	-13	Pass	1401
1000	3000	1	RMS	1668	-45.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.29	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.27	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.13	-13	Pass	7841
814	860	0.1	RMS	844.3	19.69	60	Pass	461
860	1000	0.1	RMS	868.9	-63.88	-13	Pass	1401
1000	3000	1	RMS	2954	-48.69	-13	Pass	2001
3000	10000	1	RMS	6962	-41.43	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.69	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.47	-13	Pass	7841
814	860	0.1	RMS	844.3	19.09	60	Pass	461
860	1000	0.1	RMS	860.4	-63.86	-13	Pass	1401
1000	3000	1	RMS	2954	-48.69	-13	Pass	2001
3000	10000	1	RMS	6962	-41.38	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.36	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.56	-13	Pass	7841
814	860	0.1	RMS	824.6	20.36	60	Pass	461
860	1000	0.1	RMS	873.6	-63.75	-13	Pass	1401
1000	3000	1	RMS	1649	-47.15	-13	Pass	2001
3000	10000	1	RMS	6962	-41.3	-13	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.66	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.6	19.73	60	Pass	461
860	1000	0.1	RMS	885.2	-63.8	-13	Pass	1401
1000	3000	1	RMS	1649	-47.81	-13	Pass	2001
3000	10000	1	RMS	6962	-41.31	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.25	-13	Pass	7841
814	860	0.1	RMS	832.1	20.53	60	Pass	461
860	1000	0.1	RMS	961.1	-63.77	-13	Pass	1401
1000	3000	1	RMS	1664	-46.67	-13	Pass	2001
3000	10000	1	RMS	6960	-41.26	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.95	-13	Pass	2986
30	814	0.1	RMS	491.5	-62.94	-13	Pass	7841
814	860	0.1	RMS	832.1	19.96	60	Pass	461
860	1000	0.1	RMS	862.2	-63.89	-13	Pass	1401
1000	3000	1	RMS	1664	-47.26	-13	Pass	2001
3000	10000	1	RMS	6959	-41.34	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.62	-13	Pass	2986
30	814	0.1	RMS	491.5	-62.97	-13	Pass	7841
814	860	0.1	RMS	839.6	20.3	60	Pass	461
860	1000	0.1	RMS	860.3	-63.69	-13	Pass	1401
1000	3000	1	RMS	1679	-46.18	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.61	-13	Pass	2986
30	814	0.1	RMS	491.5	-63.14	-13	Pass	7841
814	860	0.1	RMS	839.6	19.32	60	Pass	461
860	1000	0.1	RMS	964.6	-63.8	-13	Pass	1401
1000	3000	1	RMS	1679	-47.11	-13	Pass	2001
3000	10000	1	RMS	6964	-41.33	-13	Pass	7001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.78	-13	Pass	2986
30	814	0.1	RMS	811.5	-51.82	-13	Pass	7841
814	860	0.1	RMS	824.8	19.99	60	Pass	461
860	1000	0.1	RMS	879.6	-63.72	-13	Pass	1401
1000	3000	1	RMS	1649	-47.23	-13	Pass	2001
3000	10000	1	RMS	6959	-41.34	-13	Pass	7001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.9	-13	Pass	2986
30	814	0.1	RMS	811.6	-51.97	-13	Pass	7841
814	860	0.1	RMS	824.8	19.26	60	Pass	461
860	1000	0.1	RMS	865.1	-63.75	-13	Pass	1401
1000	3000	1	RMS	1649	-47.74	-13	Pass	2001
3000	10000	1	RMS	6963	-41.4	-13	Pass	7001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.16	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.8	-13	Pass	7841
814	860	0.1	RMS	829.8	20.05	60	Pass	461
860	1000	0.1	RMS	862.9	-63.79	-13	Pass	1401
1000	3000	1	RMS	1659	-48.33	-13	Pass	2001
3000	10000	1	RMS	6961	-41.43	-13	Pass	7001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.34	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.06	-13	Pass	7841
814	860	0.1	RMS	829.8	19.53	60	Pass	461
860	1000	0.1	RMS	869.7	-63.86	-13	Pass	1401
1000	3000	1	RMS	1659	-48.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.04	-13	Pass	2986
30	814	0.1	RMS	808.3	-60.61	-13	Pass	7841
814	860	0.1	RMS	834.8	19.68	60	Pass	461
860	1000	0.1	RMS	881.7	-63.85	-13	Pass	1401
1000	3000	1	RMS	1669	-45.12	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.85	-13	Pass	2986
30	814	0.1	RMS	808.3	-59.46	-13	Pass	7841
814	860	0.1	RMS	834.8	19.32	60	Pass	461
860	1000	0.1	RMS	866.5	-63.92	-13	Pass	1401
1000	3000	1	RMS	1669	-45.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001



1. LTE_Band26(part90)


1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.75	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.19	-13	Pass	2986
30	809	0.1	Peak	787.5	-53.04	-13	Pass	7791
809	829	0.1	Peak	814.2	24.24	60	Pass	401
829	1000	0.1	Peak	835.2	-52.1	-13	Pass	1711
1000	3000	1	Peak	2655	-37.03	-13	Pass	2001
3000	10000	1	Peak	7518	-30.04	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.23	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.81	-13	Pass	2986
30	809	0.1	Peak	473.6	-53.14	-13	Pass	7791
809	829	0.1	Peak	814.3	25.31	60	Pass	401
829	1000	0.1	Peak	835.2	-51.09	-13	Pass	1711
1000	3000	1	Peak	2942	-36.54	-13	Pass	2001
3000	10000	1	Peak	8538	-30.16	-13	Pass	7001




1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-50.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.89	-13	Pass	2986
30	809	0.1	Peak	472.2	-53.29	-13	Pass	7791
809	829	0.1	Peak	818.6	25.54	60	Pass	401
829	1000	0.1	Peak	904.6	-52.23	-13	Pass	1711
1000	3000	1	Peak	1637	-35.32	-13	Pass	2001
3000	10000	1	Peak	7200	-30.04	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.035	-61.58	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.96	-13	Pass	2986
30	809	0.1	Peak	590.2	-52.99	-13	Pass	7791
809	829	0.1	Peak	818.55	25.49	60	Pass	401
829	1000	0.1	Peak	835.2	-51.67	-13	Pass	1711
1000	3000	1	Peak	1637	-34.55	-13	Pass	2001
3000	10000	1	Peak	6961	-30.35	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.036	-62.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.79	-13	Pass	2986
30	809	0.1	Peak	798.4	-52.99	-13	Pass	7791
809	829	0.1	Peak	822.9	24.4	60	Pass	401
829	1000	0.1	Peak	830	-41.73	-13	Pass	1711
1000	3000	1	Peak	2973	-37.05	-13	Pass	2001
3000	10000	1	Peak	9599	-30.32	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.035	-61.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.59	-13	Pass	2986
30	809	0.1	Peak	614.6	-53	-13	Pass	7791
809	829	0.1	Peak	822.85	24.41	60	Pass	401
829	1000	0.1	Peak	830.7	-51.74	-13	Pass	1711
1000	3000	1	Peak	2971	-37.53	-13	Pass	2001
3000	10000	1	Peak	6966	-29.07	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.24	-13	Pass	2986
30	809	0.1	Peak	809	-47.35	-13	Pass	7791
809	829	0.1	Peak	814.2	24.25	60	Pass	401
829	1000	0.1	Peak	835.2	-50.68	-13	Pass	1711
1000	3000	1	Peak	1629	-36.72	-13	Pass	2001
3000	10000	1	Peak	8409	-29.77	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.82	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.27	-13	Pass	2986
30	809	0.1	Peak	809	-44.77	-13	Pass	7791
809	829	0.1	Peak	814.25	24.68	60	Pass	401
829	1000	0.1	Peak	842.3	-45.06	-13	Pass	1711
1000	3000	1	Peak	2787	-37.1	-13	Pass	2001
3000	10000	1	Peak	7120	-29.89	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-62.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.1	-13	Pass	2986
30	809	0.1	Peak	808.6	-51	-13	Pass	7791
809	829	0.1	Peak	817.75	24.85	60	Pass	401
829	1000	0.1	Peak	835.2	-50.92	-13	Pass	1711
1000	3000	1	Peak	1635	-36.55	-13	Pass	2001
3000	10000	1	Peak	7224	-30.1	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-61.93	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.59	-13	Pass	2986
30	809	0.1	Peak	676.3	-53.28	-13	Pass	7791
809	829	0.1	Peak	817.75	25.12	60	Pass	401
829	1000	0.1	Peak	835.2	-50.96	-13	Pass	1711
1000	3000	1	Peak	1635	-35.73	-13	Pass	2001
3000	10000	1	Peak	6966	-30.27	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.83	-13	Pass	2986
30	809	0.1	Peak	476.5	-53.02	-13	Pass	7791
809	829	0.1	Peak	821.25	24.44	60	Pass	401
829	1000	0.1	Peak	834.7	-47.04	-13	Pass	1711
1000	3000	1	Peak	2974	-36.84	-13	Pass	2001
3000	10000	1	Peak	7401	-29.88	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.49	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.73	-13	Pass	2986
30	809	0.1	Peak	520.5	-52.14	-13	Pass	7791
809	829	0.1	Peak	821.3	24.13	60	Pass	401
829	1000	0.1	Peak	830.7	-45.11	-13	Pass	1711
1000	3000	1	Peak	2965	-36.72	-13	Pass	2001
3000	10000	1	Peak	7616	-29.94	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.034	-62.08	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.56	-13	Pass	2986
30	809	0.1	Peak	760.4	-51.7	-13	Pass	7791
809	829	0.1	Peak	814.35	24.76	60	Pass	401
829	1000	0.1	Peak	831.8	-51.83	-13	Pass	1711
1000	3000	1	Peak	2987	-36.31	-13	Pass	2001
3000	10000	1	Peak	8422	-30	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.14	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.86	-13	Pass	2986
30	809	0.1	Peak	808.9	-52.12	-13	Pass	7791
809	829	0.1	Peak	814.3	24.88	60	Pass	401
829	1000	0.1	Peak	834.1	-52.43	-13	Pass	1711
1000	3000	1	Peak	2951	-36.85	-13	Pass	2001
3000	10000	1	Peak	8544	-29.47	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.02	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.97	-13	Pass	2986
30	809	0.1	Peak	808.1	-49.12	-13	Pass	7791
809	829	0.1	Peak	816.9	24.45	60	Pass	401
829	1000	0.1	Peak	834.1	-50.98	-13	Pass	1711
1000	3000	1	Peak	2951	-37.07	-13	Pass	2001
3000	10000	1	Peak	7574	-29.04	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.27	-13	Pass	401
0.15	30	0.01	Peak	0.72	-65	-13	Pass	2986
30	809	0.1	Peak	808.2	-49.56	-13	Pass	7791
809	829	0.1	Peak	816.8	24.73	60	Pass	401
829	1000	0.1	Peak	829.7	-50.74	-13	Pass	1711
1000	3000	1	Peak	1634	-36.58	-13	Pass	2001
3000	10000	1	Peak	7319	-29.94	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.034	-62.52	-13	Pass	401
0.15	30	0.01	Peak	0.42	-62.73	-13	Pass	2986
30	809	0.1	Peak	735.4	-53.27	-13	Pass	7791
809	829	0.1	Peak	819.3	24.1	60	Pass	401
829	1000	0.1	Peak	840.6	-45.02	-13	Pass	1711
1000	3000	1	Peak	1639	-36.04	-13	Pass	2001
3000	10000	1	Peak	7493	-30.24	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-62.65	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.04	-13	Pass	2986
30	809	0.1	Peak	764.1	-52.64	-13	Pass	7791
809	829	0.1	Peak	819.35	24.68	60	Pass	401
829	1000	0.1	Peak	833.6	-47.11	-13	Pass	1711
1000	3000	1	Peak	1638	-36.78	-13	Pass	2001
3000	10000	1	Peak	6955	-29.87	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.61	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.7	-13	Pass	2986
30	809	0.1	Peak	808.7	-45.89	-13	Pass	7791
809	829	0.1	Peak	814.6	25.98	60	Pass	401
829	1000	0.1	Peak	832.2	-27.48	-13	Pass	1711
1000	3000	1	Peak	1629	-36.62	-13	Pass	2001
3000	10000	1	Peak	7265	-29.78	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.8	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.46	-13	Pass	2986
30	809	0.1	Peak	808.9	-47.7	-13	Pass	7791
809	829	0.1	Peak	814.55	24.44	60	Pass	401
829	1000	0.1	Peak	832.2	-19.79	-13	Pass	1711
1000	3000	1	Peak	2944	-36.55	-13	Pass	2001
3000	10000	1	Peak	7213	-30.3	-13	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1710.125	22.89	60	Pass	401
1790	3000	1	RMS	2949	-48.65	-13	Pass	1211
3000	12000	1	RMS	11950	-40.18	-13	Pass	9002
12000	20000	1	RMS	19412	-31.02	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.24	-13	Pass	2986
30	1000	0.1	RMS	840	-63.48	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.125	23.19	60	Pass	401
1790	3000	1	RMS	2946	-48.67	-13	Pass	1211
3000	12000	1	RMS	11855	-40.15	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.92	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.7	-13	Pass	9701
1000	1700	1	RMS	1698	-52.4	-13	Pass	701
1700	1790	1	RMS	1744.325	22.9	60	Pass	401
1790	3000	1	RMS	2962	-48.7	-13	Pass	1211
3000	12000	1	RMS	11949	-40.15	-13	Pass	9002
12000	20000	1	RMS	19403	-31.05	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	1000	0.1	RMS	867.612	-63.7	-13	Pass	9701
1000	1700	1	RMS	1697	-52.43	-13	Pass	701
1700	1790	1	RMS	1744.325	22.87	60	Pass	401
1790	3000	1	RMS	2956	-48.74	-13	Pass	1211
3000	12000	1	RMS	11950	-40.16	-13	Pass	9002
12000	20000	1	RMS	19400	-31.03	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.24	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.69	-13	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	Pass	701
1700	1790	1	RMS	1778.75	22.95	60	Pass	401
1790	3000	1	RMS	2948	-48.68	-13	Pass	1211
3000	12000	1	RMS	11848	-40.18	-13	Pass	9002
12000	20000	1	RMS	19410	-31.09	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.89	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.67	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1790	1	RMS	1778.75	22.33	60	Pass	401
1790	3000	1	RMS	2949	-48.73	-13	Pass	1211
3000	12000	1	RMS	11855	-40.15	-13	Pass	9002
12000	20000	1	RMS	19720	-31.04	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.24	-13	Pass	2986
30	1000	0.1	RMS	863.309	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-50.34	-13	Pass	701
1700	1790	1	RMS	1710.125	22.96	60	Pass	401
1790	3000	1	RMS	2945	-48.68	-13	Pass	1211
3000	12000	1	RMS	11851	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.09	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	Pass	701
1700	1790	1	RMS	1710.125	22.52	60	Pass	401
1790	3000	1	RMS	2953	-48.7	-13	Pass	1211
3000	12000	1	RMS	11951	-40.15	-13	Pass	9002
12000	20000	1	RMS	19403	-31.06	-13	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.8	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.78	-13	Pass	9701
1000	1700	1	RMS	1699	-52.34	-13	Pass	701
1700	1790	1	RMS	1743.65	23.04	60	Pass	401
1790	3000	1	RMS	2947	-48.68	-13	Pass	1211
3000	12000	1	RMS	11954	-40.16	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.61	-13	Pass	2986
30	1000	0.1	RMS	849	-63.7	-13	Pass	9701
1000	1700	1	RMS	1696	-52.37	-13	Pass	701
1700	1790	1	RMS	1743.65	23.11	60	Pass	401
1790	3000	1	RMS	2957	-48.66	-13	Pass	1211
3000	12000	1	RMS	11952	-40.11	-13	Pass	9002
12000	20000	1	RMS	19409	-31.05	-13	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	840.2	-63.68	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1790	1	RMS	1777.175	22.97	60	Pass	401
1790	3000	1	RMS	2958	-48.69	-13	Pass	1211
3000	12000	1	RMS	11949	-40.12	-13	Pass	9002
12000	20000	1	RMS	19406	-31.04	-13	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.33	-13	Pass	2986
30	1000	0.1	RMS	852.002	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1777.175	22.48	60	Pass	401
1790	3000	1	RMS	2960	-48.72	-13	Pass	1211
3000	12000	1	RMS	11847	-40.17	-13	Pass	9002
12000	20000	1	RMS	19399	-31.05	-13	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.74	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.34	-13	Pass	701
1700	1790	1	RMS	1710.125	22.78	60	Pass	401
1790	3000	1	RMS	2947	-48.68	-13	Pass	1211
3000	12000	1	RMS	11952	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.04	-13	Pass	2986
30	1000	0.1	RMS	837.9	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.125	21.65	60	Pass	401
1790	3000	1	RMS	2953	-48.7	-13	Pass	1211
3000	12000	1	RMS	11851	-40.15	-13	Pass	9002
12000	20000	1	RMS	19399	-31.07	-13	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.28	-13	Pass	2986
30	1000	0.1	RMS	845.8	-63.57	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1790	1	RMS	1742.75	23.05	60	Pass	401
1790	3000	1	RMS	2956	-48.69	-13	Pass	1211
3000	12000	1	RMS	11850	-40.16	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.46	-13	Pass	2986
30	1000	0.1	RMS	856.405	-63.71	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1790	1	RMS	1742.75	22.6	60	Pass	401
1790	3000	1	RMS	2957	-48.67	-13	Pass	1211
3000	12000	1	RMS	11945	-40.14	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.08	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.72	-13	Pass	9701
1000	1700	1	RMS	1694	-52.49	-13	Pass	701
1700	1790	1	RMS	1775.15	22.99	60	Pass	401
1790	3000	1	RMS	2953	-48.7	-13	Pass	1211
3000	12000	1	RMS	11850	-40.14	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.78	-13	Pass	2986
30	1000	0.1	RMS	865.211	-63.63	-13	Pass	9701
1000	1700	1	RMS	1696	-52.46	-13	Pass	701
1700	1790	1	RMS	1775.15	22.42	60	Pass	401
1790	3000	1	RMS	2957	-48.69	-13	Pass	1211
3000	12000	1	RMS	11849	-40.17	-13	Pass	9002
12000	20000	1	RMS	19407	-31.05	-13	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.62	-13	Pass	2986
30	1000	0.1	RMS	846.9	-63.76	-13	Pass	9701
1000	1700	1	RMS	1693	-48.17	-13	Pass	701
1700	1790	1	RMS	1710.575	22.81	60	Pass	401
1790	3000	1	RMS	2946	-48.7	-13	Pass	1211
3000	12000	1	RMS	11951	-40.15	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.97	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.66	-13	Pass	9701
1000	1700	1	RMS	1693	-48.22	-13	Pass	701
1700	1790	1	RMS	1710.575	22.42	60	Pass	401
1790	3000	1	RMS	2956	-48.67	-13	Pass	1211
3000	12000	1	RMS	11944	-40.15	-13	Pass	9002
12000	20000	1	RMS	19410	-31.06	-13	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-53.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.26	-13	Pass	2986
30	1000	0.1	RMS	843	-63.68	-13	Pass	9701
1000	1700	1	RMS	1696	-52.4	-13	Pass	701
1700	1790	1	RMS	1740.5	23.09	60	Pass	401
1790	3000	1	RMS	2957	-48.58	-13	Pass	1211
3000	12000	1	RMS	11949	-39.95	-13	Pass	9002
12000	20000	1	RMS	19400	-30.94	-13	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.82	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.58	-13	Pass	9701
1000	1700	1	RMS	1699	-52.23	-13	Pass	701
1700	1790	1	RMS	1711.025	-49.56	60	Pass	401
1790	3000	1	RMS	2957	-48.55	-13	Pass	1211
3000	12000	1	RMS	11851	-40.04	-13	Pass	9002
12000	20000	1	RMS	19395	-30.94	-13	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.33	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.51	-13	Pass	9701
1000	1700	1	RMS	1698	-52.36	-13	Pass	701
1700	1790	1	RMS	1770.425	23.2	60	Pass	401
1790	3000	1	RMS	2954	-48.56	-13	Pass	1211
3000	12000	1	RMS	11944	-40.03	-13	Pass	9002
12000	20000	1	RMS	19403	-30.89	-13	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.51	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.54	-13	Pass	9701
1000	1700	1	RMS	1697	-52.34	-13	Pass	701
1700	1790	1	RMS	1770.425	22.64	60	Pass	401
1790	3000	1	RMS	2955	-48.54	-13	Pass	1211
3000	12000	1	RMS	11848	-40.05	-13	Pass	9002
12000	20000	1	RMS	19405	-30.94	-13	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.58	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.31	-13	Pass	9701
1000	1700	1	RMS	1698	-42.33	-13	Pass	701
1700	1790	1	RMS	1710.8	22.93	60	Pass	401
1790	3000	1	RMS	2957	-48.56	-13	Pass	1211
3000	12000	1	RMS	11845	-40	-13	Pass	9002
12000	20000	1	RMS	19394	-30.94	-13	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.32	-13	Pass	2986
30	1000	0.1	RMS	859.907	-63.61	-13	Pass	9701
1000	1700	1	RMS	1698	-41.4	-13	Pass	701
1700	1790	1	RMS	1710.8	22.52	60	Pass	401
1790	3000	1	RMS	2957	-48.61	-13	Pass	1211
3000	12000	1	RMS	11945	-39.98	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.21	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.38	-13	Pass	9701
1000	1700	1	RMS	1699	-52.17	-13	Pass	701
1700	1790	1	RMS	1738.25	23.17	60	Pass	401
1790	3000	1	RMS	2954	-48.54	-13	Pass	1211
3000	12000	1	RMS	11954	-39.99	-13	Pass	9002
12000	20000	1	RMS	19702	-30.97	-13	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.1	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.21	-13	Pass	701
1700	1790	1	RMS	1738.25	22.91	60	Pass	401
1790	3000	1	RMS	2957	-48.6	-13	Pass	1211
3000	12000	1	RMS	11952	-39.96	-13	Pass	9002
12000	20000	1	RMS	19401	-30.89	-13	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.91	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.67	-13	Pass	9701
1000	1700	1	RMS	1693	-52.34	-13	Pass	701
1700	1790	1	RMS	1765.7	22.92	60	Pass	401
1790	3000	1	RMS	1792	-33.29	-13	Pass	1211
3000	12000	1	RMS	11950	-40.01	-13	Pass	9002
12000	20000	1	RMS	19396	-30.95	-13	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.66	-13	Pass	401
0.15	30	0.01	RMS	0.3	-65.26	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1790	1	RMS	1765.7	22.67	60	Pass	401
1790	3000	1	RMS	1792	-33.15	-13	Pass	1211
3000	12000	1	RMS	11954	-40.02	-13	Pass	9002
12000	20000	1	RMS	19398	-30.91	-13	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.12	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.56	-13	Pass	9701
1000	1700	1	RMS	1693	-41.06	-13	Pass	701
1700	1790	1	RMS	1711.025	23.1	60	Pass	401
1790	3000	1	RMS	2945	-48.54	-13	Pass	1211
3000	12000	1	RMS	11848	-40	-13	Pass	9002
12000	20000	1	RMS	19396	-30.9	-13	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.66	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.6	-13	Pass	9701
1000	1700	1	RMS	1693	-41.72	-13	Pass	701
1700	1790	1	RMS	1711.025	22.59	60	Pass	401
1790	3000	1	RMS	2953	-48.54	-13	Pass	1211
3000	12000	1	RMS	11849	-40.01	-13	Pass	9002
12000	20000	1	RMS	19411	-30.89	-13	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.81	-13	Pass	2986
30	1000	0.1	RMS	837.8	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-45.42	-13	Pass	701
1700	1790	1	RMS	1736	23.21	60	Pass	401
1790	3000	1	RMS	2955	-48.53	-13	Pass	1211
3000	12000	1	RMS	11848	-39.97	-13	Pass	9002
12000	20000	1	RMS	19402	-30.86	-13	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.83	-13	Pass	2986
30	1000	0.1	RMS	852.802	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-46.48	-13	Pass	701
1700	1790	1	RMS	1736	22.25	60	Pass	401
1790	3000	1	RMS	2942	-48.58	-13	Pass	1211
3000	12000	1	RMS	11948	-40	-13	Pass	9002
12000	20000	1	RMS	19398	-30.9	-13	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.3	-65.39	-13	Pass	2986
30	1000	0.1	RMS	825.5	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.01	-13	Pass	701
1700	1790	1	RMS	1760.975	23.13	60	Pass	401
1790	3000	1	RMS	1797	-32.09	-13	Pass	1211
3000	12000	1	RMS	11956	-39.98	-13	Pass	9002
12000	20000	1	RMS	19399	-30.96	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	823.5	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	Pass	701
1700	1790	1	RMS	1760.975	22.78	60	Pass	401
1790	3000	1	RMS	1797	-32.09	-13	Pass	1211
3000	12000	1	RMS	11955	-40	-13	Pass	9002
12000	20000	1	RMS	19404	-30.86	-13	Pass	8001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-25	Pass	2986
30	1000	0.1	RMS	854.103	-59.71	-25	Pass	9701
1000	2560	1	RMS	2560	-43.37	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.21	60	Pass	401
2630	3000	1	RMS	2950.05	-44.59	-25	Pass	401
3000	12000	1	RMS	11853	-45.66	-25	Pass	9002
12000	26500	1	RMS	26001	-39.8	-25	Pass	14502




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.61	-25	Pass	2986
30	1000	0.1	RMS	852.502	-59.48	-25	Pass	9701
1000	2560	1	RMS	2558	-43.98	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.52	60	Pass	401
2630	3000	1	RMS	2956.525	-44.62	-25	Pass	401
3000	12000	1	RMS	11851	-45.69	-25	Pass	9002
12000	26500	1	RMS	26001	-39.75	-25	Pass	14502




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.08	-25	Pass	2986
30	1000	0.1	RMS	844.1	-59.59	-25	Pass	9701
1000	2560	1	RMS	2560	-45.67	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.26	60	Pass	401
2630	3000	1	RMS	2953.75	-44.62	-25	Pass	401
3000	12000	1	RMS	11851	-45.66	-25	Pass	9002
12000	26500	1	RMS	25999	-39.85	-25	Pass	14502




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.12	-25	Pass	2986
30	1000	0.1	RMS	847.9	-59.54	-25	Pass	9701
1000	2560	1	RMS	2560	-45.63	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.84	60	Pass	401
2630	3000	1	RMS	2950.05	-44.61	-25	Pass	401
3000	12000	1	RMS	11856	-45.67	-25	Pass	9002
12000	26500	1	RMS	26003	-39.72	-25	Pass	14502




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.58	-25	Pass	9701
1000	2560	1	RMS	2555	-46.14	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.33	60	Pass	401
2630	3000	1	RMS	2957.45	-44.63	-25	Pass	401
3000	12000	1	RMS	11846	-45.63	-25	Pass	9002
12000	26500	1	RMS	26005	-39.81	-25	Pass	14502




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.56	-25	Pass	2986
30	1000	0.1	RMS	838.6	-59.53	-25	Pass	9701
1000	2560	1	RMS	2558	-46.1	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.69	60	Pass	401
2630	3000	1	RMS	2953.75	-44.61	-25	Pass	401
3000	12000	1	RMS	11855	-45.71	-25	Pass	9002
12000	26500	1	RMS	26003	-39.84	-25	Pass	14502




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-25	Pass	2986
30	1000	0.1	RMS	850.501	-59.62	-25	Pass	9701
1000	2560	1	RMS	2557	-44.49	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.67	60	Pass	401
2630	3000	1	RMS	2957.45	-44.62	-25	Pass	401
3000	12000	1	RMS	11852	-45.73	-25	Pass	9002
12000	26500	1	RMS	26005	-39.76	-25	Pass	14502




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-25	Pass	2986
30	1000	0.1	RMS	840.5	-59.68	-25	Pass	9701
1000	2560	1	RMS	2558	-44.58	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.46	60	Pass	401
2630	3000	1	RMS	2953.75	-44.62	-25	Pass	401
3000	12000	1	RMS	11850	-45.69	-25	Pass	9002
12000	26500	1	RMS	26002	-39.78	-25	Pass	14502



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.39	-25	Pass	2986
30	1000	0.1	RMS	854.003	-59.52	-25	Pass	9701
1000	2560	1	RMS	2560	-45.8	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.26	60	Pass	401
2630	3000	1	RMS	2956.525	-44.6	-25	Pass	401
3000	12000	1	RMS	11856	-45.74	-25	Pass	9002
12000	26500	1	RMS	26001	-39.87	-25	Pass	14502



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-25	Pass	2986
30	1000	0.1	RMS	853.903	-59.61	-25	Pass	9701
1000	2560	1	RMS	2560	-45.61	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.73	60	Pass	401
2630	3000	1	RMS	2959.3	-44.6	-25	Pass	401
3000	12000	1	RMS	11849	-45.71	-25	Pass	9002
12000	26500	1	RMS	25999	-39.87	-25	Pass	14502



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.6	-25	Pass	9701
1000	2560	1	RMS	2488	-45.3	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.26	60	Pass	401
2630	3000	1	RMS	2954.675	-44.58	-25	Pass	401
3000	12000	1	RMS	11853	-45.68	-25	Pass	9002
12000	26500	1	RMS	25989	-39.82	-25	Pass	14502



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.01	-25	Pass	2986
30	1000	0.1	RMS	832.6	-59.61	-25	Pass	9701
1000	2560	1	RMS	2488	-45.69	-25	Pass	1561
2560	2630	1	RMS	2610.4	22.42	60	Pass	401
2630	3000	1	RMS	2636.475	-44.45	-25	Pass	401
3000	12000	1	RMS	11858	-45.72	-25	Pass	9002
12000	26500	1	RMS	26010	-39.75	-25	Pass	14502



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-25	Pass	2986
30	1000	0.1	RMS	843.7	-59.49	-25	Pass	9701
1000	2560	1	RMS	2557	-41.4	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.99	60	Pass	401
2630	3000	1	RMS	2702.15	-43.55	-25	Pass	401
3000	12000	1	RMS	11850	-45.63	-25	Pass	9002
12000	26500	1	RMS	26006	-39.73	-25	Pass	14502



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-25	Pass	2986
30	1000	0.1	RMS	847	-59.62	-25	Pass	9701
1000	2560	1	RMS	2558	-39.45	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.13	60	Pass	401
2630	3000	1	RMS	2702.15	-43.28	-25	Pass	401
3000	12000	1	RMS	11855	-45.67	-25	Pass	9002
12000	26500	1	RMS	25997	-39.82	-25	Pass	14502



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-25	Pass	2986
30	1000	0.1	RMS	846.5	-59.51	-25	Pass	9701
1000	2560	1	RMS	2560	-45.67	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.57	60	Pass	401
2630	3000	1	RMS	2945.425	-44.63	-25	Pass	401
3000	12000	1	RMS	11851	-45.66	-25	Pass	9002
12000	26500	1	RMS	26002	-39.7	-25	Pass	14502



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-25	Pass	2986
30	1000	0.1	RMS	845.5	-59.44	-25	Pass	9701
1000	2560	1	RMS	2557	-45.66	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.71	60	Pass	401
2630	3000	1	RMS	2957.45	-44.6	-25	Pass	401
3000	12000	1	RMS	11845	-45.63	-25	Pass	9002
12000	26500	1	RMS	26001	-39.81	-25	Pass	14502



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-25	Pass	2986
30	1000	0.1	RMS	858.106	-59.48	-25	Pass	9701
1000	2560	1	RMS	2483	-42.68	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.04	60	Pass	401
2630	3000	1	RMS	2631.85	-39.3	-25	Pass	401
3000	12000	1	RMS	11852	-45.59	-25	Pass	9002
12000	26500	1	RMS	26004	-39.81	-25	Pass	14502



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-25	Pass	2986
30	1000	0.1	RMS	841.7	-59.49	-25	Pass	9701
1000	2560	1	RMS	2483	-43.17	-25	Pass	1561
2560	2630	1	RMS	2605.675	21.44	60	Pass	401
2630	3000	1	RMS	2631.85	-31.32	-25	Pass	401
3000	12000	1	RMS	11844	-45.66	-25	Pass	9002
12000	26500	1	RMS	26004	-39.78	-25	Pass	14502



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-25	Pass	2986
30	1000	0.1	RMS	842.9	-59.61	-25	Pass	9701
1000	2560	1	RMS	2553	-42.37	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.78	60	Pass	401
2630	3000	1	RMS	2702.15	-40.86	-25	Pass	401
3000	12000	1	RMS	11839	-45.74	-25	Pass	9002
12000	26500	1	RMS	25996	-39.8	-25	Pass	14502



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-25	Pass	2986
30	1000	0.1	RMS	861.608	-59.64	-25	Pass	9701
1000	2560	1	RMS	2553	-36.97	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.19	60	Pass	401
2630	3000	1	RMS	2702.15	-40.44	-25	Pass	401
3000	12000	1	RMS	11851	-45.68	-25	Pass	9002
12000	26500	1	RMS	25992	-39.82	-25	Pass	14502



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.9	-25	Pass	2986
30	1000	0.1	RMS	935.657	-59.62	-25	Pass	9701
1000	2560	1	RMS	2559	-45.33	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.35	60	Pass	401
2630	3000	1	RMS	2954.675	-44.62	-25	Pass	401
3000	12000	1	RMS	11844	-45.67	-25	Pass	9002
12000	26500	1	RMS	25999	-39.85	-25	Pass	14502



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-49.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-25	Pass	2986
30	1000	0.1	RMS	871.715	-59.67	-25	Pass	9701
1000	2560	1	RMS	2551	-44.16	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.87	60	Pass	401
2630	3000	1	RMS	2953.75	-44.63	-25	Pass	401
3000	12000	1	RMS	11849	-45.71	-25	Pass	9002
12000	26500	1	RMS	26005	-39.83	-25	Pass	14502



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.46	-25	Pass	2986
30	1000	0.1	RMS	840.2	-59.6	-25	Pass	9701
1000	2560	1	RMS	2559	-45.98	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.19	60	Pass	401
2630	3000	1	RMS	2636.475	-35.06	-25	Pass	401
3000	12000	1	RMS	11846	-45.64	-25	Pass	9002
12000	26500	1	RMS	25996	-39.86	-25	Pass	14502



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-50.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-25	Pass	2986
30	1000	0.1	RMS	849	-59.65	-25	Pass	9701
1000	2560	1	RMS	2560	-45.79	-25	Pass	1561
2560	2630	1	RMS	2600.95	21.87	60	Pass	401
2630	3000	1	RMS	2636.475	-30.79	-25	Pass	401
3000	12000	1	RMS	11851	-45.66	-25	Pass	9002
12000	26500	1	RMS	26001	-39.84	-25	Pass	14502



1. LTE_Band41 full


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.41	-25	Pass	2986
30	1000	0.1	RMS	946.9	-57.97	-25	Pass	9701
1000	2486	1	RMS	2484	-42.73	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.57	60	Pass	401
2700	3000	1	RMS	2997.75	-42.71	-25	Pass	401
3000	12000	1	RMS	4993	-46.26	-25	Pass	9001
12000	27000	1	RMS	25013	-32.59	-25	Pass	15001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-25	Pass	2986
30	1000	0.1	RMS	921.3	-57.84	-25	Pass	9701
1000	2486	1	RMS	2484	-42.87	-25	Pass	1487
2486	2700	1	RMS	2496.165	22	60	Pass	401
2700	3000	1	RMS	2999.25	-42.65	-25	Pass	401
3000	12000	1	RMS	4993	-52.27	-25	Pass	9001
12000	27000	1	RMS	25017	-32.44	-25	Pass	15001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-25	Pass	2986
30	1000	0.1	RMS	908.4	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.75	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.58	60	Pass	401
2700	3000	1	RMS	2999.25	-42.6	-25	Pass	401
3000	12000	1	RMS	5181	-56.41	-25	Pass	9001
12000	27000	1	RMS	25014	-32.42	-25	Pass	15001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-25	Pass	2986
30	1000	0.1	RMS	947.2	-57.96	-25	Pass	9701
1000	2486	1	RMS	2486	-43.81	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.43	60	Pass	401
2700	3000	1	RMS	3000	-42.51	-25	Pass	401
3000	12000	1	RMS	5182	-54.92	-25	Pass	9001
12000	27000	1	RMS	25013	-32.52	-25	Pass	15001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-25	Pass	2986
30	1000	0.1	RMS	927.5	-57.83	-25	Pass	9701
1000	2486	1	RMS	2486	-43.72	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.85	60	Pass	401
2700	3000	1	RMS	2700	-42.01	-25	Pass	401
3000	12000	1	RMS	8056	-50.14	-25	Pass	9001
12000	27000	1	RMS	25011	-32.41	-25	Pass	15001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.94	-25	Pass	2986
30	1000	0.1	RMS	914.3	-57.98	-25	Pass	9701
1000	2486	1	RMS	2486	-43.79	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.47	60	Pass	401
2700	3000	1	RMS	2700	-42	-25	Pass	401
3000	12000	1	RMS	8055	-54.78	-25	Pass	9001
12000	27000	1	RMS	25012	-32.41	-25	Pass	15001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-25	Pass	2986
30	1000	0.1	RMS	936.2	-57.9	-25	Pass	9701
1000	2486	1	RMS	2485	-41.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.41	60	Pass	401
2700	3000	1	RMS	2999.25	-42.56	-25	Pass	401
3000	12000	1	RMS	4994	-49.16	-25	Pass	9001
12000	27000	1	RMS	25014	-32.47	-25	Pass	15001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.62	-25	Pass	2986
30	1000	0.1	RMS	910	-57.94	-25	Pass	9701
1000	2486	1	RMS	2484	-42.58	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.42	60	Pass	401
2700	3000	1	RMS	2999.25	-42.55	-25	Pass	401
3000	12000	1	RMS	4993	-45.76	-25	Pass	9001
12000	27000	1	RMS	25011	-32.46	-25	Pass	15001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-25	Pass	2986
30	1000	0.1	RMS	913.2	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.76	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.48	60	Pass	401
2700	3000	1	RMS	2999.25	-42.57	-25	Pass	401
3000	12000	1	RMS	5177	-53.83	-25	Pass	9001
12000	27000	1	RMS	25014	-32.39	-25	Pass	15001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-25	Pass	2986
30	1000	0.1	RMS	910.5	-57.83	-25	Pass	9701
1000	2486	1	RMS	2486	-43.73	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.58	60	Pass	401
2700	3000	1	RMS	3000	-42.54	-25	Pass	401
3000	12000	1	RMS	11847	-57.63	-25	Pass	9001
12000	27000	1	RMS	25013	-32.47	-25	Pass	15001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-54.14	-25	Pass	2986
30	1000	0.1	RMS	906.5	-57.96	-25	Pass	9701
1000	2486	1	RMS	2483	-43.83	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.71	60	Pass	401
2700	3000	1	RMS	2706.75	-42.3	-25	Pass	401
3000	12000	1	RMS	8042	-52.5	-25	Pass	9001
12000	27000	1	RMS	25012	-32.54	-25	Pass	15001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-25	Pass	2986
30	1000	0.1	RMS	948.5	-57.97	-25	Pass	9701
1000	2486	1	RMS	2486	-43.71	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.82	60	Pass	401
2700	3000	1	RMS	2706.75	-42.46	-25	Pass	401
3000	12000	1	RMS	8042	-50.26	-25	Pass	9001
12000	27000	1	RMS	25013	-32.39	-25	Pass	15001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.92	-25	Pass	2986
30	1000	0.1	RMS	929.3	-57.82	-25	Pass	9701
1000	2486	1	RMS	2483	-40.54	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.48	60	Pass	401
2700	3000	1	RMS	2999.25	-42.57	-25	Pass	401
3000	12000	1	RMS	4994	-54.46	-25	Pass	9001
12000	27000	1	RMS	25021	-32.52	-25	Pass	15001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.46	-25	Pass	2986
30	1000	0.1	RMS	971.1	-57.88	-25	Pass	9701
1000	2486	1	RMS	2483	-39.36	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.42	60	Pass	401
2700	3000	1	RMS	2998.5	-42.59	-25	Pass	401
3000	12000	1	RMS	4994	-51.72	-25	Pass	9001
12000	27000	1	RMS	25011	-32.42	-25	Pass	15001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2986
30	1000	0.1	RMS	931.2	-57.9	-25	Pass	9701
1000	2486	1	RMS	2486	-43.78	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.57	60	Pass	401
2700	3000	1	RMS	2709	-40.69	-25	Pass	401
3000	12000	1	RMS	5172	-57.32	-25	Pass	9001
12000	27000	1	RMS	25012	-32.53	-25	Pass	15001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-25	Pass	2986
30	1000	0.1	RMS	920.6	-58.02	-25	Pass	9701
1000	2486	1	RMS	2484	-43.76	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.58	60	Pass	401
2700	3000	1	RMS	2709	-40.48	-25	Pass	401
3000	12000	1	RMS	5173	-56.42	-25	Pass	9001
12000	27000	1	RMS	25017	-32.49	-25	Pass	15001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-25	Pass	2986
30	1000	0.1	RMS	906.7	-57.89	-25	Pass	9701
1000	2486	1	RMS	2486	-43.74	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.41	60	Pass	401
2700	3000	1	RMS	2702.25	-36.83	-25	Pass	401
3000	12000	1	RMS	8027	-52.11	-25	Pass	9001
12000	27000	1	RMS	25012	-32.48	-25	Pass	15001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-25	Pass	2986
30	1000	0.1	RMS	907.4	-57.86	-25	Pass	9701
1000	2486	1	RMS	2485	-43.78	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.17	60	Pass	401
2700	3000	1	RMS	2702.25	-31.89	-25	Pass	401
3000	12000	1	RMS	8028	-52.27	-25	Pass	9001
12000	27000	1	RMS	25013	-32.47	-25	Pass	15001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2986
30	1000	0.1	RMS	925.5	-57.92	-25	Pass	9701
1000	2486	1	RMS	2480	-40.02	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.89	60	Pass	401
2700	3000	1	RMS	2997.75	-42.59	-25	Pass	401
3000	12000	1	RMS	4994	-45.48	-25	Pass	9001
12000	27000	1	RMS	25012	-32.54	-25	Pass	15001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-25	Pass	2986
30	1000	0.1	RMS	918.8	-57.96	-25	Pass	9701
1000	2486	1	RMS	2479	-37.05	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.87	60	Pass	401
2700	3000	1	RMS	3000	-42.56	-25	Pass	401
3000	12000	1	RMS	4994	-55.07	-25	Pass	9001
12000	27000	1	RMS	25013	-32.53	-25	Pass	15001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-25	Pass	2986
30	1000	0.1	RMS	903.9	-57.81	-25	Pass	9701
1000	2486	1	RMS	2484	-43.78	-25	Pass	1487
2486	2700	1	RMS	2584.44	21.9	60	Pass	401
2700	3000	1	RMS	2706.75	-38.43	-25	Pass	401
3000	12000	1	RMS	5168	-57.27	-25	Pass	9001
12000	27000	1	RMS	25016	-32.42	-25	Pass	15001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-25	Pass	2986
30	1000	0.1	RMS	923.5	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.76	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.81	60	Pass	401
2700	3000	1	RMS	2706.75	-39.17	-25	Pass	401
3000	12000	1	RMS	11871	-57.65	-25	Pass	9001
12000	27000	1	RMS	25015	-32.47	-25	Pass	15001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-25	Pass	2986
30	1000	0.1	RMS	913.3	-57.92	-25	Pass	9701
1000	2486	1	RMS	2485	-43.78	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.57	60	Pass	401
2700	3000	1	RMS	2706.75	-35.29	-25	Pass	401
3000	12000	1	RMS	8013	-53.97	-25	Pass	9001
12000	27000	1	RMS	25013	-32.47	-25	Pass	15001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-25	Pass	2986
30	1000	0.1	RMS	920.3	-57.97	-25	Pass	9701
1000	2486	1	RMS	2486	-43.76	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.98	60	Pass	401
2700	3000	1	RMS	2706.75	-32.87	-25	Pass	401
3000	12000	1	RMS	8014	-55.18	-25	Pass	9001
12000	27000	1	RMS	25014	-32.37	-25	Pass	15001



--BLANK BELOW--

