



REPORT No.: SZ25070347S01

Annex D Plots of Maximum PD Test Results

Measurement Report for Device, FRONT, Custom Band, , Channel 61247000 (61247.0 MHz)
Device Under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	40.0 x 45.0 x 8.0		Phone

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G	FRONT, 2.00	Custom Band	CW, 10755-AAC	61247.0, 61247	1.0

Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave – xxxx	Air –	EUmmWV4 – SN9602_F55–110GHz, 2025–03–19	DAE4 Sn1643, 2025–03–21

Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	60.0 x 60.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	2.0
MAIA	N/A

Measurement Results

Scan Type	5G Scan
Date	2025–08–12, 06:00
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	0.021
psPDtot+ [W/m ²]	0.017
psPDmod+ [W/m ²]	0.017
E _{max} [V/m]	10.2
Power Drift [dB]	–0.14

