


AC Power Line Conducted Emission Test																																																								
Test Mode	Mode 1		LISN Line		Neutral Side																																																			
																																																								
<b>MEASUREMENT RESULT: "agc_fin"</b>																																																								
2025/8/7 14:00																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.282000</td><td>28.00</td><td>9.9</td><td>61</td><td>32.8</td><td>QP</td><td>N</td></tr> <tr> <td>0.574000</td><td>23.00</td><td>9.9</td><td>56</td><td>33.0</td><td>QP</td><td>N</td></tr> <tr> <td>0.730000</td><td>23.60</td><td>9.9</td><td>56</td><td>32.4</td><td>QP</td><td>N</td></tr> <tr> <td>1.238000</td><td>24.30</td><td>9.9</td><td>56</td><td>31.7</td><td>QP</td><td>N</td></tr> <tr> <td>3.906000</td><td>22.60</td><td>10.0</td><td>56</td><td>33.4</td><td>QP</td><td>N</td></tr> <tr> <td>4.098000</td><td>23.60</td><td>10.0</td><td>56</td><td>32.4</td><td>QP</td><td>N</td></tr> </tbody> </table>							Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.282000	28.00	9.9	61	32.8	QP	N	0.574000	23.00	9.9	56	33.0	QP	N	0.730000	23.60	9.9	56	32.4	QP	N	1.238000	24.30	9.9	56	31.7	QP	N	3.906000	22.60	10.0	56	33.4	QP	N	4.098000	23.60	10.0	56	32.4	QP	N	
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.282000	28.00	9.9	61	32.8	QP	N																																																		
0.574000	23.00	9.9	56	33.0	QP	N																																																		
0.730000	23.60	9.9	56	32.4	QP	N																																																		
1.238000	24.30	9.9	56	31.7	QP	N																																																		
3.906000	22.60	10.0	56	33.4	QP	N																																																		
4.098000	23.60	10.0	56	32.4	QP	N																																																		
<b>MEASUREMENT RESULT: "agc_fin2"</b>																																																								
2025/8/7 14:00																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.286000</td><td>23.50</td><td>9.9</td><td>51</td><td>27.1</td><td>AV</td><td>N</td></tr> <tr> <td>0.774000</td><td>22.10</td><td>9.9</td><td>46</td><td>23.9</td><td>AV</td><td>N</td></tr> <tr> <td>1.078000</td><td>18.90</td><td>9.9</td><td>46</td><td>27.1</td><td>AV</td><td>N</td></tr> <tr> <td>3.974000</td><td>17.10</td><td>10.0</td><td>46</td><td>28.9</td><td>AV</td><td>N</td></tr> <tr> <td>9.330000</td><td>11.70</td><td>10.2</td><td>50</td><td>38.3</td><td>AV</td><td>N</td></tr> <tr> <td>29.234000</td><td>16.90</td><td>11.2</td><td>50</td><td>33.1</td><td>AV</td><td>N</td></tr> </tbody> </table>								Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.286000	23.50	9.9	51	27.1	AV	N	0.774000	22.10	9.9	46	23.9	AV	N	1.078000	18.90	9.9	46	27.1	AV	N	3.974000	17.10	10.0	46	28.9	AV	N	9.330000	11.70	10.2	50	38.3	AV	N	29.234000	16.90	11.2	50	33.1	AV	N
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.286000	23.50	9.9	51	27.1	AV	N																																																		
0.774000	22.10	9.9	46	23.9	AV	N																																																		
1.078000	18.90	9.9	46	27.1	AV	N																																																		
3.974000	17.10	10.0	46	28.9	AV	N																																																		
9.330000	11.70	10.2	50	38.3	AV	N																																																		
29.234000	16.90	11.2	50	33.1	AV	N																																																		


**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

**AC Power Line Conducted Emission Test**


Test Mode	Mode 1	LISN Line	Neutral Side																																																					
<b>MEASUREMENT RESULT: "agc_fin"</b>																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Frequency MHz</th> <th style="width: 15%;">Level dBμV</th> <th style="width: 15%;">Transd dB</th> <th style="width: 15%;">Limit dBμV</th> <th style="width: 15%;">Margin dB</th> <th style="width: 15%;">Detector</th> <th style="width: 15%;">Line</th> </tr> </thead> <tbody> <tr> <td>0.150000</td> <td>30.00</td> <td>9.9</td> <td>66</td> <td>36.0</td> <td>QP</td> <td>N</td> </tr> <tr> <td>0.286000</td> <td>33.60</td> <td>9.9</td> <td>61</td> <td>27.0</td> <td>QP</td> <td>N</td> </tr> <tr> <td>0.462000</td> <td>23.30</td> <td>9.9</td> <td>57</td> <td>33.4</td> <td>QP</td> <td>N</td> </tr> <tr> <td>1.094000</td> <td>24.40</td> <td>9.9</td> <td>56</td> <td>31.6</td> <td>QP</td> <td>N</td> </tr> <tr> <td>4.010000</td> <td>28.10</td> <td>10.0</td> <td>56</td> <td>27.9</td> <td>QP</td> <td>N</td> </tr> <tr> <td>4.046000</td> <td>27.90</td> <td>10.0</td> <td>56</td> <td>28.1</td> <td>QP</td> <td>N</td> </tr> </tbody> </table>								Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	0.150000	30.00	9.9	66	36.0	QP	N	0.286000	33.60	9.9	61	27.0	QP	N	0.462000	23.30	9.9	57	33.4	QP	N	1.094000	24.40	9.9	56	31.6	QP	N	4.010000	28.10	10.0	56	27.9	QP	N	4.046000	27.90	10.0	56	28.1	QP	N
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line																																																		
0.150000	30.00	9.9	66	36.0	QP	N																																																		
0.286000	33.60	9.9	61	27.0	QP	N																																																		
0.462000	23.30	9.9	57	33.4	QP	N																																																		
1.094000	24.40	9.9	56	31.6	QP	N																																																		
4.010000	28.10	10.0	56	27.9	QP	N																																																		
4.046000	27.90	10.0	56	28.1	QP	N																																																		
<b>MEASUREMENT RESULT: "agc_fin2"</b>																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Frequency MHz</th> <th style="width: 15%;">Level dBμV</th> <th style="width: 15%;">Transd dB</th> <th style="width: 15%;">Limit dBμV</th> <th style="width: 15%;">Margin dB</th> <th style="width: 15%;">Detector</th> <th style="width: 15%;">Line</th> </tr> </thead> <tbody> <tr> <td>0.286000</td> <td>29.00</td> <td>9.9</td> <td>51</td> <td>21.6</td> <td>AV</td> <td>N</td> </tr> <tr> <td>0.582000</td> <td>20.80</td> <td>9.9</td> <td>46</td> <td>25.2</td> <td>AV</td> <td>N</td> </tr> <tr> <td>1.154000</td> <td>19.20</td> <td>9.9</td> <td>46</td> <td>26.8</td> <td>AV</td> <td>N</td> </tr> <tr> <td>3.974000</td> <td>18.60</td> <td>10.0</td> <td>46</td> <td>27.4</td> <td>AV</td> <td>N</td> </tr> <tr> <td>4.006000</td> <td>18.60</td> <td>10.0</td> <td>46</td> <td>27.4</td> <td>AV</td> <td>N</td> </tr> <tr> <td>4.046000</td> <td>18.80</td> <td>10.0</td> <td>46</td> <td>27.2</td> <td>AV</td> <td>N</td> </tr> </tbody> </table>								Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	0.286000	29.00	9.9	51	21.6	AV	N	0.582000	20.80	9.9	46	25.2	AV	N	1.154000	19.20	9.9	46	26.8	AV	N	3.974000	18.60	10.0	46	27.4	AV	N	4.006000	18.60	10.0	46	27.4	AV	N	4.046000	18.80	10.0	46	27.2	AV	N
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line																																																		
0.286000	29.00	9.9	51	21.6	AV	N																																																		
0.582000	20.80	9.9	46	25.2	AV	N																																																		
1.154000	19.20	9.9	46	26.8	AV	N																																																		
3.974000	18.60	10.0	46	27.4	AV	N																																																		
4.006000	18.60	10.0	46	27.4	AV	N																																																		
4.046000	18.80	10.0	46	27.2	AV	N																																																		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [aqc@aqccert.com](mailto:aqc@aqccert.com) Web: <http://www.aqccert.com/>

AC Power Line Conducted Emission Test																																																								
Test Mode	Mode 1		LISN Line		Hot Side																																																			
HZ-BOX-MINI-1																																																								
																																																								
<b>MEASUREMENT RESULT: "agc_fin"</b>																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.278000</td><td>26.00</td><td>9.9</td><td>61</td><td>34.9</td><td>QP</td><td>L1</td></tr> <tr> <td>0.474000</td><td>23.20</td><td>9.9</td><td>56</td><td>33.2</td><td>QP</td><td>L1</td></tr> <tr> <td>0.934000</td><td>23.50</td><td>9.9</td><td>56</td><td>32.5</td><td>QP</td><td>L1</td></tr> <tr> <td>3.658000</td><td>23.00</td><td>10.0</td><td>56</td><td>33.0</td><td>QP</td><td>L1</td></tr> <tr> <td>3.790000</td><td>23.60</td><td>10.0</td><td>56</td><td>32.4</td><td>QP</td><td>L1</td></tr> <tr> <td>3.974000</td><td>21.10</td><td>10.0</td><td>56</td><td>34.9</td><td>QP</td><td>L1</td></tr> </tbody> </table>							Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.278000	26.00	9.9	61	34.9	QP	L1	0.474000	23.20	9.9	56	33.2	QP	L1	0.934000	23.50	9.9	56	32.5	QP	L1	3.658000	23.00	10.0	56	33.0	QP	L1	3.790000	23.60	10.0	56	32.4	QP	L1	3.974000	21.10	10.0	56	34.9	QP	L1	
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.278000	26.00	9.9	61	34.9	QP	L1																																																		
0.474000	23.20	9.9	56	33.2	QP	L1																																																		
0.934000	23.50	9.9	56	32.5	QP	L1																																																		
3.658000	23.00	10.0	56	33.0	QP	L1																																																		
3.790000	23.60	10.0	56	32.4	QP	L1																																																		
3.974000	21.10	10.0	56	34.9	QP	L1																																																		
<b>MEASUREMENT RESULT: "agc_fin2"</b>																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.290000</td><td>21.90</td><td>9.9</td><td>51</td><td>28.6</td><td>AV</td><td>L1</td></tr> <tr> <td>0.778000</td><td>22.30</td><td>9.9</td><td>46</td><td>23.7</td><td>AV</td><td>L1</td></tr> <tr> <td>1.326000</td><td>19.30</td><td>9.9</td><td>46</td><td>26.7</td><td>AV</td><td>L1</td></tr> <tr> <td>4.042000</td><td>15.10</td><td>10.0</td><td>46</td><td>30.9</td><td>AV</td><td>L1</td></tr> <tr> <td>5.298000</td><td>10.60</td><td>10.0</td><td>50</td><td>39.4</td><td>AV</td><td>L1</td></tr> <tr> <td>26.050000</td><td>8.20</td><td>11.0</td><td>50</td><td>41.8</td><td>AV</td><td>L1</td></tr> </tbody> </table>								Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.290000	21.90	9.9	51	28.6	AV	L1	0.778000	22.30	9.9	46	23.7	AV	L1	1.326000	19.30	9.9	46	26.7	AV	L1	4.042000	15.10	10.0	46	30.9	AV	L1	5.298000	10.60	10.0	50	39.4	AV	L1	26.050000	8.20	11.0	50	41.8	AV	L1
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.290000	21.90	9.9	51	28.6	AV	L1																																																		
0.778000	22.30	9.9	46	23.7	AV	L1																																																		
1.326000	19.30	9.9	46	26.7	AV	L1																																																		
4.042000	15.10	10.0	46	30.9	AV	L1																																																		
5.298000	10.60	10.0	50	39.4	AV	L1																																																		
26.050000	8.20	11.0	50	41.8	AV	L1																																																		


**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

AC Power Line Conducted Emission Test														
Test Mode	Mode 1		LISN Line		Neutral Side									
														
<b>MEASUREMENT RESULT: "agc_fin"</b>														
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line								
0.362000	23.70	9.9	59	35.0	QP	N								
0.530000	22.70	9.9	56	33.3	QP	N								
1.398000	23.10	9.9	56	32.9	QP	N								
1.722000	21.10	9.9	56	34.9	QP	N								
3.722000	24.40	10.0	56	31.6	QP	N								
3.902000	23.40	10.0	56	32.6	QP	N								
<b>MEASUREMENT RESULT: "agc_fin2"</b>														
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line								
0.294000	21.60	9.9	50	28.8	AV	N								
0.774000	21.80	9.9	46	24.2	AV	N								
1.302000	19.30	9.9	46	26.7	AV	N								
3.938000	15.90	10.0	46	30.1	AV	N								
5.198000	10.10	10.0	50	39.9	AV	N								
29.994000	9.80	11.2	50	40.2	AV	N								


**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

AC Power Line Conducted Emission Test																																																								
Test Mode	Mode 1		LISN Line		Hot Side																																																			
HZ-BOX-MINI-2																																																								
																																																								
<b>MEASUREMENT RESULT: "agc_fin"</b>																																																								
<table border="1"> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.198000</td><td>29.40</td><td>9.9</td><td>64</td><td>34.3</td><td>QP</td><td>L1</td></tr> <tr> <td>0.278000</td><td>30.50</td><td>9.9</td><td>61</td><td>30.4</td><td>QP</td><td>L1</td></tr> <tr> <td>0.486000</td><td>23.80</td><td>9.9</td><td>56</td><td>32.4</td><td>QP</td><td>L1</td></tr> <tr> <td>0.606000</td><td>24.00</td><td>9.9</td><td>56</td><td>32.0</td><td>QP</td><td>L1</td></tr> <tr> <td>1.354000</td><td>24.30</td><td>9.9</td><td>56</td><td>31.7</td><td>QP</td><td>L1</td></tr> <tr> <td>1.494000</td><td>23.40</td><td>9.9</td><td>56</td><td>32.6</td><td>QP</td><td>L1</td></tr> </tbody> </table>							Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.198000	29.40	9.9	64	34.3	QP	L1	0.278000	30.50	9.9	61	30.4	QP	L1	0.486000	23.80	9.9	56	32.4	QP	L1	0.606000	24.00	9.9	56	32.0	QP	L1	1.354000	24.30	9.9	56	31.7	QP	L1	1.494000	23.40	9.9	56	32.6	QP	L1	
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.198000	29.40	9.9	64	34.3	QP	L1																																																		
0.278000	30.50	9.9	61	30.4	QP	L1																																																		
0.486000	23.80	9.9	56	32.4	QP	L1																																																		
0.606000	24.00	9.9	56	32.0	QP	L1																																																		
1.354000	24.30	9.9	56	31.7	QP	L1																																																		
1.494000	23.40	9.9	56	32.6	QP	L1																																																		
<b>MEASUREMENT RESULT: "agc_fin2"</b>																																																								
<table border="1"> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.290000</td><td>26.40</td><td>9.9</td><td>51</td><td>24.1</td><td>AV</td><td>L1</td></tr> <tr> <td>0.574000</td><td>19.90</td><td>9.9</td><td>46</td><td>26.1</td><td>AV</td><td>L1</td></tr> <tr> <td>1.250000</td><td>19.20</td><td>9.9</td><td>46</td><td>26.8</td><td>AV</td><td>L1</td></tr> <tr> <td>4.014000</td><td>17.60</td><td>10.0</td><td>46</td><td>28.4</td><td>AV</td><td>L1</td></tr> <tr> <td>4.258000</td><td>17.10</td><td>10.0</td><td>46</td><td>28.9</td><td>AV</td><td>L1</td></tr> <tr> <td>4.334000</td><td>16.90</td><td>10.0</td><td>46</td><td>29.1</td><td>AV</td><td>L1</td></tr> </tbody> </table>								Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.290000	26.40	9.9	51	24.1	AV	L1	0.574000	19.90	9.9	46	26.1	AV	L1	1.250000	19.20	9.9	46	26.8	AV	L1	4.014000	17.60	10.0	46	28.4	AV	L1	4.258000	17.10	10.0	46	28.9	AV	L1	4.334000	16.90	10.0	46	29.1	AV	L1
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.290000	26.40	9.9	51	24.1	AV	L1																																																		
0.574000	19.90	9.9	46	26.1	AV	L1																																																		
1.250000	19.20	9.9	46	26.8	AV	L1																																																		
4.014000	17.60	10.0	46	28.4	AV	L1																																																		
4.258000	17.10	10.0	46	28.9	AV	L1																																																		
4.334000	16.90	10.0	46	29.1	AV	L1																																																		


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

AC Power Line Conducted Emission Test																																																								
Test Mode	Mode 1		LISN Line		Neutral Side																																																			
<b>MEASUREMENT RESULT: "agc_fin"</b>																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.214000</td><td>25.20</td><td>9.9</td><td>63</td><td>37.8</td><td>QP</td><td>N</td></tr> <tr> <td>0.226000</td><td>25.10</td><td>9.9</td><td>63</td><td>37.5</td><td>QP</td><td>N</td></tr> <tr> <td>0.554000</td><td>23.00</td><td>9.9</td><td>56</td><td>33.0</td><td>QP</td><td>N</td></tr> <tr> <td>1.266000</td><td>24.40</td><td>9.9</td><td>56</td><td>31.6</td><td>QP</td><td>N</td></tr> <tr> <td>1.354000</td><td>23.10</td><td>9.9</td><td>56</td><td>32.9</td><td>QP</td><td>N</td></tr> <tr> <td>3.722000</td><td>25.40</td><td>10.0</td><td>56</td><td>30.6</td><td>QP</td><td>N</td></tr> </tbody> </table>							Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.214000	25.20	9.9	63	37.8	QP	N	0.226000	25.10	9.9	63	37.5	QP	N	0.554000	23.00	9.9	56	33.0	QP	N	1.266000	24.40	9.9	56	31.6	QP	N	1.354000	23.10	9.9	56	32.9	QP	N	3.722000	25.40	10.0	56	30.6	QP	N	
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.214000	25.20	9.9	63	37.8	QP	N																																																		
0.226000	25.10	9.9	63	37.5	QP	N																																																		
0.554000	23.00	9.9	56	33.0	QP	N																																																		
1.266000	24.40	9.9	56	31.6	QP	N																																																		
1.354000	23.10	9.9	56	32.9	QP	N																																																		
3.722000	25.40	10.0	56	30.6	QP	N																																																		
<b>MEASUREMENT RESULT: "agc_fin2"</b>																																																								
<table> <thead> <tr> <th>Frequency MHz</th><th>Level dB<math>\mu</math>V</th><th>Transd dB</th><th>Limit dB<math>\mu</math>V</th><th>Margin dB</th><th>Detector</th><th>Line</th></tr> </thead> <tbody> <tr> <td>0.350000</td><td>20.30</td><td>9.9</td><td>49</td><td>28.7</td><td>AV</td><td>N</td></tr> <tr> <td>0.586000</td><td>19.50</td><td>9.9</td><td>46</td><td>26.5</td><td>AV</td><td>N</td></tr> <tr> <td>1.138000</td><td>19.10</td><td>9.9</td><td>46</td><td>26.9</td><td>AV</td><td>N</td></tr> <tr> <td>4.078000</td><td>16.40</td><td>10.0</td><td>46</td><td>29.6</td><td>AV</td><td>N</td></tr> <tr> <td>9.618000</td><td>9.90</td><td>10.2</td><td>50</td><td>40.1</td><td>AV</td><td>N</td></tr> <tr> <td>29.966000</td><td>9.20</td><td>11.2</td><td>50</td><td>40.8</td><td>AV</td><td>N</td></tr> </tbody> </table>								Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line	0.350000	20.30	9.9	49	28.7	AV	N	0.586000	19.50	9.9	46	26.5	AV	N	1.138000	19.10	9.9	46	26.9	AV	N	4.078000	16.40	10.0	46	29.6	AV	N	9.618000	9.90	10.2	50	40.1	AV	N	29.966000	9.20	11.2	50	40.8	AV	N
Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Detector	Line																																																		
0.350000	20.30	9.9	49	28.7	AV	N																																																		
0.586000	19.50	9.9	46	26.5	AV	N																																																		
1.138000	19.10	9.9	46	26.9	AV	N																																																		
4.078000	16.40	10.0	46	29.6	AV	N																																																		
9.618000	9.90	10.2	50	40.1	AV	N																																																		
29.966000	9.20	11.2	50	40.8	AV	N																																																		

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

**Appendix I: Photographs of Test Setup**

Refer to the Report No.: AGC17105250801AP01

**Appendix II: Photographs of Test EUT**

Refer to the Report No.: AGC17105250801AP02

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

## Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract or warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>