




OTHER Ant1 2412.5



OTHER Ant1 2437.5




OTHER Ant1 2462.5




2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	2422.5	35.805	2404.6165	2440.4215	---	---
		2437.5	35.835	2419.6410	2455.4760	---	---
		2452.5	35.948	2434.5682	2470.5162	---	---


OTHER Ant1 2422.5



OTHER Ant1 2437.5




OTHER Ant1 2452.5




2.4GHz SDR, 60MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	2432.5	54.444	2405.4111	2459.8551	---	---
		2437.5	54.645	2410.2573	2464.9023	---	---
		2442.5	54.541	2415.3096	2469.8506	---	---


OTHER Ant1 2432.5



OTHER Ant1 2437.5



OTHER Ant1 2442.5



Appendix B.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Note: This testing was carried out on both antenna port 0 and port 1, but only the worst case was presented in this report.

Conducted Spurious Emission


2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
OTHER	Ant1	2407.5	Reference	14.89	14.89	---	PASS
			30~1000	14.89	-48.22	≤-15.11	PASS
			1000~26500	14.89	-39.08	≤-15.11	PASS
		2437.5	Reference	16.09	16.09	---	PASS
			30~1000	16.09	-47.74	≤-13.91	PASS
			1000~26500	16.09	-38.47	≤-13.91	PASS
		2467.5	Reference	17.07	17.07	---	PASS
			30~1000	17.07	-48.28	≤-12.93	PASS
			1000~26500	17.07	-39.03	≤-12.93	PASS

OTHER Ant1 2407.5 0~Reference




OTHER Ant1 2407.5 30~1000




OTHER Ant1 2407.5 1000~26500



OTHER Ant1 2437.5 0~Reference



OTHER Ant1 2437.5 30~1000




OTHER Ant1 2437.5 1000~26500



OTHER Ant1 2467.5 0~Reference



OTHER Ant1 2467.5 30~1000





OTHER Ant1 2467.5 1000~26500



2.4GHz SDR, 20MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
OTHER	Ant1	2412.5	Reference	13.16	13.16	---	PASS
			30~1000	13.16	-48.01	≤-16.84	PASS
			1000~26500	13.16	-39.26	≤-16.84	PASS
		2437.5	Reference	14.49	14.49	---	PASS
			30~1000	14.49	-48.32	≤-15.51	PASS
			1000~26500	14.49	-39.07	≤-15.51	PASS
		2462.5	Reference	13.86	13.86	---	PASS
			30~1000	13.86	-48.23	≤-16.14	PASS
			1000~26500	13.86	-39.02	≤-16.14	PASS






OTHER Ant1 2462.5 0~Reference



OTHER Ant1 2462.5 30~1000



OTHER Ant1 2462.5 1000~26500




2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
OTHER	Ant1	2422.5	Reference	12.21	12.21	---	PASS
			30~1000	12.21	-47.78	≤-17.79	PASS
			1000~26500	12.21	-38.47	≤-17.79	PASS
		2437.5	Reference	13.72	13.72	---	PASS
			30~1000	13.72	-47.85	≤-16.28	PASS
			1000~26500	13.72	-39.29	≤-16.28	PASS
		2452.5	Reference	13.45	13.45	---	PASS
			30~1000	13.45	-47.74	≤-16.55	PASS
			1000~26500	13.45	-39.27	≤-16.55	PASS

OTHER Ant1 2422.5 0~Reference



OTHER Ant1 2422.5 30~1000



OTHER Ant1 2422.5 1000~26500

