


Appendix A: Test Results of 5.1G SDR

APPENDIX A: TEST RESULTS OF 5.2G SDR	1
APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
5.1GHz SDR, 10MHz BW	2
5.1GHz SDR, 20MHz BW	4
5.1GHz SDR, 60MHz BW	8
5.1GHz SDR, 80MHz BW	10
APPENDIX A.2: TEST RESULTS OF FREQUENCY STABILITY	12
APPENDIX A.3: TEST RESULTS OF 26DB BANDWIDTH	13
5.1GHz SDR, 10MHz BW	13
5.1GHz SDR, 20MHz BW	15
5.1GHz SDR, 60MHz BW	19
5.1GHz SDR, 80MHz BW	21
APPENDIX A.4: TEST RESULTS OF 99% BANDWIDTH	23
5.1GHz SDR, 10MHz BW	23
5.1GHz SDR, 20MHz BW	25
5.1GHz SDR, 60MHz BW	29
5.1GHz SDR, 80MHz BW	31
APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	33
30MHz - 1GHz (Worst case)	33
1GHz - 18GHz	35
APPENDIX A.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	39
5.1GHz SDR, 10MHz BW	39
5.1GHz SDR, 20MHz BW	43
5.1GHz SDR, 60MHz BW	55
5.1GHz SDR, 80MHz BW	61
APPENDIX B.7: TEST RESULTS OF AC CONDUCTED EMISSIONS	67

Appendix A.1: Test Results of Conducted Power Spectral Density

Note: This testing was carried out on both antenna port 0 and port 1, but only the worst case was presented in this report.
5.1GHz SDR, 10MHz BW

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
OTHER	Ant1	5157	10.00	≤11.00	PASS
		5200	10.04	≤11.00	PASS
		5245	10.04	≤11.00	PASS



5.1GHz SDR, 20MHz BW

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
OTHER	Ant1	5161	7.36	≤11.00	PASS
		5200	7.41	≤11.00	PASS
		5240	7.54	≤11.00	PASS



5.1GHz SDR, 40MHz BW

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
OTHER	Ant1	5170	4.82	≤11.00	PASS
		5200	4.97	≤11.00	PASS
		5230	4.78	≤11.00	PASS



5.1GHz SDR, 60MHz BW

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
OTHER	Ant1	5180	3.78	≤11.00	PASS
		5200	3.18	≤11.00	PASS
		5220	5.35	≤11.00	PASS



5.1GHz SDR, 80MHz BW

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
OTHER	Ant1	5190	2.48	≤11.00	PASS
		5200	2.65	≤11.00	PASS
		5210	2.04	≤11.00	PASS



Appendix A.2: Test Results of Frequency Stability

This testing was carried out on both antenna port 0 and port 1, but only the worst case was presented in this report.
All modes tested, only worst-case reported.

TestMode	Antenna	Channel	Deviation (Hz)	Deviation (ppm)	Limit	Verdict
10MHz	Ant1	5157	2000.00	-0.387822	Within the authorized band	PASS
		5200	2000.00	-0.384615		PASS
		5245	2000.00	-0.381316		PASS
20MHz	Ant1	5161	-2000.00	-0.387522		PASS
		5200	-2000.00	-0.384615		PASS
		5240	-2000.00	-0.381679		PASS
40MHz	Ant1	5170	-2000.00	-0.386847		PASS
		5200	-2000.00	-0.384615		PASS
		5230	-2000.00	-0.382409		PASS
60MHz	Ant1	5180	-2000.00	-0.386100		PASS
		5200	-2000.00	-0.384615		PASS
		5220	-2000.00	-0.383142		PASS
80MHz	Ant1	5190	-2000.00	-0.385356		PASS
		5200	-2000.00	-0.384615		PASS
		5210	-2000.00	-0.383877		PASS

Appendix A.3: Test Results of 26dB Bandwidth




Note: This testing was carried out on both antenna port 0 and port 1, but only the worst case was presented in this report.
5.1GHz SDR, 10MHz BW

TestMode	Antenna	Channel	26Db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5157	10.020	5152.060	5162.080	---	---
		5200	10.000	5194.860	5204.860	---	---
		5245	10.100	5239.900	5250.000	---	---




5.1GHz SDR, 20MHz BW

TestMode	Antenna	Channel	26Db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5161	18.920	5151.720	5170.640	---	---
		5200	18.600	5190.720	5209.320	---	---
		5240	18.840	5230.600	5249.440	---	---




5.1GHz SDR, 40MHz BW

TestMode	Antenna	Channel	26Db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5170	36.960	5151.520	5188.480	---	---
		5200	37.360	5181.360	5218.720	---	---
		5230	37.040	5211.440	5248.480	---	---






5.1GHz SDR, 60MHz BW

TestMode	Antenna	Channel	26Db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5180	55.560	5152.280	5207.840	---	---
		5200	55.440	5172.400	5227.840	---	---
		5220	55.560	5192.160	5247.720	---	---



5.1GHz SDR, 80MHz BW

TestMode	Antenna	Channel	26Db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5190	72.960	5153.520	5226.480	---	---
		5200	73.760	5163.040	5236.800	---	---
		5210	73.600	5173.360	5246.960	---	---



Appendix A.4: Test Results of 99% Bandwidth

Note: This testing was carried out on both antenna port 0 and port 1, but only the worst case was presented in this report.
5.1GHz SDR, 10MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5157	9.0662	5152.4613	5161.5275	---	---
		5200	9.0437	5195.4745	5204.5182	---	---
		5245	9.0286	5240.4686	5249.4972	---	---



5.1GHz SDR, 20MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
OTHER	Ant1	5161	17.917	5152.0658	5169.9828	---	---
		5200	17.742	5191.1582	5208.9002	---	---
		5240	17.738	5231.1532	5248.8912	---	---