























































Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	0.23	≤11.00	PASS
11A	Ant1	5220	0.76	≤11.00	PASS
11A	Ant1	5240	0.54	≤11.00	PASS
11A	Ant1	5260	0.20	≤11.00	PASS
11A	Ant1	5300	0.88	≤11.00	PASS
11A	Ant1	5320	0.19	≤11.00	PASS
11A	Ant1	5500	0.17	≤11.00	PASS
11A	Ant1	5580	0.33	≤11.00	PASS
11A	Ant1	5700	0.35	≤11.00	PASS
11A	Ant1	5745	-2.31	≤30.00	PASS
11A	Ant1	5785	-3.36	≤30.00	PASS
11A	Ant1	5825	-1.88	≤30.00	PASS
11N20SISO	Ant1	5180	0.20	≤11.00	PASS
11N20SISO	Ant1	5220	0.30	≤11.00	PASS
11N20SISO	Ant1	5240	0.00	≤11.00	PASS
11N20SISO	Ant1	5260	0.21	≤11.00	PASS
11N20SISO	Ant1	5300	-0.12	≤11.00	PASS
11N20SISO	Ant1	5320	0.10	≤11.00	PASS
11N20SISO	Ant1	5500	-0.09	≤11.00	PASS
11N20SISO	Ant1	5580	0.10	≤11.00	PASS
11N20SISO	Ant1	5700	0.17	≤11.00	PASS
11N20SISO	Ant1	5745	-2.50	≤30.00	PASS
11N20SISO	Ant1	5785	-3.59	≤30.00	PASS
11N20SISO	Ant1	5825	-2.66	≤30.00	PASS
11N40SISO	Ant1	5190	-3.98	≤11.00	PASS
11N40SISO	Ant1	5230	-5.03	≤11.00	PASS
11N40SISO	Ant1	5270	-4.02	≤11.00	PASS
11N40SISO	Ant1	5310	-3.77	≤11.00	PASS
11N40SISO	Ant1	5510	-4.04	≤11.00	PASS
11N40SISO	Ant1	5550	-3.12	≤11.00	PASS
11N40SISO	Ant1	5670	-4.04	≤11.00	PASS
11N40SISO	Ant1	5755	-7.13	≤30.00	PASS
11N40SISO	Ant1	5795	-6.41	≤30.00	PASS
11AC20SISO	Ant1	5180	0.60	≤11.00	PASS
11AC20SISO	Ant1	5220	0.84	≤11.00	PASS

11AC20SISO	Ant1	5240	0.30	≤11.00	PASS
11AC20SISO	Ant1	5260	0.00	≤11.00	PASS
11AC20SISO	Ant1	5300	0.44	≤11.00	PASS
11AC20SISO	Ant1	5320	0.17	≤11.00	PASS
11AC20SISO	Ant1	5500	-0.27	≤11.00	PASS
11AC20SISO	Ant1	5580	0.00	≤11.00	PASS
11AC20SISO	Ant1	5700	-0.15	≤11.00	PASS
11AC20SISO	Ant1	5745	-2.23	≤30.00	PASS
11AC20SISO	Ant1	5785	-2.88	≤30.00	PASS
11AC20SISO	Ant1	5825	-2.67	≤30.00	PASS
11AC40SISO	Ant1	5190	-3.46	≤11.00	PASS
11AC40SISO	Ant1	5230	-3.31	≤11.00	PASS
11AC40SISO	Ant1	5270	-3.89	≤11.00	PASS
11AC40SISO	Ant1	5310	-3.51	≤11.00	PASS
11AC40SISO	Ant1	5510	-4.00	≤11.00	PASS
11AC40SISO	Ant1	5550	-3.85	≤11.00	PASS
11AC40SISO	Ant1	5670	-4.14	≤11.00	PASS
11AC40SISO	Ant1	5755	-6.87	≤30.00	PASS
11AC40SISO	Ant1	5795	-7.27	≤30.00	PASS
11AC80SISO	Ant1	5210	-6.52	≤11.00	PASS
11AC80SISO	Ant1	5290	-6.77	≤11.00	PASS
11AC80SISO	Ant1	5530	-6.46	≤11.00	PASS
11AC80SISO	Ant1	5610	-7.32	≤11.00	PASS
11AC80SISO	Ant1	5775	-9.77	≤30.00	PASS
11AX20SISO	Ant1	5180	0.12	≤11.00	PASS
11AX20SISO	Ant1	5220	0.38	≤11.00	PASS
11AX20SISO	Ant1	5240	0.23	≤11.00	PASS
11AX20SISO	Ant1	5260	-0.07	≤11.00	PASS
11AX20SISO	Ant1	5300	-0.11	≤11.00	PASS
11AX20SISO	Ant1	5320	0.12	≤11.00	PASS
11AX20SISO	Ant1	5500	-0.31	≤11.00	PASS
11AX20SISO	Ant1	5580	-0.25	≤11.00	PASS
11AX20SISO	Ant1	5700	-0.55	≤11.00	PASS
11AX20SISO	Ant1	5745	-3.22	≤30.00	PASS
11AX20SISO	Ant1	5785	-3.60	≤30.00	PASS
11AX20SISO	Ant1	5825	-2.73	≤30.00	PASS
11AX40SISO	Ant1	5190	-3.54	≤11.00	PASS
11AX40SISO	Ant1	5230	-3.91	≤11.00	PASS
11AX40SISO	Ant1	5270	-4.09	≤11.00	PASS
11AX40SISO	Ant1	5310	-3.88	≤11.00	PASS

11AX40SISO	Ant1	5510	-3.76	≤11.00	PASS
11AX40SISO	Ant1	5550	-4.46	≤11.00	PASS
11AX40SISO	Ant1	5670	-3.98	≤11.00	PASS
11AX40SISO	Ant1	5755	-7.51	≤30.00	PASS
11AX40SISO	Ant1	5795	-7.03	≤30.00	PASS
11AX80SISO	Ant1	5210	-6.03	≤11.00	PASS
11AX80SISO	Ant1	5290	-6.70	≤11.00	PASS
11AX80SISO	Ant1	5530	-6.82	≤11.00	PASS
11AX80SISO	Ant1	5610	-7.46	≤11.00	PASS
11AX80SISO	Ant1	5775	-10.80	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

