


|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5320MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 24.37       | 33.60          | 57.97          | 68.20          | 10.23       | PASS   | Vertical | PK     |
| 2              | 5350        | 24.37       | 17.50          | 41.87          | 54.00          | 12.13       | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 24.37       | 34.09          | 58.46          | 68.20          | 9.74        | PASS   | Horizontal | PK     |
| 2              | 5350        | 24.37       | 23.00          | 47.37          | 54.00          | 6.63        | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 24.37       | 35.37          | 59.74          | 68.20          | 8.46        | PASS   | Vertical | PK     |
| 2              | 5350        | 24.37       | 20.33          | 44.70          | 54.00          | 9.30        | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5320MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 24.37       | 28.19          | 52.56          | 68.20          | 15.64       | PASS   | Horizontal | PK     |
| 2              | 5351.24     | 24.39       | 34.65          | 59.04          | 68.20          | 9.16        | PASS   | Horizontal | PK     |
| 3              | 5350        | 24.37       | 15.16          | 39.53          | 54.00          | 14.47       | PASS   | Horizontal | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5320MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 24.37       | 28.10          | 52.47          | 68.20          | 15.73       | PASS   | Vertical | PK     |
| 2              | 5355.07     | 24.45       | 35.38          | 59.83          | 68.20          | 8.37        | PASS   | Vertical | PK     |
| 3              | 5350        | 24.37       | 15.96          | 40.33          | 54.00          | 13.67       | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT40)<br>Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 24.37       | 33.35          | 57.72          | 68.20          | 10.48       | PASS   | Horizontal | PK     |
| 2              | 5350        | 24.37       | 19.88          | 44.25          | 54.00          | 9.75        | PASS   | Horizontal | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT40)<br>Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 24.37       | 34.89          | 59.26          | 68.20          | 8.94        | PASS   | Vertical | PK     |
| 2              | 5350        | 24.37       | 20.83          | 45.20          | 54.00          | 8.80        | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT80)<br>Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 24.37       | 33.76          | 58.13          | 68.20          | 10.07       | PASS   | Horizontal | PK     |
| 2              | 5350        | 24.37       | 20.28          | 44.65          | 54.00          | 9.35        | PASS   | Horizontal | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT80)<br>Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 24.37       | 33.37          | 57.74          | 68.20          | 10.46       | PASS   | Vertical | PK     |
| 2              | 5350        | 24.37       | 19.69          | 44.06          | 54.00          | 9.94        | PASS   | Vertical | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2025/07/08 |
| Remark        |                          |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 34.57          | 59.44          | 68.20          | 8.76        | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 20.84          | 45.71          | 54.00          | 8.29        | PASS   | Horizontal | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2025/07/08 |
| Remark        |                          |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5470        | 24.87       | 33.75          | 58.62          | 68.20          | 9.58        | PASS   | Vertical | PK     |
| 2              | 5470        | 24.87       | 20.13          | 45.00          | 54.00          | 9.00        | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 30.51          | 55.38          | 68.20          | 12.82       | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 18.67          | 43.54          | 54.00          | 10.46       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5470        | 24.87       | 34.06          | 58.93          | 68.20          | 9.27        | PASS   | Vertical | PK     |
| 2              | 5470        | 24.87       | 20.55          | 45.42          | 54.00          | 8.58        | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5510MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 29.06          | 53.93          | 68.20          | 14.27       | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 18.17          | 43.04          | 54.00          | 10.96       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5510MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2025/07/08 |
| Remark        |                                |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5470        | 24.87       | 29.05          | 53.92          | 68.20          | 14.28       | PASS   | Vertical | PK     |
| 2              | 5470        | 24.87       | 19.42          | 44.29          | 54.00          | 9.71        | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 28.66          | 53.53          | 68.20          | 14.67       | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 15.29          | 40.16          | 54.00          | 13.84       | PASS   | Horizontal | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5500MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5470        | 24.87       | 30.46          | 55.33          | 68.20          | 12.87       | PASS   | Vertical | PK     |
| 2              | 5470        | 24.87       | 17.67          | 42.54          | 54.00          | 11.46       | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT40)<br>Transmitting | Test_Frequency | 5510MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 31.96          | 56.83          | 68.20          | 11.37       | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 18.56          | 43.43          | 54.00          | 10.57       | PASS   | Horizontal | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT40)<br>Transmitting | Test_Frequency | 5510MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5470        | 24.87       | 30.06          | 54.93          | 68.20          | 13.27       | PASS   | Vertical | PK     |
| 2              | 5470        | 24.87       | 20.57          | 45.44          | 54.00          | 8.56        | PASS   | Vertical | AV     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT80)<br>Transmitting | Test_Frequency | 5530MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2025/07/08 |
| Remark        |                                  |                |            |

Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5470        | 24.87       | 29.18          | 54.05          | 68.20          | 14.15       | PASS   | Horizontal | PK     |
| 2              | 5470        | 24.87       | 19.49          | 44.36          | 54.00          | 9.64        | PASS   | Horizontal | AV     |