



FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.680	33.33	1.45	98.86	102.72	74.00	28.82	Peak
2	5350.000	33.65	1.47	41.00	45.18	74.00	28.82	Peak
3	5460.000	34.45	1.49	42.11	47.10	68.20	21.10	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.200	33.33	1.45	88.01	91.87	74.00	28.90	Peak
2	5350.000	33.65	1.47	40.92	45.10	74.00	28.90	Peak
3	5460.000	34.45	1.49	41.31	46.30	68.20	21.90	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.33	1.45	78.51	82.37	54.00	21.46	Average
2	5350.000	33.65	1.47	28.36	32.54	54.00	21.46	Average
3	5460.000	34.45	1.49	28.69	33.68	54.00	20.32	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.860	33.33	1.45	88.89	92.75	54.00	20.82	Average
2	5350.000	33.65	1.47	29.00	33.18	54.00	20.82	Average
3	5460.000	34.45	1.49	28.67	33.66	54.00	20.34	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	53.08	56.84	74.00	17.16	Peak
2	5179.470	33.28	1.43	98.30	102.09	74.00	28.09	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	40.82	44.58	74.00	29.42	Peak
2	5178.760	33.28	1.43	86.50	90.29	74.00	16.29	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	28.65	32.41	54.00	21.59	Average
2	5178.760	33.28	1.43	77.27	81.06	54.00	27.06	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	34.91	38.67	54.00	15.33	Average
2	5178.760	33.28	1.43	89.01	92.80	54.00	38.80	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5242.760	33.35	1.45	97.73	101.60	74.00	29.24	Peak
2	5350.000	33.65	1.47	40.58	44.76	74.00	29.24	Peak
3	5460.000	34.45	1.49	40.17	45.16	68.20	23.04	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.33	1.45	87.62	91.48	74.00	28.73	Peak
2	5350.000	33.65	1.47	41.09	45.27	74.00	28.73	Peak
3	5460.000	34.45	1.49	40.48	45.47	68.20	22.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.680	33.33	1.45	77.89	81.75	54.00	21.71	Average
2	5350.000	33.65	1.47	28.11	32.29	54.00	21.71	Average
3	5460.000	34.45	1.49	28.68	33.67	54.00	20.33	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.940	33.33	1.45	88.03	91.89	54.00	20.71	Average
2	5350.000	33.65	1.47	29.11	33.29	54.00	20.71	Average
3	5460.000	34.45	1.49	28.65	33.64	54.00	20.36	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	45.29	49.05	74.00	24.95	Peak
2	5193.000	33.30	1.44	84.21	88.03	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	36.47	40.23	54.00	13.77	Average
2	5150.000	33.25	1.43	53.41	57.17	74.00	16.83	Peak
3	5188.500	33.28	1.43	96.07	99.86	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	36.21	39.97	54.00	14.03	Average
2	5192.250	33.30	1.44	86.21	90.03	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	29.02	32.78	54.00	21.22	Average
2	5192.250	33.30	1.44	74.73	78.55	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5228.080	33.33	1.45	74.90	78.76	54.00	21.56	Average
2	5350.000	33.65	1.47	28.26	32.44	54.00	20.42	Average
3	5460.000	34.45	1.49	28.59	33.58	54.00	20.42	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5228.350	33.33	1.45	85.25	89.11	54.00	20.73	Average
2	5350.000	33.65	1.47	29.09	33.27	54.00	20.29	Average
3	5460.000	34.45	1.49	28.72	33.71	54.00	20.29	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.810	33.33	1.45	94.84	98.70	54.00	29.05	Peak
2	5350.000	33.65	1.47	40.77	44.95	54.00	29.05	Peak
3	5460.000	34.45	1.49	41.12	46.11	54.00	22.09	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5228.080	33.33	1.45	84.82	88.68	54.00	29.54	Peak
2	5350.000	33.65	1.47	40.28	44.46	54.00	29.54	Peak
3	5460.000	34.45	1.49	40.75	45.74	54.00	22.46	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	43.09	46.85	74.00	27.15	Peak
2	5182.310	33.28	1.43	86.99	90.78	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	49.20	52.96	74.00	21.04	Peak
2	5181.600	33.28	1.43	98.75	102.54	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	34.28	38.04	54.00	15.96	Average
2	5180.890	33.28	1.43	89.54	93.33	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	28.62	32.38	54.00	21.62	Average
2	5181.600	33.28	1.43	77.34	81.13	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.33	1.45	78.00	81.86	-----	-----	Average
2	5350.000	33.65	1.47	28.25	32.43	54.00	21.57	Average
3	5460.000	34.45	1.49	28.61	33.60	54.00	20.40	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.33	1.45	88.18	92.04	-----	-----	Average
2	5350.000	33.65	1.47	29.23	33.41	54.00	20.59	Average
3	5460.000	34.45	1.49	28.62	33.61	54.00	20.39	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.720	33.35	1.45	88.63	92.50	-----	-----	Peak
2	5350.000	33.65	1.47	40.19	44.37	74.00	29.63	Peak
3	5460.000	34.45	1.49	41.34	46.33	68.20	21.87	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.120	33.33	1.45	98.28	102.14	-----	-----	Peak
2	5350.000	33.65	1.47	40.49	44.67	74.00	29.33	Peak
3	5460.000	34.45	1.49	40.33	45.32	68.20	22.88	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	41.07	44.83	74.00	29.17	Peak
2	5192.250	33.30	1.44	84.27	88.09	74.00	14.09	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	52.51	56.27	74.00	17.73	Peak
2	5192.250	33.30	1.44	95.54	99.36	74.00	25.36	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	35.33	39.09	54.00	14.91	Average
2	5192.250	33.30	1.44	86.24	90.03	54.00	36.03	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	33.25	1.43	28.80	32.56	54.00	21.44	Average
2	5192.250	33.30	1.44	74.39	78.21	54.00	24.21	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.540	33.33	1.45	75.80	79.66	54.00	21.45	Average
2	5350.000	33.65	1.47	28.37	32.55	54.00	20.39	Average
3	5460.000	34.45	1.49	28.62	33.61	54.00	20.39	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.810	33.33	1.45	86.23	90.09	54.00	20.11	Average
2	5350.000	33.65	1.47	29.71	33.89	54.00	20.11	Average
3	5460.000	34.45	1.49	28.75	33.74	54.00	20.26	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5225.650	33.33	1.44	96.44	100.29	74.00	28.11	Peak
2	5350.000	33.65	1.47	41.71	45.89	74.00	28.11	Peak
3	5460.000	34.45	1.49	42.81	47.80	68.20	20.40	Peak





Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.







No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5228.350	33.33	1.45	85.45	89.31	74.00	29.69	Peak
2	5350.000	33.65	1.47	40.13	44.31	74.00	29.69	Peak
3	5460.000	34.45	1.49	40.55	45.54	68.20	22.66	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: A2HCT201



M/N: CT9C18




FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.940	33.08	1.45	97.86	97.29	54.00	18.28	Average
2	5350.000	33.22	1.47	36.13	35.72	54.00	16.50	Average
3	5400.580	33.28	1.48	37.84	37.50	54.00	16.50	Average
4	5460.000	33.34	1.49	33.41	33.14	54.00	20.86	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.940	33.08	1.45	84.69	84.12	54.00	21.72	Average
2	5350.000	33.22	1.47	32.69	32.28	54.00	12.74	Average
3	5400.320	33.28	1.48	41.60	41.26	54.00	12.74	Average
4	5460.000	33.34	1.49	32.56	32.29	54.00	21.71	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.08	1.45	94.28	93.71	74.00	30.16	Peak
2	5350.000	33.22	1.47	44.25	43.84	74.00	24.18	Peak
3	5400.320	33.28	1.48	50.16	49.82	74.00	24.18	Peak
4	5460.000	33.34	1.49	45.45	45.18	68.20	23.02	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.720	33.10	1.45	107.03	106.48	74.00	26.75	Peak
2	5350.000	33.22	1.47	47.66	47.25	74.00	26.75	Peak
3	5460.000	33.34	1.49	44.80	44.53	68.20	23.67	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	41.71	41.02	74.00	32.98	Peak
2	5180.890	33.02	1.43	84.42	83.77	74.00	32.98	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	45.26	44.57	74.00	29.43	Peak
2	5181.600	33.02	1.43	95.65	95.00	74.00	29.43	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	32.26	31.57	54.00	22.43	Average
2	5180.890	33.02	1.43	85.54	84.89	54.00	22.43	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	29.56	28.87	54.00	25.13	Average
2	5181.600	33.02	1.43	74.06	73.41	54.00	25.13	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.160	33.08	1.45	78.16	77.59	54.00	24.62	Average
2	5350.000	33.22	1.47	29.79	29.38	54.00	24.62	Average
3	5460.000	33.34	1.49	29.87	29.60	54.00	24.40	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.160	33.08	1.45	88.43	87.86	54.00	23.99	Peak
2	5350.000	33.22	1.47	30.42	30.01	54.00	24.22	Peak
3	5460.000	33.34	1.49	30.05	29.78	54.00	24.22	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5244.580	33.10	1.45	107.24	106.69	74.00	21.91	Peak
2	5350.000	33.22	1.47	52.50	52.09	74.00	21.91	Peak
3	5460.000	33.34	1.49	51.55	51.28	68.20	16.92	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.600	33.08	1.45	96.55	95.98	74.00	22.33	Peak
2	5350.000	33.22	1.47	52.08	51.67	74.00	22.33	Peak
3	5460.000	33.34	1.49	52.21	51.94	68.20	16.26	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	52.54	51.85	74.00	22.15	Peak
2	5187.610	33.02	1.43	93.78	93.13	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	49.23	42.54	74.00	31.46	Peak
2	5193.000	33.04	1.44	81.35	80.73	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	29.75	29.06	54.00	24.94	Average
2	5193.000	33.04	1.44	69.68	69.06	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	33.37	32.68	54.00	21.32	Average
2	5188.380	33.02	1.43	81.01	80.36	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.800	33.08	1.45	83.92	83.35	54.00	24.10	Average
2	5350.000	33.22	1.47	30.31	29.90	54.00	24.10	Average
3	5460.000	33.34	1.49	29.95	29.68	54.00	24.32	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5232.000	33.08	1.45	74.98	74.41	54.00	24.89	Average
2	5350.000	33.22	1.47	29.52	29.11	54.00	24.89	Average
3	5460.000	33.34	1.49	30.13	29.86	54.00	24.14	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5233.680	33.08	1.45	84.62	84.05	68.20	27.17	Peak
2	5350.000	33.22	1.47	40.49	40.08	74.00	33.92	Peak
3	5460.000	33.34	1.49	41.30	41.03	68.20	27.17	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5233.680	33.08	1.45	94.19	93.62	74.00	33.33	Peak
2	5350.000	33.22	1.47	41.08	40.67	74.00	33.33	Peak
3	5460.000	33.34	1.49	40.82	40.55	68.20	27.65	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	46.11	45.42	74.00	28.58	Peak
2	5178.760	33.02	1.43	96.48	95.83	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	42.69	42.00	74.00	32.00	Peak
2	5183.020	33.02	1.43	85.26	84.61	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	29.53	28.84	54.00	25.16	Average
2	5181.600	33.02	1.43	75.25	74.60	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	32.82	32.13	54.00	21.87	Average
2	5179.470	33.02	1.43	86.50	85.85	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.720	33.08	1.45	98.90	98.33	74.00	33.60	Peak
2	5350.000	33.22	1.47	40.81	40.40	74.00	33.60	Peak
3	5460.000	33.34	1.49	40.76	40.49	68.20	27.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.240	33.08	1.45	85.98	85.41	74.00	34.28	Peak
2	5350.000	33.22	1.47	40.13	39.72	74.00	34.28	Peak
3	5460.000	33.34	1.49	42.01	41.74	68.20	26.46	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.000	33.08	1.45	77.66	77.09	54.00	24.77	Average
2	5350.000	33.22	1.47	29.64	29.23	54.00	24.77	Average
3	5460.000	33.34	1.49	29.70	29.43	54.00	24.57	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5239.560	33.08	1.45	88.42	87.65	54.00	24.14	Average
2	5350.000	33.22	1.47	30.27	29.86	54.00	24.14	Average
3	5460.000	33.34	1.49	30.03	29.76	54.00	24.24	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	29.79	29.10	54.00	24.90	Average
2	5192.230	33.04	1.44	71.31	70.69	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	34.58	33.89	54.00	20.11	Average
2	5197.610	33.02	1.43	83.14	82.49	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	48.10	47.41	74.00	26.59	Peak
2	5193.000	33.04	1.44	94.20	93.58	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	42.86	42.17	74.00	31.83	Peak
2	5197.610	33.02	1.43	82.05	81.40	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.480	33.06	1.44	83.62	83.02	74.00	34.13	Peak
2	5350.000	33.22	1.47	40.28	39.87	74.00	32.73	Peak
3	5460.000	33.34	1.49	41.46	41.19	74.00	27.01	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.520	33.08	1.45	94.04	93.47	74.00	32.73	Peak
2	5350.000	33.22	1.47	41.68	41.27	74.00	32.73	Peak
3	5460.000	33.34	1.49	41.04	40.77	74.00	27.43	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.800	33.08	1.45	83.67	83.10	74.00	24.15	Average
2	5350.000	33.22	1.47	30.22	29.81	74.00	24.19	Average
3	5460.000	33.34	1.49	30.12	29.85	74.00	24.15	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5227.800	33.08	1.45	73.27	72.70	74.00	24.91	Average
2	5350.000	33.22	1.47	29.50	29.09	74.00	24.91	Average
3	5460.000	33.34	1.49	29.96	29.69	74.00	24.31	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	42.84	42.15	74.00	31.85	Peak
2	5207.630	33.06	1.44	81.64	81.04	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	49.09	48.40	74.00	25.60	Peak
2	5205.320	33.04	1.44	92.89	92.27	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	36.58	35.89	54.00	18.11	Average
2	5213.020	33.06	1.44	77.83	77.23	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.000	32.98	1.43	29.81	29.12	54.00	24.88	Average
2	5206.860	33.04	1.44	66.23	65.61	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

U-NII-3 Band:


M/N: CT9C08



Site no. : 3m Chamber Data no. : 3
 Dis. / Ant. : 3m 2020 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.4°C/52.9% Engineer : Lynn
 EUT :
 Power rating : AC120V/60HZ
 Test Mode : 11a 5745MHz Tx Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.68	47.56	69.20	20.64	Peak
2	5650.000	33.68	1.53	44.58	48.82	69.20	19.38	Peak
3	5700.000	33.74	1.54	44.53	48.84	105.20	56.36	Peak
4	5720.000	33.80	1.54	45.24	49.61	110.80	61.19	Peak
5	5725.000	33.80	1.55	49.73	54.11	122.80	68.69	Peak
6	5743.540	33.83	1.55	88.39	92.80	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 4
 Dis. / Ant. : 3m 2020 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-3
 Env. / Ins. : 23.4°C/52.9% Engineer : Lynn
 EUT :
 Power rating : AC120V/60HZ
 Test Mode : 11a 5745MHz Tx Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	44.19	48.07	69.20	20.13	Peak
2	5650.000	33.68	1.53	44.45	48.69	69.20	19.51	Peak
3	5700.000	33.74	1.54	46.09	50.40	105.20	54.80	Peak
4	5720.000	33.80	1.54	52.85	57.22	110.80	53.58	Peak
5	5725.000	33.80	1.55	60.80	65.18	122.80	57.62	Peak
6	5744.380	33.83	1.55	95.68	100.09	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 5
 Dis. / Ant. : 3m 2020 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.4°C/52.9% Engineer : Lynn
 EUT :
 Power rating : AC120V/60HZ
 Test Mode : 11a 5745MHz Tx Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.54	35.42	54.00	18.58	Average
2	5744.380	33.83	1.55	86.15	90.56	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 6
 Dis. / Ant. : 3m 2020 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.4°C/52.9% Engineer : Lynn
 EUT :
 Power rating : AC120V/60HZ
 Test Mode : 11a 5745MHz Tx Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.53	35.41	54.00	18.59	Average
2	5743.540	33.83	1.55	75.09	79.50	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	87.54	92.12	122.20	72.64	Peak
2	5850.000	34.02	1.57	44.95	49.56	110.80	61.95	Peak
3	5855.000	34.05	1.57	44.22	48.85	110.80	61.95	Peak
4	5875.000	34.08	1.58	44.51	49.18	105.20	56.02	Peak
5	5925.000	34.18	1.58	44.23	49.00	68.20	19.20	Peak
6	7250.000	36.50	1.92	44.34	50.71	68.20	17.49	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	95.13	99.71	122.20	65.48	Peak
2	5850.000	34.02	1.57	52.11	56.72	110.80	56.17	Peak
3	5855.000	34.05	1.57	50.00	54.63	110.80	56.17	Peak
4	5875.000	34.08	1.58	45.00	49.67	105.20	55.53	Peak
5	5925.000	34.18	1.58	45.20	49.97	68.20	18.23	Peak
6	7250.000	36.50	1.92	44.40	50.77	68.20	17.43	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.450	33.99	1.57	85.97	90.55	122.20	72.64	Average
2	7250.000	36.50	1.92	32.27	38.64	54.00	15.36	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	78.05	82.63	122.20	72.64	Average
2	7250.000	36.50	1.92	32.27	38.64	54.00	15.36	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.95	47.83	68.20	20.37	Peak
2	5650.000	33.68	1.53	43.89	48.13	68.20	20.07	Peak
3	5700.000	33.74	1.54	45.02	49.33	105.20	55.87	Peak
4	5720.000	33.80	1.54	51.53	55.90	110.80	54.90	Peak
5	5725.000	33.80	1.55	59.60	63.98	122.80	58.82	Peak
6	5747.320	33.83	1.55	94.90	99.31	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.96	47.84	68.20	20.36	Peak
2	5650.000	33.68	1.53	44.45	48.69	68.20	19.51	Peak
3	5700.000	33.74	1.54	44.81	49.12	105.20	56.08	Peak
4	5720.000	33.80	1.54	45.40	49.77	110.80	61.03	Peak
5	5725.000	33.80	1.55	52.24	56.62	122.80	66.18	Peak
6	5743.120	33.83	1.55	87.95	92.36	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.57	35.45	54.00	18.55	Average
2	5743.960	33.83	1.55	78.46	82.87	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.56	35.44	54.00	18.56	Average
2	5746.480	33.83	1.55	85.19	89.60	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	96.20	100.78	122.20	64.71	Peak
2	5850.000	34.02	1.57	52.88	57.49	110.80	54.64	Peak
3	5855.000	34.05	1.57	51.53	56.16	110.80	54.64	Peak
4	5875.000	34.08	1.58	44.61	49.28	105.20	55.92	Peak
5	5925.000	34.18	1.58	44.38	49.15	68.20	19.05	Peak
6	7250.000	36.50	1.92	45.23	51.60	68.20	16.60	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	88.62	93.20	122.20	72.08	Peak
2	5850.000	34.02	1.57	45.51	50.12	110.80	61.80	Peak
3	5855.000	34.05	1.57	44.37	49.00	110.80	61.80	Peak
4	5875.000	34.08	1.58	44.48	49.15	105.20	56.05	Peak
5	5925.000	34.18	1.58	44.29	49.06	68.20	19.14	Peak
6	7250.000	36.50	1.92	43.92	50.29	68.20	17.91	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	79.00	83.58	54.00	15.05	Average
2	7250.000	36.50	1.92	32.58	38.95	54.00	15.05	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.350	33.99	1.57	86.80	91.38	54.00	15.13	Average
2	7250.000	36.50	1.92	32.50	38.87	54.00	15.13	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.31	47.19	68.20	21.01	Peak
2	5650.000	33.68	1.53	43.00	47.24	68.20	20.96	Peak
3	5700.000	33.74	1.54	44.91	49.22	105.20	55.98	Peak
4	5720.000	33.80	1.54	50.46	54.83	110.80	55.97	Peak
5	5725.000	33.80	1.55	52.72	57.10	122.80	65.70	Peak
6	5757.440	33.87	1.55	86.17	90.61	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.59	47.47	68.20	20.73	Peak
2	5650.000	33.68	1.53	44.02	48.26	68.20	19.94	Peak
3	5700.000	33.74	1.54	46.57	50.88	105.20	54.32	Peak
4	5720.000	33.80	1.54	56.01	60.38	110.80	50.42	Peak
5	5725.000	33.80	1.55	57.92	62.30	122.80	60.50	Peak
6	5752.600	33.87	1.55	93.65	98.09	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.65	35.53	54.00	18.47	Average
2	5752.600	33.87	1.55	83.26	87.70	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.61	35.49	54.00	18.51	Average
2	5753.920	33.87	1.55	76.52	80.96	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.820	33.93	1.56	75.82	80.33	---	---	Average
2	7250.000	36.50	1.92	32.35	38.72	54.00	15.28	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	33.93	1.56	82.98	87.49	---	---	Average
2	7250.000	36.50	1.92	32.45	38.82	54.00	15.18	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5793.830	33.93	1.56	92.75	97.26	---	---	Peak
2	5825.000	33.99	1.57	55.19	59.77	---	---	Peak
3	5850.000	34.02	1.57	46.19	50.80	122.20	71.40	Peak
4	5855.000	34.05	1.57	45.56	50.19	110.80	60.61	Peak
5	5875.000	34.08	1.58	44.84	49.51	105.20	55.69	Peak
6	7250.000	36.50	1.92	43.14	49.51	68.20	18.69	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5793.830	33.93	1.56	85.46	89.97	---	---	Peak
2	5850.000	34.02	1.57	44.66	49.27	122.20	72.93	Peak
3	5855.000	34.05	1.57	44.84	49.47	110.80	61.33	Peak
4	5875.000	34.08	1.58	44.28	48.95	105.20	56.25	Peak
5	5925.000	34.18	1.58	45.52	50.29	68.20	17.91	Peak
6	7250.000	36.50	1.92	44.13	50.50	68.20	17.70	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	44.43	48.31	68.20	19.89	Peak
2	5650.000	33.68	1.53	44.01	48.25	68.20	19.95	Peak
3	5700.000	33.74	1.54	45.22	49.53	105.20	55.67	Peak
4	5720.000	33.80	1.54	48.35	52.72	110.80	58.08	Peak
5	5725.000	33.80	1.55	49.76	54.14	122.80	68.66	Peak
6	5743.540	33.83	1.55	88.46	92.87	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.63	47.51	68.20	20.69	Peak
2	5650.000	33.68	1.53	44.39	48.63	68.20	19.57	Peak
3	5700.000	33.74	1.54	50.09	54.40	105.20	50.80	Peak
4	5720.000	33.80	1.54	54.96	59.33	110.80	51.47	Peak
5	5725.000	33.80	1.55	61.92	66.30	122.80	56.50	Peak
6	5746.900	33.83	1.55	95.69	100.10	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.73	35.61	54.00	18.39	Peak
2	5743.960	33.83	1.55	86.11	90.52	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.69	35.57	54.00	18.43	Average
2	5743.960	33.83	1.55	79.40	83.81	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.350	33.99	1.57	87.94	92.52	122.20	72.68	Peak
2	5850.000	34.02	1.57	44.91	49.52	110.80	61.89	Peak
3	5855.000	34.05	1.57	44.28	48.91	110.80	61.89	Peak
4	5875.000	34.08	1.58	44.04	48.71	105.20	56.49	Peak
5	5925.000	34.18	1.58	44.13	48.90	68.20	19.30	Peak
6	7250.000	36.50	1.92	44.36	50.73	68.20	17.47	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5821.450	33.99	1.57	95.17	99.75	122.20	65.80	Peak
2	5850.000	34.02	1.57	51.79	56.40	110.80	54.80	Peak
3	5855.000	34.05	1.57	51.37	56.00	110.80	54.80	Peak
4	5875.000	34.08	1.58	44.66	49.33	105.20	55.87	Peak
5	5925.000	34.18	1.58	44.23	49.00	68.20	19.20	Peak
6	7250.000	36.50	1.92	44.14	50.51	68.20	17.69	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	85.88	90.46	122.20	72.68	Average
2	7250.000	36.50	1.92	32.36	38.73	54.00	15.27	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	33.99	1.57	78.12	82.70	122.20	72.68	Average
2	7250.000	36.50	1.92	32.35	38.72	54.00	15.28	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.94	47.82	68.20	20.38	Peak
2	5650.000	33.68	1.53	44.55	48.79	68.20	19.41	Peak
3	5700.000	33.74	1.54	48.45	52.76	105.20	52.44	Peak
4	5720.000	33.80	1.54	55.79	60.16	110.80	50.64	Peak
5	5725.000	33.80	1.55	62.83	67.21	122.80	55.59	Peak
6	5753.480	33.87	1.55	92.84	97.28	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	44.14	48.02	68.20	20.18	Peak
2	5650.000	33.68	1.53	43.78	48.02	68.20	20.18	Peak
3	5700.000	33.74	1.54	44.42	48.73	105.20	56.47	Peak
4	5720.000	33.80	1.54	49.79	54.16	110.80	56.64	Peak
5	5725.000	33.80	1.55	51.27	55.65	122.80	67.15	Peak
6	5753.920	33.87	1.55	85.64	90.08	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.73	35.61	54.00	18.39	Average
2	5753.040	33.87	1.55	75.92	80.36	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.64	35.52	54.00	18.48	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5787.860	33.93	1.56	85.37	89.88	122.20	72.53	Peak
2	5850.000	34.02	1.57	45.06	49.67	105.20	56.39	Peak
3	5875.000	34.08	1.58	44.14	48.81	105.20	56.39	Peak
4	5925.000	34.18	1.58	43.99	48.76	68.20	19.44	Peak
5	7250.000	36.50	1.92	44.15	50.52	68.20	17.68	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	33.93	1.56	93.51	98.02	122.20	71.84	Peak
2	5850.000	34.02	1.57	45.75	50.36	105.20	55.82	Peak
3	5855.000	34.05	1.57	45.87	50.50	110.80	60.30	Peak
4	5875.000	34.08	1.58	44.71	49.38	105.20	55.82	Peak
5	5925.000	34.18	1.58	44.63	49.40	68.20	18.80	Peak
6	7250.000	36.50	1.92	44.50	50.87	68.20	17.33	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	33.93	1.56	83.80	88.31	122.20	72.53	Average
2	7250.000	36.50	1.92	32.36	38.73	54.00	15.27	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	33.93	1.56	75.89	80.40	122.20	71.84	Peak
2	7250.000	36.50	1.92	32.41	38.78	54.00	15.22	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.61	47.49	68.20	20.71	Peak
2	5650.000	33.68	1.53	45.03	49.27	68.20	18.93	Peak
3	5700.000	33.74	1.54	52.51	56.82	105.20	48.38	Peak
4	5720.000	33.80	1.54	56.93	61.30	110.80	49.50	Peak
5	5725.000	33.80	1.55	59.09	63.47	122.80	59.33	Peak
6	5777.680	33.90	1.55	87.63	92.10	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	43.00	46.88	68.20	21.32	Peak
2	5650.000	33.68	1.53	44.11	48.35	68.20	19.85	Peak
3	5700.000	33.74	1.54	46.62	50.93	105.20	54.27	Peak
4	5720.000	33.80	1.54	51.10	55.47	110.80	55.33	Peak
5	5725.000	33.80	1.55	48.73	53.11	122.80	69.69	Peak
6	5771.440	33.90	1.55	81.52	85.99	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.75	35.63	54.00	18.37	Average
2	5772.400	33.90	1.55	72.93	77.40	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	33.34	1.49	31.66	35.54	54.00	18.46	Average
2	5771.920	33.90	1.55	81.00	85.47	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

M/N: CT9C18




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBUV)	Emission Level (dBUV/m)	Limits (dBUV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	45.07	46.70	68.20	21.50	Peak
2	5650.000	35.14	1.53	45.43	47.83	68.20	20.37	Peak
3	5672.560	35.12	1.53	50.27	52.66	84.89	32.23	Peak
4	5700.000	35.10	1.54	46.70	49.08	105.20	56.12	Peak
5	5720.000	35.07	1.54	52.56	54.92	110.80	55.88	Peak
6	5725.000	35.07	1.55	55.16	57.53	122.80	65.27	Peak
7	5743.960	35.05	1.55	93.21	95.56	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBUV)	Emission Level (dBUV/m)	Limits (dBUV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	45.60	47.23	68.20	20.97	Peak
2	5650.000	35.14	1.53	46.24	48.64	68.20	19.56	Peak
3	5700.000	35.10	1.54	46.86	49.24	105.20	55.96	Peak
4	5720.000	35.07	1.54	55.34	57.70	110.80	53.10	Peak
5	5725.000	35.07	1.55	57.68	60.25	122.80	62.55	Peak
6	5744.380	35.05	1.55	98.26	100.61	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBUV)	Emission Level (dBUV/m)	Limits (dBUV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.28	24.91	54.00	29.09	Average
2	5744.800	35.05	1.55	80.04	82.39	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBUV)	Emission Level (dBUV/m)	Limits (dBUV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.02	24.65	54.00	29.35	Average
2	5744.800	35.05	1.55	74.79	77.14	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5827.300	34.90	1.57	84.73	86.97	122.20	82.40	Peak
2	5850.000	34.85	1.57	37.61	39.80	110.80	72.90	Peak
3	5855.000	34.80	1.57	35.76	37.90	105.20	67.44	Peak
4	5875.000	34.75	1.58	35.65	37.76	105.20	67.44	Peak
5	5925.000	34.70	1.58	35.18	37.25	105.20	67.44	Peak
6	7250.000	36.25	1.92	36.18	39.80	105.20	67.44	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	88.84	91.08	122.20	77.67	Peak
2	5850.000	34.85	1.57	42.34	44.53	110.80	68.36	Peak
3	5855.000	34.80	1.57	40.30	42.44	110.80	68.36	Peak
4	5875.000	34.75	1.58	36.83	38.94	105.20	66.26	Peak
5	5925.000	34.70	1.58	37.34	39.41	105.20	66.26	Peak
6	7250.000	36.25	1.92	34.68	38.30	105.20	66.26	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	81.91	84.15	122.20	77.67	Average
2	7250.000	36.25	1.92	23.28	26.90	105.20	27.10	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	75.03	77.27	122.20	77.67	Average
2	7250.000	36.25	1.92	23.58	27.20	105.20	26.80	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	37.19	38.82	68.20	29.38	Peak
2	5650.000	35.14	1.53	35.68	38.08	68.20	30.12	Peak
3	5700.000	35.10	1.54	38.70	41.08	105.20	64.12	Peak
4	5720.000	35.07	1.54	42.94	45.30	110.80	65.50	Peak
5	5725.000	35.07	1.55	47.07	49.44	122.80	73.36	Peak
6	5743.960	35.05	1.55	90.95	93.30	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	34.97	36.60	68.20	31.60	Peak
2	5650.000	35.14	1.53	35.65	38.05	68.20	30.15	Peak
3	5700.000	35.10	1.54	36.53	38.91	105.20	66.29	Peak
4	5720.000	35.07	1.54	39.71	42.07	110.80	68.73	Peak
5	5725.000	35.07	1.55	42.91	45.28	122.80	77.52	Peak
6	5747.740	35.05	1.55	85.13	87.48	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.10	24.73	54.00	29.27	Average
2	5744.800	35.05	1.55	74.95	77.30	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.65	25.28	54.00	28.72	Average
2	5744.800	35.05	1.55	80.82	83.17	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	83.17	85.41	-----	-----	Average
2	7250.000	36.25	1.92	23.51	27.13	54.00	26.87	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	76.16	78.40	-----	-----	Average
2	7250.000	36.25	1.92	23.42	27.04	54.00	26.96	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.400	34.90	1.57	84.66	86.90	-----	-----	Peak
2	5850.700	34.85	1.57	42.34	44.53	120.60	76.07	Peak
3	5855.000	34.80	1.57	39.93	42.07	110.80	68.73	Peak
4	5855.000	34.80	1.57	34.95	37.09	110.80	73.71	Peak
5	5875.000	34.75	1.58	34.98	37.09	105.20	68.11	Peak
6	5925.000	34.70	1.58	35.32	37.39	68.20	30.81	Peak
7	7250.000	36.25	1.92	35.23	38.85	68.20	29.35	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.350	34.90	1.57	91.66	93.90	-----	-----	Peak
2	5850.000	34.85	1.57	42.80	44.99	122.20	77.21	Peak
3	5855.000	34.80	1.57	43.22	45.36	110.80	65.44	Peak
4	5875.000	34.75	1.58	38.76	40.87	105.20	64.33	Peak
5	5925.000	34.70	1.58	36.58	38.65	68.20	29.55	Peak
6	7250.000	36.25	1.92	34.80	38.42	68.20	29.78	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	36.32	37.95	68.20	30.25	Peak
2	5650.000	35.14	1.53	35.70	38.10	68.20	30.10	Peak
3	5700.000	35.10	1.54	37.10	39.48	105.20	65.72	Peak
4	5720.000	35.07	1.54	46.92	49.28	110.80	61.52	Peak
5	5725.000	35.07	1.55	49.67	52.04	122.80	70.76	Peak
6	5747.760	35.05	1.55	80.53	82.88	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	36.48	38.11	68.20	30.09	Peak
2	5650.000	35.14	1.53	36.79	39.19	68.20	29.01	Peak
3	5700.000	35.10	1.54	39.05	41.43	105.20	63.77	Peak
4	5720.000	35.07	1.54	53.24	55.60	110.80	55.20	Peak
5	5725.000	35.07	1.55	56.49	58.86	122.80	63.94	Peak
6	5750.400	35.05	1.55	88.74	91.09	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.50	25.13	54.00	28.87	Average
2	5757.440	35.03	1.55	77.16	79.49	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.06	24.69	54.00	29.31	Average
2	5754.360	35.03	1.55	69.02	71.35	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	35.00	1.56	70.94	73.26	-----	-----	Average
2	7250.000	36.25	1.92	23.67	27.29	54.00	26.71	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5797.810	35.00	1.56	76.62	78.94	-----	-----	Average
2	7250.000	36.25	1.92	23.73	27.35	54.00	26.65	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5797.810	35.00	1.56	89.77	92.09	-----	-----	Peak
2	5850.000	34.85	1.57	39.66	41.85	122.20	80.35	Peak
3	5855.000	34.80	1.57	39.40	41.54	110.80	69.26	Peak
4	5875.000	34.75	1.58	36.70	38.81	105.20	66.39	Peak
5	5925.000	34.70	1.58	35.67	37.74	68.20	30.46	Peak
6	7250.000	36.25	1.92	36.21	39.83	68.20	28.37	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.870	35.00	1.56	80.98	83.30	-----	-----	Peak
2	5850.000	34.85	1.57	37.11	39.30	122.20	82.90	Peak
3	5855.000	34.80	1.57	35.86	38.00	110.80	72.80	Peak
4	5875.000	34.75	1.58	37.59	39.70	105.20	65.50	Peak
5	5925.000	34.70	1.58	35.48	37.55	68.20	30.65	Peak
6	7250.000	36.25	1.92	35.08	38.70	68.20	29.50	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	35.04	36.67	68.20	31.53	Peak
2	5650.000	35.14	1.53	35.81	38.21	68.20	29.99	Peak
3	5700.000	35.10	1.54	35.68	38.06	105.20	67.14	Peak
4	5720.000	35.07	1.54	36.66	41.02	110.80	69.78	Peak
5	5725.000	35.07	1.55	41.87	44.24	122.80	78.56	Peak
6	5747.760	35.05	1.55	83.46	85.81	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	36.29	37.92	68.20	30.28	Peak
2	5650.000	35.14	1.53	36.48	38.88	68.20	29.32	Peak
3	5700.000	35.10	1.54	37.92	40.30	105.20	64.90	Peak
4	5720.000	35.07	1.54	43.95	46.31	110.80	64.49	Peak
5	5725.000	35.07	1.55	50.71	53.08	122.80	69.72	Peak
6	5743.800	35.05	1.55	90.83	93.18	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.65	25.28	54.00	28.72	Peak
2	5745.560	35.05	1.55	80.71	83.06	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.80	25.43	54.00	28.57	Peak
2	5744.680	35.05	1.55	74.64	76.99	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.680	34.90	1.57	82.70	84.94	122.20	81.45	Peak
2	5850.000	34.85	1.57	38.56	40.75	110.80	72.83	Peak
3	5855.000	34.80	1.57	35.83	37.97	110.80	72.83	Peak
4	5875.000	34.75	1.58	36.32	38.43	105.20	66.77	Peak
5	5925.000	34.70	1.58	35.89	37.96	68.20	30.24	Peak
6	7250.000	36.25	1.92	34.56	38.18	68.20	30.02	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.680	34.90	1.57	92.26	94.50	122.20	75.61	Peak
2	5850.000	34.85	1.57	44.40	46.59	110.80	68.38	Peak
3	5855.000	34.80	1.57	40.28	42.42	110.80	68.38	Peak
4	5875.000	34.75	1.58	37.57	39.68	105.20	65.52	Peak
5	5925.000	34.70	1.58	35.83	37.90	68.20	30.30	Peak
6	7250.000	36.25	1.92	35.85	39.47	68.20	28.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.680	34.90	1.57	81.22	83.46	122.20	81.45	Average
2	7250.000	36.25	1.92	23.66	27.28	54.00	26.72	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5823.680	34.90	1.57	74.69	76.93	122.20	75.61	Average
2	7250.000	36.25	1.92	23.87	27.49	54.00	26.51	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	35.46	37.09	68.20	31.11	Peak
2	5650.000	35.14	1.53	36.53	38.93	68.20	29.27	Peak
3	5700.000	35.10	1.54	36.43	38.81	105.20	66.39	Peak
4	5720.000	35.07	1.54	43.65	46.01	110.80	64.79	Peak
5	5725.000	35.07	1.55	43.73	46.10	122.80	76.70	Peak
6	5752.600	35.03	1.55	80.90	83.23	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	35.29	36.92	68.20	31.28	Peak
2	5650.000	35.14	1.53	36.08	38.48	68.20	29.72	Peak
3	5700.000	35.10	1.54	37.64	40.02	105.20	65.18	Peak
4	5720.000	35.07	1.54	48.83	51.19	110.80	59.61	Peak
5	5725.000	35.07	1.55	48.99	51.36	122.80	71.44	Peak
6	5758.760	35.03	1.55	88.24	90.57	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.74	25.37	54.00	28.63	Average
2	5757.440	35.03	1.55	76.28	78.61	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.21	24.84	54.00	29.16	Average
2	5753.040	35.03	1.55	69.22	71.55	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	35.00	1.56	70.10	72.42	---	---	Average
2	7250.000	36.25	1.92	23.74	27.36	54.00	26.64	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	35.00	1.56	77.36	79.68	---	---	Peak
2	7250.000	36.25	1.92	23.92	27.54	54.00	26.46	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	35.00	1.56	89.49	91.81	---	---	Peak
2	5850.000	34.85	1.57	42.65	44.84	122.20	77.36	Peak
3	5855.000	34.80	1.57	43.50	45.64	110.80	65.16	Peak
4	5875.000	34.75	1.58	37.16	39.27	105.20	65.93	Peak
5	5925.000	34.70	1.58	35.85	37.92	68.20	30.28	Peak
6	7250.000	36.25	1.92	34.41	38.03	68.20	30.17	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5791.840	35.00	1.56	80.62	82.94	---	---	Peak
2	5850.000	34.85	1.57	37.68	39.87	122.20	82.33	Peak
3	5855.000	34.80	1.57	36.81	38.95	110.80	71.85	Peak
4	5875.000	34.75	1.58	35.65	37.76	105.20	67.44	Peak
5	5925.000	34.70	1.58	35.72	37.79	68.20	30.41	Peak
6	7250.000	36.25	1.92	35.97	39.59	68.20	28.61	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: A2HCT201




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	35.39	37.02	68.20	31.18	Peak
2	5650.000	35.14	1.53	37.45	39.85	68.20	28.35	Peak
3	5700.000	35.10	1.54	47.76	50.14	105.20	55.06	Peak
4	5720.000	35.07	1.54	50.45	52.81	110.80	57.99	Peak
5	5725.000	35.07	1.55	51.06	53.43	122.80	69.37	Peak
6	5787.760	35.00	1.56	85.74	88.06	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	35.15	36.78	68.20	31.42	Peak
2	5650.000	35.14	1.53	36.92	39.32	68.20	28.88	Peak
3	5700.000	35.10	1.54	43.43	45.81	105.20	59.39	Peak
4	5720.000	35.07	1.54	45.01	47.37	110.80	63.43	Peak
5	5725.000	35.07	1.55	45.87	48.24	122.80	74.56	Peak
6	5772.880	35.02	1.55	79.38	81.71	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.18	24.81	54.00	29.19	Average
2	5778.160	35.02	1.55	64.53	66.86	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5460.000	34.45	1.49	23.59	25.22	54.00	28.78	Average
2	5781.040	35.02	1.56	71.33	73.67	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.

6. 6dB & 26dB Bandwidth Test

6.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Apr.07,21	1 Year
2.	Attenuator	Agilent	8491B	MY39269201	Oct.12,20	1 Year
3.	RF Cable	HUBER+SUHNER	SUCOFLEX-106	505238/6	Apr.07,21	1 Year

6.2. Limit

6dB Bandwidth should be not less than 500kHz

6.3. Test Procedure

26dB Bandwidth:

Use the test method described in ANSI C63.10 clause 12.4.1:

- Set RBW = approximately 1% of the emission bandwidth.
- Set the VBW > RBW.
- Detector = Peak.
- Trace mode = max hold.
- Measure the maximum width of the emission that is 26 dB down from the maximum of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

6dB Bandwidth:

Use the test method described in 789033 D02 v02r01:

Section 15.407(e) specifies the minimum 6 dB emission bandwidth of at least 500 kHz for the band 5.725–5.85 GHz. The following procedure shall be used for measuring this bandwidth:

- Set RBW = 100 kHz.
- Set the video bandwidth (VBW) ≥ 3 RBW.
- Detector = Peak.
- Trace mode = max hold
- Sweep = auto couple
- Allow the trace to stabilize
- Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission

Note: The automatic bandwidth measurement capability of a spectrum analyzer or EMI receiver may be employed if it implements the functionality described in this section. For devices that use channel aggregation refer to III.A and III.C for determining emission bandwidth.

6.4. Test Results

U-NII-1 Band:

EUT: Tablet		
M/N: CT9C08; CT9C18		
Test date: 2021-06-02	Pressure: 102.3±1.0 kpa	Humidity: 53.6±3.0%
Tested by: THOMAX	Test site: RF site	Temperature: 25.5±0.6 °C

26dB bandwidth:

Test Mode	Frequency (MHz)	26dB Bandwidth (MHz)	Limit (kHz)
11a	5180	19.15	N/A
	5200	19.14	N/A
	5240	19.28	N/A
11n HT20	5180	19.60	N/A
	5200	19.84	N/A
	5240	19.62	N/A
11n HT40	5190	39.22	N/A
	5230	39.07	N/A
11ac VHT20	5180	19.67	N/A
	5200	19.69	N/A
	5240	19.64	N/A
11ac VHT40	5190	39.01	N/A
	5230	39.24	N/A
11ac VHT80	5210	79.00	N/A
Conclusion: PASS			

U-NII-3 Band:


EUT: Tablet		
M/N: CT9C08; CT9C18		
Test date: 2021-05-14~06-02	Pressure: 102.3±1.0 kpa	Humidity: 53.6±3.0%
Tested by: THOMAX	Test site: RF site	Temperature: 25.5±0.6 °C


6dB bandwidth:


Test Mode	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (kHz)
11a	5745	16.37	≥ 500
	5785	16.38	≥ 500
	5825	16.37	≥ 500
11n HT20	5745	17.38	≥ 500
	5785	17.61	≥ 500
	5825	17.60	≥ 500
11n HT40	5755	36.01	≥ 500
	5795	36.13	≥ 500
11ac VHT20	5745	17.58	≥ 500
	5785	17.60	≥ 500
	5825	17.62	≥ 500
11ac VHT40	5755	35.91	≥ 500
	5795	36.11	≥ 500
11ac VHT80	5775	76.41	≥ 500
Conclusion: PASS			

26dB bandwidth:

Test Mode	Frequency (MHz)	26dB Bandwidth (MHz)	Limit (kHz)
11a	5745	19.09	N/A
	5785	19.27	N/A
	5825	19.12	N/A
11n HT20	5745	19.62	N/A
	5785	19.57	N/A
	5825	19.71	N/A
11n HT40	5755	39.17	N/A
	5795	38.93	N/A
11ac VHT20	5745	19.75	N/A
	5785	19.70	N/A
	5825	19.67	N/A
11ac VHT40	5755	39.26	N/A
	5795	38.99	N/A
11ac VHT80	5775	79.00	N/A
Conclusion: PASS			







7. OUTPUT POWER TEST

7.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Apr.07,21	1 Year
2.	Power meter	Anritsu	ML2487A	6K00002472	Apr.07,21	1Year
3.	Power Sensor	Anritsu	MA2491A	033005	Apr.06,21	1Year
4.	Attenuator	Agilent	8491B	MY39269201	Oct.12,20	1 Year
5.	RF Cable	HUBER+SUHNER	SUCOFLEX-106	505238/6	Apr.07,21	1 Year

7.2. Limit

For the band 5.15–5.25 GHz.

For mobile and portable client devices in the 5.15–5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi.

For the 5.25–5.35 GHz and 5.47–5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz.

For the band 5.725–5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

7.3. Test Procedure

1. Connected the EUT's antenna port to measure device by 20dB attenuator.
 - 1) Measure the duty cycle, x, of the transmitter output signal as described in II.B.
 - 2) Set span to encompass the EBW (or, alternatively, the entire 99% occupied bandwidth) of the signal.
 - 3) Set RBW = 1 MHz.
 - 4) Set VBW $\geq$ 3 MHz.
 - 5) Number of points in sweep $\geq 2 \times \text{span} / \text{RBW}$. (This ensures that bin-to-bin spacing is $\leq \text{RBW}/2$, so that narrowband signals are not lost between frequency bins.)
 - 6) Sweep time = auto.
 - 7) Detector = power averaging (rms), if available. Otherwise, use sample detector mode.
 - 8) Do not use sweep triggering. Allow the sweep to “free run.”
 - 9) Trace average at least 100 traces in power averaging (rms) mode; however, the number of traces to be averaged shall be increased above 100 as needed to ensure that the average accurately represents the true average over the on and off periods of the transmitter.
 - 10) Compute power by integrating the spectrum across the EBW (or, alternatively, the entire 99% occupied bandwidth) of the signal using the instrument's band power measurement function with band limits set equal to the EBW (or occupied bandwidth) band edges. If the instrument does not have a band power function, sum the spectrum levels (in power units) at 1 MHz intervals extending across the EBW (or, alternatively, the entire 99% occupied bandwidth) of the signal.
 - 11) Add $10 \log (1/x)$, where x is the duty cycle, to the measured power in order to compute the average power during the actual transmission times

Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.

7.4.Test Results

U-NII-1 Band:

EUT: Tablet		
M/N: CT9C08; CT9C18		
Test date: 2021-05-17	Pressure: 102.1 ±1.0 kpa	Humidity: 51.1 ±3.0%
Tested by: THOMAX	Test site: RF site	Temperature:22.8±0.6 °C

Test Mode	Frequency (MHz)	Maximum Conducted output power (dBm)	Limit (dBm)
11a	5180	12.57	23.98
	5200	12.83	
	5240	12.73	
11n HT20	5180	12.63	23.98
	5200	12.69	
	5240	12.30	
11n HT40	5190	12.29	23.98
	5230	12.39	
11ac VHT20	5180	12.54	23.98
	5200	12.73	
	5240	12.35	
11ac VHT40	5190	12.42	23.98
	5230	12.15	
11ac VHT80	5210	12.34	23.98
Conclusion: PASS			

U-NII-3 Band:

EUT: Tablet

M/N: CT9C08; CT9C18

Test date: 2021-05-17

Pressure: 102.1 ±1.0 kpa


Humidity: 51.1 ±3.0%


Tested by: THOMAX

Test site: RF site

Temperature: 22.8 ±0.6 °C

Test Mode	Frequency (MHz)	Maximum Conducted output power (dBm)	Limit (dBm)
11a	5745	13.13	30
	5785	13.18	
	5825	13.09	
11n HT20	5745	13.06	30
	5785	12.86	
	5825	13.00	
11n HT40	5755	12.97	30
	5795	12.76	
11ac VHT20	5745	12.98	30
	5785	13.08	
	5825	12.60	
11ac VHT40	5755	12.73	30
	5795	12.65	
11ac VHT80	5775	12.79	30
Conclusion: PASS			





8. SPECTRAL DENSITY TEST

8.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Apr.07,21	1 Year
2.	Attenuator	Agilent	8491B	MY39269201	Oct.12,20	1 Year
3.	RF Cable	HUBER+SUHNER	SUCOFLEX-106	505238/6	Apr.07,21	1 Year

8.2. Limit

Band 5150-5250 MHz:

The power spectral density shall not exceed 11 dBm in any 1.0 MHz band.

Band 5725-5850 MHz:

The power spectral density shall not exceed 30 dBm in any 500 KHz band.

8.3. Test Procedure

For the Band 5.15-5.25GHz:

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW; Detector: RMS mode.

For the band 5.725-5.85 GHz:

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW, RMS Detector.

So use the test method described in KDB789033 clause E

- 1) Set the RBW=100kHz and VBW ≥ 3 RBW
- 2) Number of points in sweep ≥ 2 Span / RBW. (This ensures that bin-to-bin spacing is $\leq$ RBW/2, so that narrowband signals are not lost between frequency bins.)
- 3) Sweep time = auto
- 4) Detector = RMS (i.e., power averaging), if available. Otherwise, use sample detector mode.
- 5) Use the "peak search" function of spectrum analyzer find the max value, then add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Note: The cable loss and attenuator loss were offset into measure device as an amplitude offset.

8.4.Test Results

U-NII-1 Band:

EUT: Tablet		
M/N: CT9C08; CT9C18		
Test date: 2021-05-14	Pressure: 102.5±1.0 kpa	Humidity: 53.1±3.0%
Tested by: THOMAX	Test site: RF site	Temperature:22.6±0.6 °C

Test Mode	Frequency (MHz)	Power density (dBm/MHz)	Limit (dBm/MHz)
11a	5180	1.729	11
	5200	1.912	
	5240	1.730	
11n HT20	5180	1.737	11
	5200	1.744	
	5240	1.670	
11n HT40	5190	-1.521	11
	5230	-1.702	
11ac VHT20	5180	1.811	11
	5200	1.593	
	5240	1.639	
11ac VHT40	5190	-1.393	11
	5230	-1.617	
11ac VHT80	5210	-4.800	11
Conclusion: PASS			

U-NII-3 Band:

EUT: Tablet		
M/N: CT9C08; CT9C18		
Test date: 2021-05-14	Pressure: 102.7 ±1.0 kpa	Humidity: 54.1 ±3.0%
Tested by: THOMAX	Test site: RF site	Temperature: 23.4 ±0.6 °C

Test Mode	Frequency (MHz)	Power density (dBm/500KHz)	Limit (dBm/500KHz)
11a	5745	1.5647	30
	5785	0.8127	
	5825	0.6927	
11n HT20	5745	0.7687	30
	5785	0.2037	
	5825	0.4037	
11n HT40	5755	-2.3913	30
	5795	-3.0313	
11ac VHT20	5745	0.8947	30
	5785	0.4947	
	5825	0.4047	
11ac VHT40	5755	-2.6333	30
	5795	-2.2973	
11ac VHT80	5775	-5.9683	30
Conclusion: PASS			

Note: The total result = Reading + 10 log(500kHz/100kHz)