

5. PHOTOGRAPHS

5.1. Photos of Powerline Conducted Measurement

Test Mode : D-Sub Input ("H" Pattern)



FRONT VIEW OF CONDUCTED TEST




BACK VIEW OF CONDUCTED TEST

Test Mode : D-Sub + RF Input (PIP Mode, "H" Pattern + "Color Bar" image)



FRONT VIEW OF CONDUCTED TEST




BACK VIEW OF CONDUCTED TEST

5.2. Photos of Radiated Measurement at Open Area Test Site

Test Mode : D-Sub Input ("H" Pattern)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : D-Sub + RF Input (PIP Mode, "H" Pattern + "Color Bar" image)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode: D-Sub Input, AUO Panel; 640*480/60Hz, 31kHz




SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION




SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test Mode: D-Sub Input, LG Philips Panel; 640*480/60Hz, 31kHz



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION